

MD7513 - Prevention, Screening & Early Detection in Diabetes

Prevention, Screening & Early Detection in Diabetes

View Online



1.
Public Health England - Diabetes prevention programmes: evidence review. (2015).
2.
American Diabetes Association - Standards of Medical Care in Diabetes - 2017 Summary of Revisions. Diabetes Care **40**, S4–S5 (2017).
3.
NICE - Type 2 diabetes: prevention in people at high risk | Guidance and guidelines.
4.
Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. New England Journal of Medicine **346**, 393–403 (2002).
5.
Gillies, C. L. et al. Pharmacological and lifestyle interventions to prevent or delay type 2 diabetes in people with impaired glucose tolerance: systematic review and meta-analysis. BMJ **334**, 299–299 (2007).
6.
Lindstrom, J. et al. The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. Diabetes Care **26**, 3230–3236 (2003).

7.

Ramachandran, A. et al. The Indian Diabetes Prevention Programme shows that lifestyle modification and metformin prevent type 2 diabetes in Asian Indian subjects with impaired glucose tolerance (IDPP-1). *Diabetologia* **49**, 289–297 (2006).

8.

Tuomilehto, J. et al. Prevention of Type 2 Diabetes Mellitus by Changes in Lifestyle among Subjects with Impaired Glucose Tolerance. *New England Journal of Medicine* **344**, 1343–1350 (2001).

9.

Matti Uusitupa. Ten-Year Mortality and Cardiovascular Morbidity in the Finnish Diabetes Prevention Study—Secondary Analysis of the Randomized Trial. *PLoS ONE* **4**, (2009).

10.

Brown, J. et al. Lifestyle interventions for the treatment of women with gestational diabetes. in *Cochrane Database of Systematic Reviews* (John Wiley & Sons, Ltd, 1996). doi:10.1002/14651858.CD011970.pub2.

11.

Carlsson, L. M. S. et al. Bariatric Surgery and Prevention of Type 2 Diabetes in Swedish Obese Subjects. *New England Journal of Medicine* **367**, 695–704 (2012).

12.

Tseng, E., Yeh, H.-C. & Maruthur, N. M. Metformin Use in Prediabetes Among U.S. Adults, 2005–2012. *Diabetes Care* **40**, 887–893 (2017).

13.

Luchsinger, J. A. et al. Metformin, Lifestyle Intervention, and Cognition in the Diabetes Prevention Program Outcomes Study. *Diabetes Care* **40**, 958–965 (2017).

14.

Breeze, P. R. et al. The impact of Type 2 diabetes prevention programmes based on risk-identification and lifestyle intervention intensity strategies: a cost-effectiveness analysis. *Diabetic Medicine* **34**, 632–640 (2017).

15.

Fogelholm, M. et al. PREVIEW: Prevention of Diabetes through Lifestyle Intervention and Population Studies in Europe and around the World. Design, Methods, and Baseline Participant Description of an Adult Cohort Enrolled into a Three-Year Randomised Clinical Trial. *Nutrients* **9**, (2017).

16.

Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. *New England Journal of Medicine* **346**, 393–403 (2002).

17.

Gray, L. J., Yates, T., Troughton, J., Khunti, K. & Davies, M. J. Engagement, Retention, and Progression to Type 2 Diabetes: A Retrospective Analysis of the Cluster-Randomised 'Let's Prevent Diabetes' Trial. *PLOS Medicine* **13**, (2016).

18.

A community based primary prevention programme for type 2 diabetes integrating identification and lifestyle intervention for prevention: the Let's Prevent Diabetes cluster randomised controlled trial- ClinicalKey.
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0091743515003850>.

19.

Barry, E. et al. Efficacy and effectiveness of screen and treat policies in prevention of type 2 diabetes: systematic review and meta-analysis of screening tests and interventions. *BMJ* (2017) doi:10.1136/bmj.i6538.

20.

Webb, D. R. et al. Screening for diabetes using an oral glucose tolerance test within a western multi-ethnic population identifies modifiable cardiovascular risk: the ADDITION-Leicester study. *Diabetologia* **54**, 2237–2246 (2011).

21.

Screening for type 2 diabetes: literature review and economic modelling. *Clinical Governance: An International Journal* **12**, (2007).

22.

Gray, L. J. et al. The Leicester Risk Assessment score for detecting undiagnosed Type 2 diabetes and impaired glucose regulation for use in a multiethnic UK setting. *Diabetic Medicine* **27**, 887–895 (2010).

23.

Gray, L. J. et al. Detection of impaired glucose regulation and/or type 2 diabetes mellitus, using primary care electronic data, in a multiethnic UK community setting. *Diabetologia* **55**, 959–966 (2012).

24.

Rajul Parikh, Annie Mathai, Shefali Parikh, G. Chandra Sekhar, Ravi Thomas. Understanding and using sensitivity, specificity and predictive values. *Indian Journal of Ophthalmology*.

25.

Helen C Eborall. Psychological impact of screening for type 2 diabetes: controlled trial and comparative study embedded in the ADDITION (Cambridge) randomised controlled trial. *BMJ: British Medical Journal* **335**, (2007).

26.

Li, R., Zhang, P., Barker, L. E., Chowdhury, F. M. & Zhang, X. Cost-Effectiveness of Interventions to Prevent and Control Diabetes Mellitus: A Systematic Review. *Diabetes*

Care **33**, 1872–1894 (2010).

27.

Clinical applicability and cost-effectiveness of DIABSCORE in screening for type 2 diabetes in primary care- ClinicalKey.
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0168822717301031>.

28.

Hamman, R. F. et al. Effect of Weight Loss With Lifestyle Intervention on Risk of Diabetes. Diabetes Care **29**, 2102–2107 (2006).

29.

Joiner, K. L., Nam, S. & Whittemore, R. Lifestyle interventions based on the diabetes prevention program delivered via eHealth: A systematic review and meta-analysis. Preventive Medicine **100**, 194–207 (2017).

30.

Georgios S Papaetis. Incretin-based therapies in prediabetes: Current evidence and future perspectives. World Journal of Diabetes **5**, (2014).

31.

Obesity: identification, assessment and management | Guidance and guidelines | NICE.

32.

Health Effects of Overweight and Obesity in 195 Countries over 25 Years. New England Journal of Medicine (2017) doi:10.1056/NEJMoa1614362.

33.

Gregg, E. W. & Shaw, J. E. Global Health Effects of Overweight and Obesity. New England Journal of Medicine (2017) doi:10.1056/NEJMe1706095.

34.

A Systems Science Approach to the Obesity Epidemic and Prevention of Diabetes. (20AD).

35.

Carlsson, L. M. S. et al. Bariatric Surgery and Prevention of Type 2 Diabetes in Swedish Obese Subjects. *New England Journal of Medicine* **367**, 695–704 (2012).

36.

Linda Penn. Importance of Weight Loss Maintenance and Risk Prediction in the Prevention of Type 2 Diabetes: Analysis of European Diabetes Prevention Study RCT. *PLoS ONE* **8**, (2013).

37.

Aguiar, E. J. et al. Efficacy of the Type 2 Diabetes Prevention Using LifeStyle Education Program RCT. *American Journal of Preventive Medicine* **50**, 353–364 (2016).

38.

Effect of a lifestyle intervention on weight change in south Asian individuals in the UK at high risk of type 2 diabetes: a family-cluster randomised controlled trial- *ClinicalKey*.
<https://www.clinicalkey.com/#!/content/journal/1-s2.0-S2213858713702043>.

39.

Linda Penn. Importance of Weight Loss Maintenance and Risk Prediction in the Prevention of Type 2 Diabetes: Analysis of European Diabetes Prevention Study RCT. *PLoS ONE* **8**, (2013).

40.

Long, G. H. et al. Healthy behaviours and 10-year incidence of diabetes: A population cohort study. *Preventive Medicine* **71**, 121–127 (2015).

41.

Nutrition Recommendations and Interventions for Diabetes: A position statement of the American Diabetes Association. *Diabetes Care* **31**, S61–S78 (2008).

42.

Carter, P., Khunti, K. & Davies, M. J. Dietary Recommendations for the Prevention of Type 2 diabetes: What Are They Based on? *Journal of Nutrition and Metabolism* **2012**, 1–6 (2012).

43.

Pan, X.-R. et al. Effects of Diet and Exercise in Preventing NIDDM in People With Impaired Glucose Tolerance: The Da Qing IGT and Diabetes Study. *Diabetes Care* **20**, 537–544 (1997).

44.

How to prevent type 2 diabetes in women with previous gestational diabetes? A systematic review of behavioural interventions- ClinicalKey.
<https://www.clinicalkey.com/#!/content/playContent/1-s2.0-S1751991817300785?returnurl=null&referrer=null>.

45.

Malik, V. S. et al. Sugar-Sweetened Beverages and Risk of Metabolic Syndrome and Type 2 Diabetes: A meta-analysis. *Diabetes Care* **33**, 2477–2483 (2010).

46.

Schulze, M. B. Sugar-Sweetened Beverages, Weight Gain, and Incidence of Type 2 Diabetes in Young and Middle-Aged Women. *JAMA* **292**, (2004).

47.

Correction. *Circulation* **116**, e557–e557 (2007).

48.

Malik, V. S., Pan, A., Willett, W. C. & Hu, F. B. Sugar-sweetened beverages and weight gain in children and adults: a systematic review and meta-analysis. *American Journal of Clinical Nutrition* **98**, 1084–1102 (2013).

49.

Deborah F Tate. Replacing caloric beverages with water or diet beverages for weight loss in adults: main results of the Choose Healthy Options Consciously Everyday (CHOICE) randomized clinical trial. *The American Journal of Clinical Nutrition* **95**, (2012).

50.

Pan, A. et al. Red meat consumption and risk of type 2 diabetes: 3 cohorts of US adults and an updated meta-analysis. *American Journal of Clinical Nutrition* **94**, 1088–1096 (2011).

51.

Ley, S. H., Hamdy, O., Mohan, V. & Hu, F. B. Prevention and management of type 2 diabetes: dietary components and nutritional strategies. *The Lancet* **383**, 1999–2007 (2014).

52.

Type 2 diabetes: prevention in people at high risk | Guidance and guidelines | NICE.

53.

Emily A Hu. White rice consumption and risk of type 2 diabetes: meta-analysis and systematic review. *The BMJ* **344**, (2012).

54.

Dagfinn Aune. Whole grain consumption and risk of cardiovascular disease, cancer, and all cause and cause specific mortality: systematic review and dose-response meta-analysis of

prospective studies. The BMJ **353**, (2016).

55.

Dyson, P. A. et al. Diabetes UK evidence-based nutrition guidelines for the prevention and management of diabetes. Diabetic Medicine **28**, 1282–1288 (2011).

56.

Schwingshackl, L. et al. Food groups and risk of type 2 diabetes mellitus: a systematic review and meta-analysis of prospective studies. European Journal of Epidemiology **32**, 363–375 (2017).

57.

Mann, J. et al. Dietary guidelines on trial: the charges are not evidence based. The Lancet **388**, 851–853 (2016).

58.

Dhingra, R. et al. Soft Drink Consumption and Risk of Developing Cardiometabolic Risk Factors and the Metabolic Syndrome in Middle-Aged Adults in the Community. Circulation **116**, 480–488 (2007).

59.

Wu, Y., Zhang, D., Jiang, X. & Jiang, W. Fruit and vegetable consumption and risk of type 2 diabetes mellitus: A dose-response meta-analysis of prospective cohort studies. Nutrition, Metabolism and Cardiovascular Diseases **25**, 140–147 (2015).

60.

Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. http://ac.els-cdn.com/S2213858714701469/1-s2.0-S2213858714701469-main.pdf?_tid=41970bbc-7e93-11e7-a8e5-00000aabb0f01&acdnat=1502455838_1e4678aef6e5b79c43c42f6b68f370f1.

61.

Aune, D., Norat, T., Romundstad, P. & Vatten, L. J. Whole grain and refined grain consumption and the risk of type 2 diabetes: a systematic review and dose-response meta-analysis of cohort studies. *European Journal of Epidemiology* **28**, 845–858 (2013).

62.

Colberg, S. R. et al. Exercise and Type 2 Diabetes: The American College of Sports Medicine and the American Diabetes Association: joint position statement executive summary. *Diabetes Care* **33**, 2692–2696 (2010).

63.

Yates, T. et al. Stand up for your health: Is it time to rethink the physical activity paradigm? *Diabetes Research and Clinical Practice* **93**, 292–294 (2011).

64.

Steven N Blair. Physical inactivity: the biggest public health problem of the 21st century. *British Journal of Sports Medicine* **43**, 1–2 (2009).

65.

Laaksonen, D. E. et al. Physical Activity in the Prevention of Type 2 Diabetes: The Finnish Diabetes Prevention Study. *Diabetes* **54**, 158–165 (2005).

66.

Thomas Yates. Walking away from type 2 diabetes: trial protocol of a cluster randomised controlled trial evaluating a structured education programme in those at high risk of developing type 2 diabetes. *BMC Family Practice* **13**, (2012).

67.

Colberg, S. R. et al. Physical Activity/Exercise and Diabetes: A Position Statement of the American Diabetes Association. *Diabetes Care* **39**, 2065–2079 (2016).

68.

Stefan, N. et al. A high-risk phenotype associates with reduced improvement in glycaemia during a lifestyle intervention in prediabetes. *Diabetologia* **58**, 2877–2884 (2015).

69.

Less Sitting, More Physical Activity, or Higher Fitness?- ClinicalKey.
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/playContent/1-s2.0-S0025619615006308?returnurl=null&referrer=null>.

70.

Sedentary Behaviors and Subsequent Health Outcomes in Adults- ClinicalKey.
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0749379711003126>.

71.

LaMonte, M. J. Physical activity and diabetes prevention. *Journal of Applied Physiology* **99**, 1205–1213 (2005).

72.

Church, T. S. et al. Effects of Aerobic and Resistance Training on Hemoglobin A Levels in Patients With Type 2 Diabetes. *JAMA* **304**, (2010).

73.

Orozco, L. J. et al. Exercise or exercise and diet for preventing type 2 diabetes mellitus. in *Cochrane Database of Systematic Reviews* (John Wiley & Sons, Ltd, 1996).
doi:10.1002/14651858.CD003054.pub3.

74.

Sedentary Behaviors and Subsequent Health Outcomes in Adults- ClinicalKey.
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0749379711003126>.

75.

Gopalan, A., Lorincz, I. S., Wirtalla, C., Marcus, S. C. & Long, J. A. Awareness of Prediabetes and Engagement in Diabetes Risk-Reducing Behaviors. *American Journal of Preventive Medicine* **49**, 512–519 (2015).

76.

Absetz, P. et al. Type 2 Diabetes Prevention in the Real World: Three-year results of the GOAL Lifestyle Implementation Trial. *Diabetes Care* **32**, 1418–1420 (2009).

77.

Ackermann, R. T., Finch, E. A., Brizendine, E., Zhou, H. & Marrero, D. G. Translating the Diabetes Prevention Program into the Community. *American Journal of Preventive Medicine* **35**, 357–363 (2008).

78.

Sweeting, A. N. et al. Gestational Diabetes Mellitus in Early Pregnancy: Evidence for Poor Pregnancy Outcomes Despite Treatment. *Diabetes Care* **39**, 75–81 (2016).

79.

Koivusalo, S. B. et al. Gestational Diabetes Mellitus Can Be Prevented by Lifestyle Intervention: The Finnish Gestational Diabetes Prevention Study (RADIEL). *Diabetes Care* **39**, 24–30 (2016).

80.

Nathan, D. M. et al. Impaired Fasting Glucose and Impaired Glucose Tolerance: Implications for care. *Diabetes Care* **30**, 753–759 (2007).

81.

Vita, P. et al. Type 2 diabetes prevention in the community: 12-Month outcomes from the Sydney Diabetes Prevention Program. *Diabetes Research and Clinical Practice* **112**, 13–19

(2016).

82.

Breeze, P. R. et al. Cost-effectiveness of population-based, community, workplace and individual policies for diabetes prevention in the UK. *Diabetic Medicine* **34**, 1136–1144 (2017).

83.

The 10-Year Cost-Effectiveness of Lifestyle Intervention or Metformin for Diabetes Prevention: An intent-to-treat analysis of the DPP/DPPOS. *Diabetes Care* **35**, 723–730 (2012).

84.

Bailey, Stephen. *Academic Writing : A Handbook for International Students*.

85.

Creame, P. & Lea, M. R. *Writing At University: A Guide For Students*. (McGraw-Hill Education, 2008).