

MD7513 - Prevention, Screening & Early Detection in Diabetes

[View Online](#)

Prevention, Screening & Early Detection in Diabetes

1.

Public Health England - Diabetes prevention programmes: evidence review [Internet]. Public Health England; 2015. Available from: <https://www.gov.uk/government/publications/diabetes-prevention-programmes-evidence-review>

2.

American Diabetes Association - Standards of Medical Care in Diabetes - 2017 Summary of Revisions. Diabetes Care. 2017 Jan;40(Supplement 1):S4-5. doi:10.2337/dc17-S003

3.

NICE - Type 2 diabetes: prevention in people at high risk | Guidance and guidelines [Internet]. NICE. Available from: <https://www.nice.org.uk/guidance/ph38>

4.

Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. New England Journal of Medicine. 2002 Feb 7;346(6):393-403. doi:10.1056/NEJMoa012512

5.

Gillies CL, Abrams KR, Lambert PC, Cooper NJ, Sutton AJ, Hsu RT, et al. Pharmacological and lifestyle interventions to prevent or delay type 2 diabetes in people with impaired glucose tolerance: systematic review and meta-analysis. BMJ. 2007 Jan 19;334(7588):299-299. doi:10.1136/bmj.39063.689375.55

6.

Lindstrom J, Louheranta A, Mannelin M, Rastas M, Salminen V, Eriksson J, et al. The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. *Diabetes Care*. 2003 Dec 1;26(12):3230–6.
doi:10.2337/diacare.26.12.3230

7.

Ramachandran A, Snehalatha C, Mary S, Mukesh B, Bhaskar AD, Vijay V. The Indian Diabetes Prevention Programme shows that lifestyle modification and metformin prevent type 2 diabetes in Asian Indian subjects with impaired glucose tolerance (IDPP-1). *Diabetologia*. 2006 Feb;49(2):289–97. doi:10.1007/s00125-005-0097-z

8.

Tuomilehto J, Lindstrom J, Eriksson JG, Valle TT, Hamalainen H, Ilanne-Parikka P, et al. Prevention of Type 2 Diabetes Mellitus by Changes in Lifestyle among Subjects with Impaired Glucose Tolerance. *New England Journal of Medicine*. 2001 May 3;344(18):1343–50. doi:10.1056/NEJM200105033441801

9.

Matti Uusitupa. Ten-Year Mortality and Cardiovascular Morbidity in the Finnish Diabetes Prevention Study—Secondary Analysis of the Randomized Trial. *PLoS ONE*. 2009;4(5).
doi:doi: 10.1371/journal.pone.0005656

10.

Brown J, Alwan NA, West J, Brown S, McKinlay CJ, Farrar D, et al. Lifestyle interventions for the treatment of women with gestational diabetes. In: *Cochrane Database of Systematic Reviews* [Internet]. Chichester, UK: John Wiley & Sons, Ltd; 1996. Available from: <http://doi.wiley.com/10.1002/14651858.CD011970.pub2>
doi:10.1002/14651858.CD011970.pub2

11.

Carlsson LMS, Peltonen M, Ahlin S, Anveden A, Bouchard C, Carlsson B, et al. Bariatric Surgery and Prevention of Type 2 Diabetes in Swedish Obese Subjects. *New England*

Journal of Medicine. 2012 Aug 23;367(8):695–704. doi:10.1056/NEJMoa1112082

12.

Tseng E, Yeh HC, Maruthur NM. Metformin Use in Prediabetes Among U.S. Adults, 2005–2012. Diabetes Care. 2017 Jul;40(7):887–93. doi:10.2337/dc16-1509

13.

Luchsinger JA, Ma Y, Christophi CA, Florez H, Golden SH, Hazuda H, et al. Metformin, Lifestyle Intervention, and Cognition in the Diabetes Prevention Program Outcomes Study. Diabetes Care. 2017 Jul;40(7):958–65. doi:10.2337/dc16-2376

14.

Breeze PR, Thomas C, Squires H, Brennan A, Greaves C, Diggle PJ, et al. The impact of Type 2 diabetes prevention programmes based on risk-identification and lifestyle intervention intensity strategies: a cost-effectiveness analysis. Diabetic Medicine. 2017 May;34(5):632–40. doi:10.1111/dme.13314

15.

Fogelholm M, Larsen T, Westerterp-Plantenga M, Macdonald I, Martinez J, Boyadjieva N, et al. PREVIEW: Prevention of Diabetes through Lifestyle Intervention and Population Studies in Europe and around the World. Design, Methods, and Baseline Participant Description of an Adult Cohort Enrolled into a Three-Year Randomised Clinical Trial. Nutrients. 2017 Jun 20;9(6). doi:10.3390/nu9060632

16.

Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. New England Journal of Medicine. 2002 Feb 7;346(6):393–403. doi:10.1056/NEJMoa012512

17.

Gray LJ, Yates T, Troughton J, Khunti K, Davies MJ. Engagement, Retention, and Progression to Type 2 Diabetes: A Retrospective Analysis of the Cluster-Randomised 'Let's Prevent Diabetes' Trial. PLOS Medicine. 2016 Jul 12;13(7). doi:10.1371/journal.pmed.1002078

18.

A community based primary prevention programme for type 2 diabetes integrating identification and lifestyle intervention for prevention: the Let's Prevent Diabetes cluster randomised controlled trial- ClinicalKey [Internet]. Available from: <https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0091743515003850>

19.

Barry E, Roberts S, Oke J, Vijayaraghavan S, Normansell R, Greenhalgh T. Efficacy and effectiveness of screen and treat policies in prevention of type 2 diabetes: systematic review and meta-analysis of screening tests and interventions. *BMJ*. 2017 Jan 4. doi:10.1136/bmj.i6538

20.

Webb DR, Gray LJ, Khunti K, Srinivasan B, Taub N, Campbell S, et al. Screening for diabetes using an oral glucose tolerance test within a western multi-ethnic population identifies modifiable cardiovascular risk: the ADDITION-Leicester study. *Diabetologia*. 2011 Sep;54(9):2237-46. doi:10.1007/s00125-011-2189-2

21.

Screening for type 2 diabetes: literature review and economic modelling. *Clinical Governance: An International Journal*. 2007 Oct 23;12(4). doi:10.1108/cgij.2007.24812dae.003

22.

Gray LJ, Taub NA, Khunti K, Gardiner E, Hiles S, Webb DR, et al. The Leicester Risk Assessment score for detecting undiagnosed Type 2 diabetes and impaired glucose regulation for use in a multiethnic UK setting. *Diabetic Medicine*. 2010 May 3;27(8):887-95. doi:10.1111/j.1464-5491.2010.03037.x

23.

Gray LJ, Davies MJ, Hiles S, Taub NA, Webb DR, Srinivasan BT, et al. Detection of impaired glucose regulation and/or type 2 diabetes mellitus, using primary care electronic data, in a

multiethnic UK community setting. *Diabetologia*. 2012 Apr;55(4):959–66.
doi:10.1007/s00125-011-2432-x

24.

Rajul Parikh, Annie Mathai, Shefali Parikh, G. Chandra Sekhar, Ravi Thomas. Understanding and using sensitivity, specificity and predictive values. *Indian Journal of Ophthalmology* [Internet]. Available from:
http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=3&docId=GALE%7CA173264871&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA173264871&searchId=R1&userGroupName=leicester&inPS=true

25.

Helen C Eborall. Psychological impact of screening for type 2 diabetes: controlled trial and comparative study embedded in the ADDITION (Cambridge) randomised controlled trial. *BMJ : British Medical Journal*. 2007;335(7618). doi:doi: 10.1136/bmj.39303.723449.55

26.

Li R, Zhang P, Barker LE, Chowdhury FM, Zhang X. Cost-Effectiveness of Interventions to Prevent and Control Diabetes Mellitus: A Systematic Review. *Diabetes Care*. 2010 Aug 1;33(8):1872–94. doi:10.2337/dc10-0843

27.

Clinical applicability and cost-effectiveness of DIABSCORE in screening for type 2 diabetes in primary care- ClinicalKey [Internet]. Available from:
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0168822717301031>

28.

Hamman RF, Wing RR, Edelstein SL, Lachin JM, Bray GA, Delahanty L, et al. Effect of Weight Loss With Lifestyle Intervention on Risk of Diabetes. *Diabetes Care*. 2006 Sep 1;29(9):2102–7. doi:10.2337/dc06-0560

29.

Joiner KL, Nam S, Whittemore R. Lifestyle interventions based on the diabetes prevention program delivered via eHealth: A systematic review and meta-analysis. *Preventive Medicine*. 2017 Jul;100:194–207. doi:10.1016/j.ypmed.2017.04.033

30.

Georgios S Papaetis. Incretin-based therapies in prediabetes: Current evidence and future perspectives. *World Journal of Diabetes*. 2014;5(6). doi:doi: 10.4239/wjd.v5.i6.817

31.

Obesity: identification, assessment and management | Guidance and guidelines | NICE [Internet]. Available from: <https://www.nice.org.uk/guidance/cg189>

32.

Health Effects of Overweight and Obesity in 195 Countries over 25 Years. *New England Journal of Medicine*. 2017 Jun 12. doi:10.1056/NEJMoa1614362

33.

Gregg EW, Shaw JE. Global Health Effects of Overweight and Obesity. *New England Journal of Medicine*. 2017 Jun 12. doi:10.1056/NEJMe1706095

34.

A Systems Science Approach to the Obesity Epidemic and Prevention of Diabetes. [Internet]. 20 AD. Available from: <https://www.youtube.com/watch?v=HrrD-Z0B7dY&feature=youtu.be&t=55s%20A%20Systems%20Science%20Approach%20to%20the%20Obesity%20Epidemic%20and%20Prevention%20of%20Diabetes>.

35.

Carlsson LMS, Peltonen M, Ahlin S, Anveden A, Bouchard C, Carlsson B, et al. Bariatric Surgery and Prevention of Type 2 Diabetes in Swedish Obese Subjects. *New England Journal of Medicine*. 2012 Aug 23;367(8):695–704. doi:10.1056/NEJMoa1112082

36.

Linda Penn. Importance of Weight Loss Maintenance and Risk Prediction in the Prevention of Type 2 Diabetes: Analysis of European Diabetes Prevention Study RCT. PLoS ONE. 2013;8(2). doi:doi: 10.1371/journal.pone.0057143

37.

Aguiar EJ, Morgan PJ, Collins CE, Plotnikoff RC, Young MD, Callister R. Efficacy of the Type 2 Diabetes Prevention Using LifeStyle Education Program RCT. American Journal of Preventive Medicine. 2016 Mar;50(3):353-64. doi:10.1016/j.amepre.2015.08.020

38.

Effect of a lifestyle intervention on weight change in south Asian individuals in the UK at high risk of type 2 diabetes: a family-cluster randomised controlled trial- ClinicalKey [Internet]. Available from:
<https://www.clinicalkey.com/#!/content/journal/1-s2.0-S2213858713702043>

39.

Linda Penn. Importance of Weight Loss Maintenance and Risk Prediction in the Prevention of Type 2 Diabetes: Analysis of European Diabetes Prevention Study RCT. PLoS ONE. 2013;8(2). doi:doi: 10.1371/journal.pone.0057143

40.

Long GH, Johansson I, Rolandsson O, Wennberg P, Fhärm E, Weinehall L, et al. Healthy behaviours and 10-year incidence of diabetes: A population cohort study. Preventive Medicine. 2015 Feb;71:121-7. doi:10.1016/j.ypmed.2014.12.013

41.

Nutrition Recommendations and Interventions for Diabetes: A position statement of the American Diabetes Association. Diabetes Care. 2008 Jan 1;31(Supplement 1):S61-78. doi:10.2337/dc08-S061

42.

Carter P, Khunti K, Davies MJ. Dietary Recommendations for the Prevention of Type 2 diabetes: What Are They Based on? *Journal of Nutrition and Metabolism*. 2012;2012:1-6. doi:10.1155/2012/847202

43.

Pan XR, Li GW, Hu YH, Wang JX, Yang WY, An ZX, et al. Effects of Diet and Exercise in Preventing NIDDM in People With Impaired Glucose Tolerance: The Da Qing IGT and Diabetes Study. *Diabetes Care*. 1997 Apr 1;20(4):537-44. doi:10.2337/diacare.20.4.537

44.

How to prevent type 2 diabetes in women with previous gestational diabetes? A systematic review of behavioural interventions- ClinicalKey [Internet]. Available from: <https://www.clinicalkey.com/#!/content/playContent/1-s2.0-S1751991817300785?returnurl=null&referrer=null>

45.

Malik VS, Popkin BM, Bray GA, Despres JP, Willett WC, Hu FB. Sugar-Sweetened Beverages and Risk of Metabolic Syndrome and Type 2 Diabetes: A meta-analysis. *Diabetes Care*. 2010 Nov 1;33(11):2477-83. doi:10.2337/dc10-1079

46.

Schulze MB. Sugar-Sweetened Beverages, Weight Gain, and Incidence of Type 2 Diabetes in Young and Middle-Aged Women. *JAMA*. 2004 Aug 25;292(8). doi:10.1001/jama.292.8.927

47.

Correction. *Circulation*. 2007 Dec 4;116(23):e557-e557. doi:10.1161/CIRCULATIONAHA.107.187928

48.

Malik VS, Pan A, Willett WC, Hu FB. Sugar-sweetened beverages and weight gain in children and adults: a systematic review and meta-analysis. *American Journal of Clinical Nutrition*. 2013 Oct 1;98(4):1084–102. doi:10.3945/ajcn.113.058362

49.

Deborah F Tate. Replacing caloric beverages with water or diet beverages for weight loss in adults: main results of the Choose Healthy Options Consciously Everyday (CHOICE) randomized clinical trial. *The American Journal of Clinical Nutrition*. 2012;95(3). doi:doi: 10.3945/ajcn.111.026278

50.

Pan A, Sun Q, Bernstein AM, Schulze MB, Manson JE, Willett WC, et al. Red meat consumption and risk of type 2 diabetes: 3 cohorts of US adults and an updated meta-analysis. *American Journal of Clinical Nutrition*. 2011 Oct 1;94(4):1088–96. doi:10.3945/ajcn.111.018978

51.

Ley SH, Hamdy O, Mohan V, Hu FB. Prevention and management of type 2 diabetes: dietary components and nutritional strategies. *The Lancet*. 2014 Jun;383(9933):1999–2007. doi:10.1016/S0140-6736(14)60613-9

52.

Type 2 diabetes: prevention in people at high risk | Guidance and guidelines | NICE [Internet]. Available from: <https://www.nice.org.uk/guidance/ph38/documents/preventing-type-2-diabetes-risk-identification-and-interventions-for-individuals-at-high-risk-draft-guidance-consultation>

53.

Emily A Hu. White rice consumption and risk of type 2 diabetes: meta-analysis and systematic review. *The BMJ*. 2012;344. doi:doi: 10.1136/bmj.e1454

54.

Dagfinn Aune. Whole grain consumption and risk of cardiovascular disease, cancer, and all

cause and cause specific mortality: systematic review and dose-response meta-analysis of prospective studies. *The BMJ*. 2016;353. doi:doi: 10.1136/bmj.i2716

55.

Dyson PA, Kelly T, Deakin T, Duncan A, Frost G, Harrison Z, et al. Diabetes UK evidence-based nutrition guidelines for the prevention and management of diabetes. *Diabetic Medicine*. 2011 Nov;28(11):1282–8. doi:10.1111/j.1464-5491.2011.03371.x

56.

Schwingshackl L, Hoffmann G, Lampousi AM, Knüppel S, Iqbal K, Schwedhelm C, et al. Food groups and risk of type 2 diabetes mellitus: a systematic review and meta-analysis of prospective studies. *European Journal of Epidemiology*. 2017 May;32(5):363–75. doi:10.1007/s10654-017-0246-y

57.

Mann J, Morenga LT, McLean R, Swinburn B, Mhurchu CN, Jackson R, et al. Dietary guidelines on trial: the charges are not evidence based. *The Lancet*. 2016 Aug;388(10047):851–3. doi:10.1016/S0140-6736(16)31278-8

58.

Dhingra R, Sullivan L, Jacques PF, Wang TJ, Fox CS, Meigs JB, et al. Soft Drink Consumption and Risk of Developing Cardiometabolic Risk Factors and the Metabolic Syndrome in Middle-Aged Adults in the Community. *Circulation*. 2007 Jul 9;116(5):480–8. doi:10.1161/CIRCULATIONAHA.107.689935

59.

Wu Y, Zhang D, Jiang X, Jiang W. Fruit and vegetable consumption and risk of type 2 diabetes mellitus: A dose-response meta-analysis of prospective cohort studies. *Nutrition, Metabolism and Cardiovascular Diseases*. 2015 Feb;25(2):140–7. doi:10.1016/j.numecd.2014.10.004

60.

Differences in the prospective association between individual plasma phospholipid

saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study [Internet]. Available from:
http://ac.els-cdn.com/S2213858714701469/1-s2.0-S2213858714701469-main.pdf?_tid=41970bbc-7e93-11e7-a8e5-00000aabb0f01&acdnat=1502455838_1e4678aef6e5b79c43c42f6b68f370f1

61.

Aune D, Norat T, Romundstad P, Vatten LJ. Whole grain and refined grain consumption and the risk of type 2 diabetes: a systematic review and dose-response meta-analysis of cohort studies. *European Journal of Epidemiology*. 2013 Nov;28(11):845-58. doi:10.1007/s10654-013-9852-5

62.

Colberg SR, Sigal RJ, Fernhall B, Regensteiner JG, Blissmer BJ, Rubin RR, et al. Exercise and Type 2 Diabetes: The American College of Sports Medicine and the American Diabetes Association: joint position statement executive summary. *Diabetes Care*. 2010 Dec 1;33(12):2692-6. doi:10.2337/dc10-1548

63.

Yates T, Wilmot EG, Khunti K, Biddle S, Gorely T, Davies MJ. Stand up for your health: Is it time to rethink the physical activity paradigm? *Diabetes Research and Clinical Practice*. 2011 Aug;93(2):292-4. doi:10.1016/j.diabres.2011.03.023

64.

Steven N Blair. Physical inactivity: the biggest public health problem of the 21st century. *British Journal of Sports Medicine* [Internet]. 2009 Jan 1;43:1-2. Available from:
<http://bjsm.bmj.com/content/43/1/1.full>

65.

Laaksonen DE, Lindstrom J, Lakka TA, Eriksson JG, Niskanen L, Wikstrom K, et al. Physical Activity in the Prevention of Type 2 Diabetes: The Finnish Diabetes Prevention Study. *Diabetes*. 2005 Jan 1;54(1):158-65. doi:10.2337/diabetes.54.1.158

66.

Thomas Yates. Walking away from type 2 diabetes: trial protocol of a cluster randomised controlled trial evaluating a structured education programme in those at high risk of developing type 2 diabetes. BMC Family Practice. 2012;13. doi:doi:10.1186/1471-2296-13-46

67.

Colberg SR, Sigal RJ, Yardley JE, Riddell MC, Dunstan DW, Dempsey PC, et al. Physical Activity/Exercise and Diabetes: A Position Statement of the American Diabetes Association. Diabetes Care. 2016 Nov;39(11):2065–79. doi:10.2337/dc16-1728

68.

Stefan N, Staiger H, Wagner R, Machann J, Schick F, Hering HU, et al. A high-risk phenotype associates with reduced improvement in glycaemia during a lifestyle intervention in prediabetes. Diabetologia. 2015 Dec;58(12):2877–84. doi:10.1007/s00125-015-3760-z

69.

Less Sitting, More Physical Activity, or Higher Fitness?- ClinicalKey [Internet]. Available from:
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/playContent/1-s2.0-S0025619615006308?returnurl=null&referrer=null>

70.

Sedentary Behaviors and Subsequent Health Outcomes in Adults- ClinicalKey [Internet]. Available from:
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0749379711003126>

71.

LaMonte MJ. Physical activity and diabetes prevention. Journal of Applied Physiology. 2005 Sep 1;99(3):1205–13. doi:10.1152/jappphysiol.00193.2005

72.

Church TS, Blair SN, Cocreham S, Johannsen N, Johnson W, Kramer K, et al. Effects of

Aerobic and Resistance Training on Hemoglobin A Levels in Patients
With Type 2 Diabetes. JAMA. 2010 Nov 24;304(20). doi:10.1001/jama.2010.1710

73.

Orozco LJ, Buchleitner AM, Gimenez-Perez G, Roqué i Figuls M, Richter B, Mauricio D. Exercise or exercise and diet for preventing type 2 diabetes mellitus. In: Cochrane Database of Systematic Reviews [Internet]. Chichester, UK: John Wiley & Sons, Ltd; 1996. Available from: <http://doi.wiley.com/10.1002/14651858.CD003054.pub3>
doi:10.1002/14651858.CD003054.pub3

74.

Sedentary Behaviors and Subsequent Health Outcomes in Adults- ClinicalKey [Internet]. Available from:
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0749379711003126>

75.

Gopalan A, Lorincz IS, Wirtalla C, Marcus SC, Long JA. Awareness of Prediabetes and Engagement in Diabetes Risk-Reducing Behaviors. American Journal of Preventive Medicine. 2015 Oct;49(4):512–9. doi:10.1016/j.amepre.2015.03.007

76.

Absetz P, Oldenburg B, Hankonen N, Valve R, Heinonen H, Nissinen A, et al. Type 2 Diabetes Prevention in the Real World: Three-year results of the GOAL Lifestyle Implementation Trial. Diabetes Care. 2009 Aug 1;32(8):1418–20. doi:10.2337/dc09-0039

77.

Ackermann RT, Finch EA, Brizendine E, Zhou H, Marrero DG. Translating the Diabetes Prevention Program into the Community. American Journal of Preventive Medicine. 2008 Oct;35(4):357–63. doi:10.1016/j.amepre.2008.06.035

78.

Sweeting AN, Ross GP, Hyett J, Molyneaux L, Constantino M, Harding AJ, et al. Gestational Diabetes Mellitus in Early Pregnancy: Evidence for Poor Pregnancy Outcomes Despite Treatment. *Diabetes Care*. 2016 Jan;39(1):75–81. doi:10.2337/dc15-0433

79.

Koivusalo SB, Rönö K, Klemetti MM, Roine RP, Lindström J, Erkkola M, et al. Gestational Diabetes Mellitus Can Be Prevented by Lifestyle Intervention: The Finnish Gestational Diabetes Prevention Study (RADIEL). *Diabetes Care*. 2016 Jan;39(1):24–30. doi:10.2337/dc15-0511

80.

Nathan DM, Davidson MB, DeFronzo RA, Heine RJ, Henry RR, Pratley R, et al. Impaired Fasting Glucose and Impaired Glucose Tolerance: Implications for care. *Diabetes Care*. 2007 Mar 1;30(3):753–9. doi:10.2337/dc07-9920

81.

Vita P, Cardona-Morrell M, Bauman A, Singh MF, Moore M, Pennock R, et al. Type 2 diabetes prevention in the community: 12-Month outcomes from the Sydney Diabetes Prevention Program. *Diabetes Research and Clinical Practice*. 2016 Feb;112:13–9. doi:10.1016/j.diabres.2015.11.010

82.

Breeze PR, Thomas C, Squires H, Brennan A, Greaves C, Diggle P, et al. Cost-effectiveness of population-based, community, workplace and individual policies for diabetes prevention in the UK. *Diabetic Medicine*. 2017 Aug;34(8):1136–44. doi:10.1111/dme.13349

83.

The 10-Year Cost-Effectiveness of Lifestyle Intervention or Metformin for Diabetes Prevention: An intent-to-treat analysis of the DPP/DPPOS. *Diabetes Care*. 2012 Apr 1;35(4):723–30. doi:10.2337/dc11-1468

84.

Bailey, Stephen. *Academic Writing : A Handbook for International Students* [Internet]. 5th

edn. Available from:

<https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=5178437>

85.

Creme P, Lea MR. Writing At University: A Guide For Students [Electronic resource]. 3rd ed. Maidenhead: McGraw-Hill Education; 2008. Available from:

<https://ebookcentral.proquest.com/lib/leicester/detail.action?pq-origsite=primo&docID=345134>