

MD7513 - Prevention, Screening & Early Detection in Diabetes

Prevention, Screening & Early Detection in Diabetes

View Online



1.
Public Health England - Diabetes prevention programmes: evidence review, <https://www.gov.uk/government/publications/diabetes-prevention-programmes-evidence-review>, (2015).

2.
American Diabetes Association - Standards of Medical Care in Diabetes - 2017 Summary of Revisions. *Diabetes Care*. 40, S4-S5 (2017). <https://doi.org/10.2337/dc17-S003>.

3.
NICE - Type 2 diabetes: prevention in people at high risk | Guidance and guidelines, <https://www.nice.org.uk/guidance/ph38>.

4.
Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. *New England Journal of Medicine*. 346, 393-403 (2002). <https://doi.org/10.1056/NEJMoa012512>.

5.
Gillies, C.L., Abrams, K.R., Lambert, P.C., Cooper, N.J., Sutton, A.J., Hsu, R.T., Khunti, K.: Pharmacological and lifestyle interventions to prevent or delay type 2 diabetes in people with impaired glucose tolerance: systematic review and meta-analysis. *BMJ*. 334, 299-299 (2007). <https://doi.org/10.1136/bmj.39063.689375.55>.

6.

Lindstrom, J., Louheranta, A., Mannelin, M., Rastas, M., Salminen, V., Eriksson, J., Uusitupa, M., Tuomilehto, J.: The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. *Diabetes Care*. 26, 3230–3236 (2003).
<https://doi.org/10.2337/diacare.26.12.3230>.

7.

Ramachandran, A., Snehalatha, C., Mary, S., Mukesh, B., Bhaskar, A.D., Vijay, V.: The Indian Diabetes Prevention Programme shows that lifestyle modification and metformin prevent type 2 diabetes in Asian Indian subjects with impaired glucose tolerance (IDPP-1). *Diabetologia*. 49, 289–297 (2006). <https://doi.org/10.1007/s00125-005-0097-z>.

8.

Tuomilehto, J., Lindstrom, J., Eriksson, J.G., Valle, T.T., Hamalainen, H., Ilanne-Parikka, P., Keinanen-Kiukaanniemi, S., Laakso, M., Louheranta, A., Rastas, M., Salminen, V., Aunola, S., Cepaitis, Z., Moltchanov, V., Hakumaki, M., Mannelin, M., Martikkala, V., Sundvall, J., Uusitupa, M.: Prevention of Type 2 Diabetes Mellitus by Changes in Lifestyle among Subjects with Impaired Glucose Tolerance. *New England Journal of Medicine*. 344, 1343–1350 (2001). <https://doi.org/10.1056/NEJM200105033441801>.

9.

Matti Uusitupa: Ten-Year Mortality and Cardiovascular Morbidity in the Finnish Diabetes Prevention Study—Secondary Analysis of the Randomized Trial. *PLoS ONE*. 4, (2009).
<https://doi.org/doi:10.1371/journal.pone.0005656>.

10.

Brown, J., Alwan, N.A., West, J., Brown, S., McKinlay, C.J., Farrar, D., Crowther, C.A.: Lifestyle interventions for the treatment of women with gestational diabetes. In: *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd, Chichester, UK (1996).
<https://doi.org/10.1002/14651858.CD011970.pub2>.

11.

Carlsson, L.M.S., Peltonen, M., Ahlin, S., Anveden, A., Bouchard, C., Carlsson, B., Jacobson, P., Lonroth, H., Maglio, C., Naslund, I., Pirazzi, C., Romeo, S., Sjöholm, K., Sjöström, E., Wedel, H., Svensson, P.-A., Sjöström, L.: Bariatric Surgery and Prevention of Type 2

Diabetes in Swedish Obese Subjects. *New England Journal of Medicine*. 367, 695–704 (2012). <https://doi.org/10.1056/NEJMoa1112082>.

12.

Tseng, E., Yeh, H.-C., Maruthur, N.M.: Metformin Use in Prediabetes Among U.S. Adults, 2005–2012. *Diabetes Care*. 40, 887–893 (2017). <https://doi.org/10.2337/dc16-1509>.

13.

Luchsinger, J.A., Ma, Y., Christophi, C.A., Florez, H., Golden, S.H., Hazuda, H., Crandall, J., Venditti, E., Watson, K., Jeffries, S., Manly, J.J., Pi-Sunyer, F.X.: Metformin, Lifestyle Intervention, and Cognition in the Diabetes Prevention Program Outcomes Study. *Diabetes Care*. 40, 958–965 (2017). <https://doi.org/10.2337/dc16-2376>.

14.

Breeze, P.R., Thomas, C., Squires, H., Brennan, A., Greaves, C., Diggle, P.J., Brunner, E., Tabak, A., Preston, L., Chilcott, J.: The impact of Type 2 diabetes prevention programmes based on risk-identification and lifestyle intervention intensity strategies: a cost-effectiveness analysis. *Diabetic Medicine*. 34, 632–640 (2017). <https://doi.org/10.1111/dme.13314>.

15.

Fogelholm, M., Larsen, T., Westerterp-Plantenga, M., Macdonald, I., Martinez, J., Boyadjieva, N., Poppitt, S., Schlicht, W., Stratton, G., Sundvall, J., Lam, T., Jalo, E., Christensen, P., Drummen, M., Simpson, E., Navas-Carretero, S., Handjieva-Darlenska, T., Muirhead, R., Silvestre, M., Kahlert, D., Pastor-Sanz, L., Brand-Miller, J., Raben, A.: PREVIEW: Prevention of Diabetes through Lifestyle Intervention and Population Studies in Europe and around the World. Design, Methods, and Baseline Participant Description of an Adult Cohort Enrolled into a Three-Year Randomised Clinical Trial. *Nutrients*. 9, (2017). <https://doi.org/10.3390/nu9060632>.

16.

Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. *New England Journal of Medicine*. 346, 393–403 (2002). <https://doi.org/10.1056/NEJMoa012512>.

17.

Gray, L.J., Yates, T., Troughton, J., Khunti, K., Davies, M.J.: Engagement, Retention, and Progression to Type 2 Diabetes: A Retrospective Analysis of the Cluster-Randomised 'Let's Prevent Diabetes' Trial. *PLOS Medicine*. 13, (2016).
<https://doi.org/10.1371/journal.pmed.1002078>.

18.

A community based primary prevention programme for type 2 diabetes integrating identification and lifestyle intervention for prevention: the Let's Prevent Diabetes cluster randomised controlled trial- ClinicalKey,
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0091743515003850>.

19.

Barry, E., Roberts, S., Oke, J., Vijayaraghavan, S., Normansell, R., Greenhalgh, T.: Efficacy and effectiveness of screen and treat policies in prevention of type 2 diabetes: systematic review and meta-analysis of screening tests and interventions. *BMJ*. (2017).
<https://doi.org/10.1136/bmj.i6538>.

20.

Webb, D.R., Gray, L.J., Khunti, K., Srinivasan, B., Taub, N., Campbell, S., Barnett, J., Farooqi, A., Echouffo-Tcheugui, J.B., Griffin, S.J., Wareham, N.J., Davies, M.J.: Screening for diabetes using an oral glucose tolerance test within a western multi-ethnic population identifies modifiable cardiovascular risk: the ADDITION-Leicester study. *Diabetologia*. 54, 2237-2246 (2011). <https://doi.org/10.1007/s00125-011-2189-2>.

21.

Screening for type 2 diabetes: literature review and economic modelling. *Clinical Governance: An International Journal*. 12, (2007).
<https://doi.org/10.1108/cgij.2007.24812dae.003>.

22.

Gray, L.J., Taub, N.A., Khunti, K., Gardiner, E., Hiles, S., Webb, D.R., Srinivasan, B.T., Davies, M.J.: The Leicester Risk Assessment score for detecting undiagnosed Type 2 diabetes and impaired glucose regulation for use in a multiethnic UK setting. *Diabetic*

Medicine. 27, 887–895 (2010). <https://doi.org/10.1111/j.1464-5491.2010.03037.x>.

23.

Gray, L.J., Davies, M.J., Hiles, S., Taub, N.A., Webb, D.R., Srinivasan, B.T., Khunti, K.: Detection of impaired glucose regulation and/or type 2 diabetes mellitus, using primary care electronic data, in a multiethnic UK community setting. *Diabetologia*. 55, 959–966 (2012). <https://doi.org/10.1007/s00125-011-2432-x>.

24.

Rajul Parikh, Annie Mathai, Shefali Parikh, G. Chandra Sekhar, Ravi Thomas: Understanding and using sensitivity, specificity and predictive values. *Indian Journal of Ophthalmology*.

25.

Helen C Eborall: Psychological impact of screening for type 2 diabetes: controlled trial and comparative study embedded in the ADDITION (Cambridge) randomised controlled trial. *BMJ : British Medical Journal*. 335, (2007). <https://doi.org/doi:10.1136/bmj.39303.723449.55>.

26.

Li, R., Zhang, P., Barker, L.E., Chowdhury, F.M., Zhang, X.: Cost-Effectiveness of Interventions to Prevent and Control Diabetes Mellitus: A Systematic Review. *Diabetes Care*. 33, 1872–1894 (2010). <https://doi.org/10.2337/dc10-0843>.

27.

Clinical applicability and cost-effectiveness of DIABSCORE in screening for type 2 diabetes in primary care- ClinicalKey,
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0168822717301031>.

28.

Hamman, R.F., Wing, R.R., Edelstein, S.L., Lachin, J.M., Bray, G.A., Delahanty, L., Hoskin, M., Kriska, A.M., Mayer-Davis, E.J., Pi-Sunyer, X., Regensteiner, J., Venditti, B., Wylie-Rosett,

J.: Effect of Weight Loss With Lifestyle Intervention on Risk of Diabetes. *Diabetes Care*. 29, 2102–2107 (2006). <https://doi.org/10.2337/dc06-0560>.

29.

Joiner, K.L., Nam, S., Whittemore, R.: Lifestyle interventions based on the diabetes prevention program delivered via eHealth: A systematic review and meta-analysis. *Preventive Medicine*. 100, 194–207 (2017). <https://doi.org/10.1016/j.ypmed.2017.04.033>.

30.

Georgios S Papaetis: Incretin-based therapies in prediabetes: Current evidence and future perspectives. *World Journal of Diabetes*. 5, (2014). <https://doi.org/doi:10.4239/wjd.v5.i6.817>.

31.

Obesity: identification, assessment and management | Guidance and guidelines | NICE.

32.

Health Effects of Overweight and Obesity in 195 Countries over 25 Years. *New England Journal of Medicine*. (2017). <https://doi.org/10.1056/NEJMoa1614362>.

33.

Gregg, E.W., Shaw, J.E.: Global Health Effects of Overweight and Obesity. *New England Journal of Medicine*. (2017). <https://doi.org/10.1056/NEJMe1706095>.

34.

A Systems Science Approach to the Obesity Epidemic and Prevention of Diabetes., <https://www.youtube.com/watch?v=HrrD-Z0B7dY&feature=youtu.be&t=55s%20A%20Systems%20Science%20Approach%20to%20the%20Obesity%20Epidemic%20and%20Prevention%20of%20Diabetes.>, (20)AD.

35.

Carlsson, L.M.S., Peltonen, M., Ahlin, S., Anveden, A., Bouchard, C., Carlsson, B., Jacobson, P., Lonroth, H., Maglio, C., Naslund, I., Pirazzi, C., Romeo, S., Sjöholm, K., Sjöstrom, E., Wedel, H., Svensson, P.-A., Sjöstrom, L.: Bariatric Surgery and Prevention of Type 2 Diabetes in Swedish Obese Subjects. *New England Journal of Medicine*. 367, 695–704 (2012). <https://doi.org/10.1056/NEJMoa1112082>.

36.

Linda Penn: Importance of Weight Loss Maintenance and Risk Prediction in the Prevention of Type 2 Diabetes: Analysis of European Diabetes Prevention Study RCT. *PLoS ONE*. 8, (2013). <https://doi.org/doi:10.1371/journal.pone.0057143>.

37.

Aguiar, E.J., Morgan, P.J., Collins, C.E., Plotnikoff, R.C., Young, M.D., Callister, R.: Efficacy of the Type 2 Diabetes Prevention Using LifeStyle Education Program RCT. *American Journal of Preventive Medicine*. 50, 353–364 (2016). <https://doi.org/10.1016/j.amepre.2015.08.020>.

38.

Effect of a lifestyle intervention on weight change in south Asian individuals in the UK at high risk of type 2 diabetes: a family-cluster randomised controlled trial- *ClinicalKey*, <https://www.clinicalkey.com/#!/content/journal/1-s2.0-S2213858713702043>.

39.

Linda Penn: Importance of Weight Loss Maintenance and Risk Prediction in the Prevention of Type 2 Diabetes: Analysis of European Diabetes Prevention Study RCT. *PLoS ONE*. 8, (2013). <https://doi.org/doi:10.1371/journal.pone.0057143>.

40.

Long, G.H., Johansson, I., Rolandsson, O., Wennberg, P., Fhärm, E., Weinehall, L., Griffin, S.J., Simmons, R.K., Norberg, M.: Healthy behaviours and 10-year incidence of diabetes: A population cohort study. *Preventive Medicine*. 71, 121–127 (2015). <https://doi.org/10.1016/j.ypmed.2014.12.013>.

41.

Nutrition Recommendations and Interventions for Diabetes: A position statement of the American Diabetes Association. *Diabetes Care*. 31, S61-S78 (2008).
<https://doi.org/10.2337/dc08-S061>.

42.

Carter, P., Khunti, K., Davies, M.J.: Dietary Recommendations for the Prevention of Type 2 diabetes: What Are They Based on? *Journal of Nutrition and Metabolism*. 2012, 1-6 (2012).
<https://doi.org/10.1155/2012/847202>.

43.

Pan, X.-R., Li, G.-W., Hu, Y.-H., Wang, J.-X., Yang, W.-Y., An, Z.-X., Hu, Z.-X., Xiao, J.-Z., Cao, H.-B., Liu, P.-A., Jiang, X.-G., Jiang, Y.-Y., Wang, J.-P., Zheng, H., Zhang, H., Bennett, P.H., Howard, B.V.: Effects of Diet and Exercise in Preventing NIDDM in People With Impaired Glucose Tolerance: The Da Qing IGT and Diabetes Study. *Diabetes Care*. 20, 537-544 (1997). <https://doi.org/10.2337/diacare.20.4.537>.

44.

How to prevent type 2 diabetes in women with previous gestational diabetes? A systematic review of behavioural interventions- ClinicalKey,
<https://www.clinicalkey.com/#!/content/playContent/1-s2.0-S1751991817300785?returnurl=null&referrer=null>.

45.

Malik, V.S., Popkin, B.M., Bray, G.A., Despres, J.-P., Willett, W.C., Hu, F.B.: Sugar-Sweetened Beverages and Risk of Metabolic Syndrome and Type 2 Diabetes: A meta-analysis. *Diabetes Care*. 33, 2477-2483 (2010). <https://doi.org/10.2337/dc10-1079>.

46.

Schulze, M.B.: Sugar-Sweetened Beverages, Weight Gain, and Incidence of Type 2 Diabetes in Young and Middle-Aged Women. *JAMA*. 292, (2004).
<https://doi.org/10.1001/jama.292.8.927>.

47.

Correction. *Circulation*. 116, e557–e557 (2007).
<https://doi.org/10.1161/CIRCULATIONAHA.107.187928>.

48.

Malik, V.S., Pan, A., Willett, W.C., Hu, F.B.: Sugar-sweetened beverages and weight gain in children and adults: a systematic review and meta-analysis. *American Journal of Clinical Nutrition*. 98, 1084–1102 (2013). <https://doi.org/10.3945/ajcn.113.058362>.

49.

Deborah F Tate: Replacing caloric beverages with water or diet beverages for weight loss in adults: main results of the Choose Healthy Options Consciously Everyday (CHOICE) randomized clinical trial. *The American Journal of Clinical Nutrition*. 95, (2012).
<https://doi.org/doi:10.3945/ajcn.111.026278>.

50.

Pan, A., Sun, Q., Bernstein, A.M., Schulze, M.B., Manson, J.E., Willett, W.C., Hu, F.B.: Red meat consumption and risk of type 2 diabetes: 3 cohorts of US adults and an updated meta-analysis. *American Journal of Clinical Nutrition*. 94, 1088–1096 (2011).
<https://doi.org/10.3945/ajcn.111.018978>.

51.

Ley, S.H., Hamdy, O., Mohan, V., Hu, F.B.: Prevention and management of type 2 diabetes: dietary components and nutritional strategies. *The Lancet*. 383, 1999–2007 (2014).
[https://doi.org/10.1016/S0140-6736\(14\)60613-9](https://doi.org/10.1016/S0140-6736(14)60613-9).

52.

Type 2 diabetes: prevention in people at high risk | Guidance and guidelines | NICE.

53.

Emily A Hu: White rice consumption and risk of type 2 diabetes: meta-analysis and systematic review. *The BMJ*. 344, (2012). <https://doi.org/doi:10.1136/bmj.e1454>.

54.

Dagfinn Aune: Whole grain consumption and risk of cardiovascular disease, cancer, and all cause and cause specific mortality: systematic review and dose-response meta-analysis of prospective studies. *The BMJ*. 353, (2016). <https://doi.org/doi:10.1136/bmj.i2716>.

55.

Dyson, P.A., Kelly, T., Deakin, T., Duncan, A., Frost, G., Harrison, Z., Khatri, D., Kunka, D., McArdle, P., Mellor, D., Oliver, L., Worth, J.: Diabetes UK evidence-based nutrition guidelines for the prevention and management of diabetes. *Diabetic Medicine*. 28, 1282–1288 (2011). <https://doi.org/10.1111/j.1464-5491.2011.03371.x>.

56.

Schwingshackl, L., Hoffmann, G., Lampousi, A.-M., Knüppel, S., Iqbal, K., Schwedhelm, C., Bechthold, A., Schlesinger, S., Boeing, H.: Food groups and risk of type 2 diabetes mellitus: a systematic review and meta-analysis of prospective studies. *European Journal of Epidemiology*. 32, 363–375 (2017). <https://doi.org/10.1007/s10654-017-0246-y>.

57.

Mann, J., Morenga, L.T., McLean, R., Swinburn, B., Mhurchu, C.N., Jackson, R., Kennedy, J., Beaglehole, R.: Dietary guidelines on trial: the charges are not evidence based. *The Lancet*. 388, 851–853 (2016). [https://doi.org/10.1016/S0140-6736\(16\)31278-8](https://doi.org/10.1016/S0140-6736(16)31278-8).

58.

Dhingra, R., Sullivan, L., Jacques, P.F., Wang, T.J., Fox, C.S., Meigs, J.B., D'Agostino, R.B., Gaziano, J.M., Vasan, R.S.: Soft Drink Consumption and Risk of Developing Cardiometabolic Risk Factors and the Metabolic Syndrome in Middle-Aged Adults in the Community. *Circulation*. 116, 480–488 (2007). <https://doi.org/10.1161/CIRCULATIONAHA.107.689935>.

59.

Wu, Y., Zhang, D., Jiang, X., Jiang, W.: Fruit and vegetable consumption and risk of type 2 diabetes mellitus: A dose-response meta-analysis of prospective cohort studies. *Nutrition, Metabolism and Cardiovascular Diseases*. 25, 140–147 (2015). <https://doi.org/10.1016/j.numecd.2014.10.004>.

60.

Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study, http://ac.els-cdn.com/S2213858714701469/1-s2.0-S2213858714701469-main.pdf?_tid=41970bbc-7e93-11e7-a8e5-00000aab0f01&acdnat=1502455838_1e4678aef6e5b79c43c42f6b68f370f1.

61.

Aune, D., Norat, T., Romundstad, P., Vatten, L.J.: Whole grain and refined grain consumption and the risk of type 2 diabetes: a systematic review and dose-response meta-analysis of cohort studies. *European Journal of Epidemiology*. 28, 845–858 (2013). <https://doi.org/10.1007/s10654-013-9852-5>.

62.

Colberg, S.R., Sigal, R.J., Fernhall, B., Regensteiner, J.G., Blissmer, B.J., Rubin, R.R., Chasan-Taber, L., Albright, A.L., Braun, B.: Exercise and Type 2 Diabetes: The American College of Sports Medicine and the American Diabetes Association: joint position statement executive summary. *Diabetes Care*. 33, 2692–2696 (2010). <https://doi.org/10.2337/dc10-1548>.

63.

Yates, T., Wilmot, E.G., Khunti, K., Biddle, S., Gorely, T., Davies, M.J.: Stand up for your health: Is it time to rethink the physical activity paradigm? *Diabetes Research and Clinical Practice*. 93, 292–294 (2011). <https://doi.org/10.1016/j.diabres.2011.03.023>.

64.

Steven N Blair: Physical inactivity: the biggest public health problem of the 21st century. *British Journal of Sports Medicine*. 43, 1–2 (2009).

65.

Laaksonen, D.E., Lindstrom, J., Lakka, T.A., Eriksson, J.G., Niskanen, L., Wikstrom, K., Aunola, S., Keinänen-Kiukaanniemi, S., Laakso, M., Valle, T.T., Ilanne-Parikka, P., Louheranta, A., Hamalainen, H., Rastas, M., Salminen, V., Cepaitis, Z., Hakumaki, M.,

Kaikkonen, H., Harkonen, P., Sundvall, J., Tuomilehto, J., Uusitupa, M.: Physical Activity in the Prevention of Type 2 Diabetes: The Finnish Diabetes Prevention Study. *Diabetes*. 54, 158–165 (2005). <https://doi.org/10.2337/diabetes.54.1.158>.

66.

Thomas Yates: Walking away from type 2 diabetes: trial protocol of a cluster randomised controlled trial evaluating a structured education programme in those at high risk of developing type 2 diabetes. *BMC Family Practice*. 13, (2012). <https://doi.org/doi:10.1186/1471-2296-13-46>.

67.

Colberg, S.R., Sigal, R.J., Yardley, J.E., Riddell, M.C., Dunstan, D.W., Dempsey, P.C., Horton, E.S., Castorino, K., Tate, D.F.: Physical Activity/Exercise and Diabetes: A Position Statement of the American Diabetes Association. *Diabetes Care*. 39, 2065–2079 (2016). <https://doi.org/10.2337/dc16-1728>.

68.

Stefan, N., Staiger, H., Wagner, R., Machann, J., Schick, F., Hering, H.-U., Fritsche, A.: A high-risk phenotype associates with reduced improvement in glycaemia during a lifestyle intervention in prediabetes. *Diabetologia*. 58, 2877–2884 (2015). <https://doi.org/10.1007/s00125-015-3760-z>.

69.

Less Sitting, More Physical Activity, or Higher Fitness?- ClinicalKey,
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/playContent/1-s2.0-S0025619615006308?returnurl=null&referrer=null>.

70.

Sedentary Behaviors and Subsequent Health Outcomes in Adults- ClinicalKey,
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0749379711003126>.

71.

LaMonte, M.J.: Physical activity and diabetes prevention. *Journal of Applied Physiology*. 99, 1205–1213 (2005). <https://doi.org/10.1152/jappphysiol.00193.2005>.

72.

Church, T.S., Blair, S.N., Cocreham, S., Johannsen, N., Johnson, W., Kramer, K., Mikus, C.R., Myers, V., Nauta, M., Rodarte, R.Q., Sparks, L., Thompson, A., Earnest, C.P.: Effects of Aerobic and Resistance Training on Hemoglobin A Levels in Patients With Type 2 Diabetes. *JAMA*. 304, (2010). <https://doi.org/10.1001/jama.2010.1710>.

73.

Orozco, L.J., Buchleitner, A.M., Gimenez-Perez, G., Roqué i Figuls, M., Richter, B., Mauricio, D.: Exercise or exercise and diet for preventing type 2 diabetes mellitus. In: *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd, Chichester, UK (1996). <https://doi.org/10.1002/14651858.CD003054.pub3>.

74.

Sedentary Behaviors and Subsequent Health Outcomes in Adults- ClinicalKey, <https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0749379711003126>.

75.

Gopalan, A., Lorincz, I.S., Wirtalla, C., Marcus, S.C., Long, J.A.: Awareness of Prediabetes and Engagement in Diabetes Risk-Reducing Behaviors. *American Journal of Preventive Medicine*. 49, 512–519 (2015). <https://doi.org/10.1016/j.amepre.2015.03.007>.

76.

Absetz, P., Oldenburg, B., Hankonen, N., Valve, R., Heinonen, H., Nissinen, A., Fogelholm, M., Talja, M., Uutela, A.: Type 2 Diabetes Prevention in the Real World: Three-year results of the GOAL Lifestyle Implementation Trial. *Diabetes Care*. 32, 1418–1420 (2009). <https://doi.org/10.2337/dc09-0039>.

77.

Ackermann, R.T., Finch, E.A., Brizendine, E., Zhou, H., Marrero, D.G.: Translating the

Diabetes Prevention Program into the Community. *American Journal of Preventive Medicine*. 35, 357–363 (2008). <https://doi.org/10.1016/j.amepre.2008.06.035>.

78.

Sweeting, A.N., Ross, G.P., Hyett, J., Molyneaux, L., Constantino, M., Harding, A.J., Wong, J.: Gestational Diabetes Mellitus in Early Pregnancy: Evidence for Poor Pregnancy Outcomes Despite Treatment. *Diabetes Care*. 39, 75–81 (2016). <https://doi.org/10.2337/dc15-0433>.

79.

Koivusalo, S.B., Rönö, K., Klemetti, M.M., Roine, R.P., Lindström, J., Erkkola, M., Kaaja, R.J., Pöyhönen-Alho, M., Tiitinen, A., Huvinen, E., Andersson, S., Laivuori, H., Valkama, A., Meinilä, J., Kautiainen, H., Eriksson, J.G., Stach-Lempinen, B.: Gestational Diabetes Mellitus Can Be Prevented by Lifestyle Intervention: The Finnish Gestational Diabetes Prevention Study (RADIEL). *Diabetes Care*. 39, 24–30 (2016). <https://doi.org/10.2337/dc15-0511>.

80.

Nathan, D.M., Davidson, M.B., DeFronzo, R.A., Heine, R.J., Henry, R.R., Pratley, R., Zinman, B.: Impaired Fasting Glucose and Impaired Glucose Tolerance: Implications for care. *Diabetes Care*. 30, 753–759 (2007). <https://doi.org/10.2337/dc07-9920>.

81.

Vita, P., Cardona-Morrell, M., Bauman, A., Singh, M.F., Moore, M., Pennock, R., Snow, J., Williams, M., Jackson, L., Milat, A., Colagiuri, S.: Type 2 diabetes prevention in the community: 12-Month outcomes from the Sydney Diabetes Prevention Program. *Diabetes Research and Clinical Practice*. 112, 13–19 (2016). <https://doi.org/10.1016/j.diabres.2015.11.010>.

82.

Breeze, P.R., Thomas, C., Squires, H., Brennan, A., Greaves, C., Diggle, P., Brunner, E., Tabak, A., Preston, L., Chilcott, J.: Cost-effectiveness of population-based, community, workplace and individual policies for diabetes prevention in the UK. *Diabetic Medicine*. 34, 1136–1144 (2017). <https://doi.org/10.1111/dme.13349>.

83.

The 10-Year Cost-Effectiveness of Lifestyle Intervention or Metformin for Diabetes Prevention: An intent-to-treat analysis of the DPP/DPPOS. *Diabetes Care*. 35, 723–730 (2012). <https://doi.org/10.2337/dc11-1468>.

84.

Bailey, Stephen: *Academic Writing : A Handbook for International Students*.

85.

Creame, P., Lea, M.R.: *Writing At University: A Guide For Students*. McGraw-Hill Education, Maidenhead (2008).