

# MD7513 - Prevention, Screening & Early Detection in Diabetes

Prevention, Screening & Early Detection in Diabetes

View Online



1.  
Public Health England - Diabetes prevention programmes: evidence review [Internet].  
Public Health England; 2015. Available from:  
<https://www.gov.uk/government/publications/diabetes-prevention-programmes-evidence-review>
  
2.  
American Diabetes Association - Standards of Medical Care in Diabetes - 2017 Summary of Revisions. *Diabetes Care*. 2017 Jan;40(Supplement 1):S4-5.
  
3.  
NICE - Type 2 diabetes: prevention in people at high risk | Guidance and guidelines [Internet]. NICE; Available from: <https://www.nice.org.uk/guidance/ph38>
  
4.  
Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. *New England Journal of Medicine*. 2002 Feb 7;346(6):393-403.
  
5.  
Gillies CL, Abrams KR, Lambert PC, Cooper NJ, Sutton AJ, Hsu RT, et al. Pharmacological and lifestyle interventions to prevent or delay type 2 diabetes in people with impaired glucose tolerance: systematic review and meta-analysis. *BMJ*. 2007 Jan 19;334(7588):299-299.

6.

Lindstrom J, Louheranta A, Mannelin M, Rastas M, Salminen V, Eriksson J, et al. The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. *Diabetes Care*. 2003 Dec 1;26(12):3230–6.

7.

Ramachandran A, Snehalatha C, Mary S, Mukesh B, Bhaskar AD, Vijay V. The Indian Diabetes Prevention Programme shows that lifestyle modification and metformin prevent type 2 diabetes in Asian Indian subjects with impaired glucose tolerance (IDPP-1). *Diabetologia*. 2006 Feb;49(2):289–97.

8.

Tuomilehto J, Lindstrom J, Eriksson JG, Valle TT, Hamalainen H, Ilanne-Parikka P, et al. Prevention of Type 2 Diabetes Mellitus by Changes in Lifestyle among Subjects with Impaired Glucose Tolerance. *New England Journal of Medicine*. 2001 May 3;344(18):1343–50.

9.

Matti Uusitupa. Ten-Year Mortality and Cardiovascular Morbidity in the Finnish Diabetes Prevention Study—Secondary Analysis of the Randomized Trial. *PLoS ONE* [Internet]. 2009;4(5). Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2682577/>

10.

Brown J, Alwan NA, West J, Brown S, McKinlay CJ, Farrar D, et al. Lifestyle interventions for the treatment of women with gestational diabetes. In: *Cochrane Database of Systematic Reviews* [Internet]. Chichester, UK: John Wiley & Sons, Ltd; 1996. Available from: <http://doi.wiley.com/10.1002/14651858.CD011970.pub2>

11.

Carlsson LMS, Peltonen M, Ahlin S, Anveden A, Bouchard C, Carlsson B, et al. Bariatric Surgery and Prevention of Type 2 Diabetes in Swedish Obese Subjects. *New England Journal of Medicine*. 2012 Aug 23;367(8):695–704.

12.

Tseng E, Yeh HC, Maruthur NM. Metformin Use in Prediabetes Among U.S. Adults, 2005-2012. *Diabetes Care*. 2017 Jul;40(7):887-93.

13.

Luchsinger JA, Ma Y, Christophi CA, Florez H, Golden SH, Hazuda H, et al. Metformin, Lifestyle Intervention, and Cognition in the Diabetes Prevention Program Outcomes Study. *Diabetes Care*. 2017 Jul;40(7):958-65.

14.

Breeze PR, Thomas C, Squires H, Brennan A, Greaves C, Diggle PJ, et al. The impact of Type 2 diabetes prevention programmes based on risk-identification and lifestyle intervention intensity strategies: a cost-effectiveness analysis. *Diabetic Medicine*. 2017 May;34(5):632-40.

15.

Fogelholm M, Larsen T, Westerterp-Plantenga M, Macdonald I, Martinez J, Boyadjieva N, et al. PREVIEW: Prevention of Diabetes through Lifestyle Intervention and Population Studies in Europe and around the World. Design, Methods, and Baseline Participant Description of an Adult Cohort Enrolled into a Three-Year Randomised Clinical Trial. *Nutrients*. 2017 Jun 20;9(6).

16.

Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. *New England Journal of Medicine*. 2002 Feb 7;346(6):393-403.

17.

Gray LJ, Yates T, Troughton J, Khunti K, Davies MJ. Engagement, Retention, and Progression to Type 2 Diabetes: A Retrospective Analysis of the Cluster-Randomised 'Let's Prevent Diabetes' Trial. *PLOS Medicine*. 2016 Jul 12;13(7).

18.

A community based primary prevention programme for type 2 diabetes integrating identification and lifestyle intervention for prevention: the Let's Prevent Diabetes cluster randomised controlled trial- ClinicalKey [Internet]. Available from: <https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0091743515003850>

19.

Barry E, Roberts S, Oke J, Vijayaraghavan S, Normansell R, Greenhalgh T. Efficacy and effectiveness of screen and treat policies in prevention of type 2 diabetes: systematic review and meta-analysis of screening tests and interventions. *BMJ*. 2017 Jan 4;

20.

Webb DR, Gray LJ, Khunti K, Srinivasan B, Taub N, Campbell S, et al. Screening for diabetes using an oral glucose tolerance test within a western multi-ethnic population identifies modifiable cardiovascular risk: the ADDITION-Leicester study. *Diabetologia*. 2011 Sep;54(9):2237-46.

21.

Screening for type 2 diabetes: literature review and economic modelling. *Clinical Governance: An International Journal*. 2007 Oct 23;12(4).

22.

Gray LJ, Taub NA, Khunti K, Gardiner E, Hiles S, Webb DR, et al. The Leicester Risk Assessment score for detecting undiagnosed Type 2 diabetes and impaired glucose regulation for use in a multiethnic UK setting. *Diabetic Medicine*. 2010 May 3;27(8):887-95.

23.

Gray LJ, Davies MJ, Hiles S, Taub NA, Webb DR, Srinivasan BT, et al. Detection of impaired glucose regulation and/or type 2 diabetes mellitus, using primary care electronic data, in a multiethnic UK community setting. *Diabetologia*. 2012 Apr;55(4):959-66.

24.

Rajul Parikh, Annie Mathai, Shefali Parikh, G. Chandra Sekhar, Ravi Thomas. Understanding and using sensitivity, specificity and predictive values. *Indian Journal of Ophthalmology* [Internet]. Available from:  
[http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT\\_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm&currentPosition=3&docId=GALE%7CA173264871&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA173264871&searchId=R1&userGroupName=leicester&inPS=true](http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm&currentPosition=3&docId=GALE%7CA173264871&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA173264871&searchId=R1&userGroupName=leicester&inPS=true)

25.

Helen C Eborall. Psychological impact of screening for type 2 diabetes: controlled trial and comparative study embedded in the ADDITION (Cambridge) randomised controlled trial. *BMJ: British Medical Journal* [Internet]. 2007;335(7618). Available from:  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1971192/>

26.

Li R, Zhang P, Barker LE, Chowdhury FM, Zhang X. Cost-Effectiveness of Interventions to Prevent and Control Diabetes Mellitus: A Systematic Review. *Diabetes Care*. 2010 Aug 1;33(8):1872-94.

27.

Clinical applicability and cost-effectiveness of DIABSCORE in screening for type 2 diabetes in primary care- *ClinicalKey* [Internet]. Available from:  
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0168822717301031>

28.

Hamman RF, Wing RR, Edelstein SL, Lachin JM, Bray GA, Delahanty L, et al. Effect of Weight Loss With Lifestyle Intervention on Risk of Diabetes. *Diabetes Care*. 2006 Sep 1;29(9):2102-7.

29.

Joiner KL, Nam S, Whittemore R. Lifestyle interventions based on the diabetes prevention program delivered via eHealth: A systematic review and meta-analysis. *Preventive Medicine*. 2017 Jul;100:194-207.

30.

Georgios S Papaetis. Incretin-based therapies in prediabetes: Current evidence and future perspectives. World Journal of Diabetes [Internet]. 2014;5(6). Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4265868/>

31.

Obesity: identification, assessment and management | Guidance and guidelines | NICE. Available from: <https://www.nice.org.uk/guidance/cg189>

32.

Health Effects of Overweight and Obesity in 195 Countries over 25 Years. New England Journal of Medicine. 2017 Jun 12;

33.

Gregg EW, Shaw JE. Global Health Effects of Overweight and Obesity. New England Journal of Medicine. 2017 Jun 12;

34.

A Systems Science Approach to the Obesity Epidemic and Prevention of Diabetes. [Internet]. 20AD. Available from: <https://www.youtube.com/watch?v=HrrD-Z0B7dY&feature=youtu.be&t=55s%20A%20Systems%20Science%20Approach%20to%20the%20Obesity%20Epidemic%20and%20Prevention%20of%20Diabetes>.

35.

Carlsson LMS, Peltonen M, Ahlin S, Anveden A, Bouchard C, Carlsson B, et al. Bariatric Surgery and Prevention of Type 2 Diabetes in Swedish Obese Subjects. New England Journal of Medicine. 2012 Aug 23;367(8):695-704.

36.

Linda Penn. Importance of Weight Loss Maintenance and Risk Prediction in the Prevention of Type 2 Diabetes: Analysis of European Diabetes Prevention Study RCT. PLoS ONE [Internet]. 2013;8(2). Available from:  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3581561/>

37.

Aguiar EJ, Morgan PJ, Collins CE, Plotnikoff RC, Young MD, Callister R. Efficacy of the Type 2 Diabetes Prevention Using LifeStyle Education Program RCT. American Journal of Preventive Medicine. 2016 Mar;50(3):353-64.

38.

Effect of a lifestyle intervention on weight change in south Asian individuals in the UK at high risk of type 2 diabetes: a family-cluster randomised controlled trial- ClinicalKey [Internet]. Available from:  
<https://www.clinicalkey.com/#!/content/journal/1-s2.0-S2213858713702043>

39.

Linda Penn. Importance of Weight Loss Maintenance and Risk Prediction in the Prevention of Type 2 Diabetes: Analysis of European Diabetes Prevention Study RCT. PLoS ONE [Internet]. 2013;8(2). Available from:  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3581561/>

40.

Long GH, Johansson I, Rolandsson O, Wennberg P, Fhärm E, Weinehall L, et al. Healthy behaviours and 10-year incidence of diabetes: A population cohort study. Preventive Medicine. 2015 Feb;71:121-7.

41.

Nutrition Recommendations and Interventions for Diabetes: A position statement of the American Diabetes Association. Diabetes Care. 2008 Jan 1;31(Supplement 1):S61-78.

42.

Carter P, Khunti K, Davies MJ. Dietary Recommendations for the Prevention of Type 2

diabetes: What Are They Based on? *Journal of Nutrition and Metabolism*. 2012;2012:1-6.

43.

Pan XR, Li GW, Hu YH, Wang JX, Yang WY, An ZX, et al. Effects of Diet and Exercise in Preventing NIDDM in People With Impaired Glucose Tolerance: The Da Qing IGT and Diabetes Study. *Diabetes Care*. 1997 Apr 1;20(4):537-44.

44.

How to prevent type 2 diabetes in women with previous gestational diabetes? A systematic review of behavioural interventions- ClinicalKey [Internet]. Available from: <https://www.clinicalkey.com/#!/content/playContent/1-s2.0-S1751991817300785?returnurl=null&referrer=null>

45.

Malik VS, Popkin BM, Bray GA, Despres JP, Willett WC, Hu FB. Sugar-Sweetened Beverages and Risk of Metabolic Syndrome and Type 2 Diabetes: A meta-analysis. *Diabetes Care*. 2010 Nov 1;33(11):2477-83.

46.

Schulze MB. Sugar-Sweetened Beverages, Weight Gain, and Incidence of Type 2 Diabetes in Young and Middle-Aged Women. *JAMA*. 2004 Aug 25;292(8).

47.

Correction. *Circulation*. 2007 Dec 4;116(23):e557-e557.

48.

Malik VS, Pan A, Willett WC, Hu FB. Sugar-sweetened beverages and weight gain in children and adults: a systematic review and meta-analysis. *American Journal of Clinical Nutrition*. 2013 Oct 1;98(4):1084-102.



49.

Deborah F Tate. Replacing caloric beverages with water or diet beverages for weight loss in adults: main results of the Choose Healthy Options Consciously Everyday (CHOICE) randomized clinical trial. *The American Journal of Clinical Nutrition* [Internet]. 2012;95(3). Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3632875/>

50.

Pan A, Sun Q, Bernstein AM, Schulze MB, Manson JE, Willett WC, et al. Red meat consumption and risk of type 2 diabetes: 3 cohorts of US adults and an updated meta-analysis. *American Journal of Clinical Nutrition*. 2011 Oct 1;94(4):1088–96.

51.

Ley SH, Hamdy O, Mohan V, Hu FB. Prevention and management of type 2 diabetes: dietary components and nutritional strategies. *The Lancet*. 2014 Jun;383(9933):1999–2007.

52.

Type 2 diabetes: prevention in people at high risk | Guidance and guidelines | NICE. Available from: <https://www.nice.org.uk/guidance/ph38/documents/preventing-type-2-diabetes-risk-identification-and-interventions-for-individuals-at-high-risk-draft-guidance-consultation>

53.

Emily A Hu. White rice consumption and risk of type 2 diabetes: meta-analysis and systematic review. *The BMJ* [Internet]. 2012;344. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3307808/>

54.

Dagfinn Aune. Whole grain consumption and risk of cardiovascular disease, cancer, and all cause and cause specific mortality: systematic review and dose-response meta-analysis of prospective studies. *The BMJ* [Internet]. 2016;353. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4908315/>

55.

Dyson PA, Kelly T, Deakin T, Duncan A, Frost G, Harrison Z, et al. Diabetes UK evidence-based nutrition guidelines for the prevention and management of diabetes. *Diabetic Medicine*. 2011 Nov;28(11):1282-8.

56.

Schwingshackl L, Hoffmann G, Lampousi AM, Knüppel S, Iqbal K, Schwedhelm C, et al. Food groups and risk of type 2 diabetes mellitus: a systematic review and meta-analysis of prospective studies. *European Journal of Epidemiology*. 2017 May;32(5):363-75.

57.

Mann J, Morenga LT, McLean R, Swinburn B, Mhurchu CN, Jackson R, et al. Dietary guidelines on trial: the charges are not evidence based. *The Lancet*. 2016 Aug;388(10047):851-3.

58.

Dhingra R, Sullivan L, Jacques PF, Wang TJ, Fox CS, Meigs JB, et al. Soft Drink Consumption and Risk of Developing Cardiometabolic Risk Factors and the Metabolic Syndrome in Middle-Aged Adults in the Community. *Circulation*. 2007 Jul 9;116(5):480-8.

59.

Wu Y, Zhang D, Jiang X, Jiang W. Fruit and vegetable consumption and risk of type 2 diabetes mellitus: A dose-response meta-analysis of prospective cohort studies. *Nutrition, Metabolism and Cardiovascular Diseases*. 2015 Feb;25(2):140-7.

60.

Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study [Internet]. Available from:  
[http://ac.els-cdn.com/S2213858714701469/1-s2.0-S2213858714701469-main.pdf?\\_tid=41970bbc-7e93-11e7-a8e5-00000aab0f01&acdnat=1502455838\\_1e4678aef6e5b79c43c42f6b68f370f1](http://ac.els-cdn.com/S2213858714701469/1-s2.0-S2213858714701469-main.pdf?_tid=41970bbc-7e93-11e7-a8e5-00000aab0f01&acdnat=1502455838_1e4678aef6e5b79c43c42f6b68f370f1)

61.

Aune D, Norat T, Romundstad P, Vatten LJ. Whole grain and refined grain consumption and the risk of type 2 diabetes: a systematic review and dose-response meta-analysis of cohort studies. *European Journal of Epidemiology*. 2013 Nov;28(11):845-58.

62.

Colberg SR, Sigal RJ, Fernhall B, Regensteiner JG, Blissmer BJ, Rubin RR, et al. Exercise and Type 2 Diabetes: The American College of Sports Medicine and the American Diabetes Association: joint position statement executive summary. *Diabetes Care*. 2010 Dec 1;33(12):2692-6.

63.

Yates T, Wilmot EG, Khunti K, Biddle S, Gorely T, Davies MJ. Stand up for your health: Is it time to rethink the physical activity paradigm? *Diabetes Research and Clinical Practice*. 2011 Aug;93(2):292-4.

64.

Steven N Blair. Physical inactivity: the biggest public health problem of the 21st century. *British Journal of Sports Medicine* [Internet]. 2009 Jan 1;43:1-2. Available from: <http://bjsm.bmj.com/content/43/1/1.full>

65.

Laaksonen DE, Lindstrom J, Lakka TA, Eriksson JG, Niskanen L, Wikstrom K, et al. Physical Activity in the Prevention of Type 2 Diabetes: The Finnish Diabetes Prevention Study. *Diabetes*. 2005 Jan 1;54(1):158-65.

66.

Thomas Yates. Walking away from type 2 diabetes: trial protocol of a cluster randomised controlled trial evaluating a structured education programme in those at high risk of developing type 2 diabetes. *BMC Family Practice* [Internet]. 2012;13. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3444401/>

67.

Colberg SR, Sigal RJ, Yardley JE, Riddell MC, Dunstan DW, Dempsey PC, et al. Physical Activity/Exercise and Diabetes: A Position Statement of the American Diabetes Association. *Diabetes Care*. 2016 Nov;39(11):2065–79.

68.

Stefan N, Staiger H, Wagner R, Machann J, Schick F, Hering HU, et al. A high-risk phenotype associates with reduced improvement in glycaemia during a lifestyle intervention in prediabetes. *Diabetologia*. 2015 Dec;58(12):2877–84.

69.

Less Sitting, More Physical Activity, or Higher Fitness?- ClinicalKey [Internet]. Available from:  
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/playContent/1-s2.0-S0025619615006308?returnurl=null&referrer=null>

70.

Sedentary Behaviors and Subsequent Health Outcomes in Adults- ClinicalKey [Internet]. Available from:  
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0749379711003126>

71.

LaMonte MJ. Physical activity and diabetes prevention. *Journal of Applied Physiology*. 2005 Sep 1;99(3):1205–13.

72.

Church TS, Blair SN, Cocroham S, Johannsen N, Johnson W, Kramer K, et al. Effects of Aerobic and Resistance Training on Hemoglobin A<sub>1c</sub> Levels in Patients With Type 2 Diabetes. *JAMA*. 2010 Nov 24;304(20).

73.

Orozco LJ, Buchleitner AM, Gimenez-Perez G, Roqué i Figuls M, Richter B, Mauricio D. Exercise or exercise and diet for preventing type 2 diabetes mellitus. In: *Cochrane*

Database of Systematic Reviews [Internet]. Chichester, UK: John Wiley & Sons, Ltd; 1996. Available from: <http://doi.wiley.com/10.1002/14651858.CD003054.pub3>

74.

Sedentary Behaviors and Subsequent Health Outcomes in Adults- ClinicalKey [Internet]. Available from: <https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0749379711003126>

75.

Gopalan A, Lorincz IS, Wirtalla C, Marcus SC, Long JA. Awareness of Prediabetes and Engagement in Diabetes Risk-Reducing Behaviors. *American Journal of Preventive Medicine*. 2015 Oct;49(4):512–9.

76.

Absetz P, Oldenburg B, Hankonen N, Valve R, Heinonen H, Nissinen A, et al. Type 2 Diabetes Prevention in the Real World: Three-year results of the GOAL Lifestyle Implementation Trial. *Diabetes Care*. 2009 Aug 1;32(8):1418–20.

77.

Ackermann RT, Finch EA, Brizendine E, Zhou H, Marrero DG. Translating the Diabetes Prevention Program into the Community. *American Journal of Preventive Medicine*. 2008 Oct;35(4):357–63.

78.

Sweeting AN, Ross GP, Hyett J, Molyneaux L, Constantino M, Harding AJ, et al. Gestational Diabetes Mellitus in Early Pregnancy: Evidence for Poor Pregnancy Outcomes Despite Treatment. *Diabetes Care*. 2016 Jan;39(1):75–81.

79.

Koivusalo SB, Rönö K, Klemetti MM, Roine RP, Lindström J, Erkkola M, et al. Gestational Diabetes Mellitus Can Be Prevented by Lifestyle Intervention: The Finnish Gestational Diabetes Prevention Study (RADIEL). *Diabetes Care*. 2016 Jan;39(1):24–30.

80.

Nathan DM, Davidson MB, DeFronzo RA, Heine RJ, Henry RR, Pratley R, et al. Impaired Fasting Glucose and Impaired Glucose Tolerance: Implications for care. *Diabetes Care*. 2007 Mar 1;30(3):753-9.

81.

Vita P, Cardona-Morrell M, Bauman A, Singh MF, Moore M, Pennock R, et al. Type 2 diabetes prevention in the community: 12-Month outcomes from the Sydney Diabetes Prevention Program. *Diabetes Research and Clinical Practice*. 2016 Feb;112:13-9.

82.

Breeze PR, Thomas C, Squires H, Brennan A, Greaves C, Diggle P, et al. Cost-effectiveness of population-based, community, workplace and individual policies for diabetes prevention in the UK. *Diabetic Medicine*. 2017 Aug;34(8):1136-44.

83.

The 10-Year Cost-Effectiveness of Lifestyle Intervention or Metformin for Diabetes Prevention: An intent-to-treat analysis of the DPP/DPPOS. *Diabetes Care*. 2012 Apr 1;35(4):723-30.

84.

Bailey, Stephen. *Academic Writing : A Handbook for International Students* [Internet]. 5th ed. Available from:  
<https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=5178437>

85.

Creame P, Lea MR. *Writing At University: A Guide For Students* [Internet]. 3rd ed. Maidenhead: McGraw-Hill Education; 2008. Available from:  
<https://ebookcentral.proquest.com/lib/leicester/detail.action?pq-origsite=primo&docID=345134>