

# MD7002 - Prevention, Screening & Early Detection in Diabetes

Prevention, Screening & Early Detection in Diabetes

View Online



1.  
Public Health England - Diabetes prevention programmes: evidence review. Published online 2015.  
<https://www.gov.uk/government/publications/diabetes-prevention-programmes-evidence-review>
  
2.  
Nutrition Recommendations and Interventions for Diabetes: A position statement of the American Diabetes Association. *Diabetes Care*. 2008;31(Supplement 1):S61-S78.  
doi:10.2337/dc08-S061
  
3.  
Carter P, Khunti K, Davies MJ. Dietary Recommendations for the Prevention of Type 2 diabetes: What Are They Based on? *Journal of Nutrition and Metabolism*. 2012;2012:1-6.  
doi:10.1155/2012/847202
  
4.  
Colberg SR, Sigal RJ, Fernhall B, et al. Exercise and Type 2 Diabetes: The American College of Sports Medicine and the American Diabetes Association: joint position statement executive summary. *Diabetes Care*. 2010;33(12):2692-2696. doi:10.2337/dc10-1548
  
5.  
Dyson PA, Kelly T, Deakin T, et al. Diabetes UK evidence-based nutrition guidelines for the prevention and management of diabetes. *Diabetic Medicine*. 2011;28(11):1282-1288.  
doi:10.1111/j.1464-5491.2011.03371.x

6.

Gillies CL, Abrams KR, Lambert PC, et al. Pharmacological and lifestyle interventions to prevent or delay type 2 diabetes in people with impaired glucose tolerance: systematic review and meta-analysis. *BMJ*. 2007;334(7588):299-299. doi:10.1136/bmj.39063.689375.55

7.

Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. *New England Journal of Medicine*. 2002;346(6):393-403. doi:10.1056/NEJMoa012512

8.

The relative importance of modifiable potential risk factors of type 2 diabetes: a meta-analysis of two cohorts.  
<http://link.springer.com/article/10.1007/s10654-009-9405-0/fulltext.html>

9.

Lindstrom J, Louheranta A, Mannelin M, et al. The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. *Diabetes Care*. 2003;26(12):3230-3236. doi:10.2337/diacare.26.12.3230

10.

Pan XR, Li GW, Hu YH, et al. Effects of Diet and Exercise in Preventing NIDDM in People With Impaired Glucose Tolerance: The Da Qing IGT and Diabetes Study. *Diabetes Care*. 1997;20(4):537-544. doi:10.2337/diacare.20.4.537

11.

Ramachandran A, Snehalatha C, Mary S, Mukesh B, Bhaskar AD, Vijay V. The Indian Diabetes Prevention Programme shows that lifestyle modification and metformin prevent type 2 diabetes in Asian Indian subjects with impaired glucose tolerance (IDPP-1). *Diabetologia*. 2006;49(2):289-297. doi:10.1007/s00125-005-0097-z

12.

Schwarz PE, Greaves CJ, Lindström J, Yates T, Davies MJ. Nonpharmacological interventions for the prevention of type 2 diabetes mellitus. *Nature Reviews Endocrinology*. Published online 17 January 2012. doi:10.1038/nrendo.2011.232

13.

Schwarz PEH. Public Health Implications: Translation into Diabetes Prevention Initiatives – Four-Level Public Health Concept. *Medical Clinics of North America*. 2011;95(2):397-407. doi:10.1016/j.mcna.2010.11.008

14.

Tuomilehto J, Lindstrom J, Eriksson JG, et al. Prevention of Type 2 Diabetes Mellitus by Changes in Lifestyle among Subjects with Impaired Glucose Tolerance. *New England Journal of Medicine*. 2001;344(18):1343-1350. doi:10.1056/NEJM200105033441801

15.

Screening for type 2 diabetes: literature review and economic modelling. *Clinical Governance: An International Journal*. 2007;12(4). doi:10.1108/cgij.2007.24812dae.003

16.

Absetz P, Oldenburg B, Hankonen N, et al. Type 2 Diabetes Prevention in the Real World: Three-year results of the GOAL Lifestyle Implementation Trial. *Diabetes Care*. 2009;32(8):1418-1420. doi:10.2337/dc09-0039

17.

Ackermann RT, Finch EA, Brizendine E, Zhou H, Marrero DG. Translating the Diabetes Prevention Program into the Community. *American Journal of Preventive Medicine*. 2008;35(4):357-363. doi:10.1016/j.amepre.2008.06.035

18.

Chiasson JL, Josse RG, Gomis R, Hanefeld M, Karasik A, Laakso M. Acarbose for prevention of type 2 diabetes mellitus: the STOP-NIDDM randomised trial. *The Lancet*. 2002;359(9323):2072-2077. doi:10.1016/S0140-6736(02)08905-5

19.

DeFronzo RA, Tripathy D, Schwenke DC, et al. Pioglitazone for Diabetes Prevention in Impaired Glucose Tolerance. *New England Journal of Medicine*. 2011;364(12):1104-1115. doi:10.1056/NEJMoa1010949

20.

Gray LJ, Yates T, Davies MJ, et al. Defining Obesity Cut-Off Points for Migrant South Asians. *PLoS ONE*. 2011;6(10). doi:10.1371/journal.pone.0026464

21.

Greaves CJ, Sheppard KE, Abraham C, et al. Systematic review of reviews of intervention components associated with increased effectiveness in dietary and physical activity interventions. *BMC Public Health*. 2011;11(1). doi:10.1186/1471-2458-11-119

22.

Effect of Valsartan on the Incidence of Diabetes. *New England Journal of Medicine*. 2010;363(8):792-793. doi:10.1056/NEJMc1005899

23.

Schwarz PEH, Gruhl U, Bornstein SR, Landgraf R, Hall M, Tuomilehto J. Development and Implementation of A European Guideline and Training Standards for Diabetes Prevention-The IMAGE project. *Journal of Public Health*. 2007;15(5):353-360. doi:10.1007/s10389-007-0145-x

24.

Effect of Nateglinide on the Incidence of Diabetes and Cardiovascular Events. *New England Journal of Medicine*. 2010;362(16):1463-1476. doi:10.1056/NEJMoa1001122

25.

Yates T, Davies M, Gorely T, Bull F, Khunti K. Effectiveness of a Pragmatic Education

Program Designed to Promote Walking Activity in Individuals With Impaired Glucose Tolerance: A randomized controlled trial. *Diabetes Care*. 2009;32(8):1404-1410. doi:10.2337/dc09-0130

26.

Yates T, Wilmot EG, Khunti K, Biddle S, Gorely T, Davies MJ. Stand up for your health: Is it time to rethink the physical activity paradigm? *Diabetes Research and Clinical Practice*. 2011;93(2):292-294. doi:10.1016/j.diabres.2011.03.023

27.

Steven N Blair. Physical inactivity: the biggest public health problem of the 21st century. *British Journal of Sports Medicine*. 2009;43:1-2. <http://bjsm.bmj.com/content/43/1/1.full>

28.

Frank W. Booth. Waging war on modern chronic diseases: primary prevention through exercise biology. *Journal of Applied Physiology*. 2000;88(2):774-787. <http://jap.physiology.org/content/88/2/774>

29.

Church TS, Cheng YJ, Earnest CP, et al. Exercise Capacity and Body Composition as Predictors of Mortality Among Men With Diabetes. *Diabetes Care*. 2004;27(1):83-88. doi:10.2337/diacare.27.1.83

30.

Cordain L, Gotshall R, Eaton S, Eaton S. Physical Activity, Energy Expenditure and Fitness: An Evolutionary Perspective. *International Journal of Sports Medicine*. 1998;19(05):328-335. doi:10.1055/s-2007-971926

31.

Hamman RF, Wing RR, Edelstein SL, et al. Effect of Weight Loss With Lifestyle Intervention on Risk of Diabetes. *Diabetes Care*. 2006;29(9):2102-2107. doi:10.2337/dc06-0560

32.

Laaksonen DE, Lindstrom J, Lakka TA, et al. Physical Activity in the Prevention of Type 2 Diabetes: The Finnish Diabetes Prevention Study. *Diabetes*. 2005;54(1):158-165.  
doi:10.2337/diabetes.54.1.158

33.

Norris SL, Zhang X, Avenell A, Gregg E, Schmid CH, Lau J. Long-term non-pharmacological weight loss interventions for adults with prediabetes. In: *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd; 1996. doi:10.1002/14651858.CD005270

34.

TELFORD, RICHARD D. Low Physical Activity and Obesity: Causes of Chronic Disease or Simply Predictors? *Medicine & Science in Sports & Exercise*. 39(8).  
<http://ezproxy.lib.le.ac.uk/login?url=http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00005768-200708000-00005&LSLINK=80&D=ovft>

35.

Umpierre D. Physical Activity Advice Only or Structured Exercise Training and Association With HbA<sub>1c</sub> Levels in Type 2 Diabetes. *JAMA*. 2011;305(17).  
doi:10.1001/jama.2011.576

36.

Yates T, Khunti K, Troughton J, Davies M. The role of physical activity in the management of type 2 diabetes mellitus. *Postgraduate Medical Journal*. 2009;85(1001):129-133.  
doi:10.1136/pgmj.2008.067900