

MD7002 - Prevention, Screening & Early Detection in Diabetes

Prevention, Screening & Early Detection in Diabetes

View Online



- Absetz, P., Oldenburg, B., Hankonen, N., Valve, R., Heinonen, H., Nissinen, A., Fogelholm, M., Talja, M., & Uutela, A. (2009). Type 2 Diabetes Prevention in the Real World: Three-year results of the GOAL Lifestyle Implementation Trial. *Diabetes Care*, 32(8), 1418–1420. <https://doi.org/10.2337/dc09-0039>
- Ackermann, R. T., Finch, E. A., Brizendine, E., Zhou, H., & Marrero, D. G. (2008). Translating the Diabetes Prevention Program into the Community. *American Journal of Preventive Medicine*, 35(4), 357–363. <https://doi.org/10.1016/j.amepre.2008.06.035>
- Carter, P., Khunti, K., & Davies, M. J. (2012). Dietary Recommendations for the Prevention of Type 2 diabetes: What Are They Based on? *Journal of Nutrition and Metabolism*, 2012, 1–6. <https://doi.org/10.1155/2012/847202>
- Chiasson, J.-L., Josse, R. G., Gomis, R., Hanefeld, M., Karasik, A., & Laakso, M. (2002). Acarbose for prevention of type 2 diabetes mellitus: the STOP-NIDDM randomised trial. *The Lancet*, 359(9323), 2072–2077. [https://doi.org/10.1016/S0140-6736\(02\)08905-5](https://doi.org/10.1016/S0140-6736(02)08905-5)
- Church, T. S., Cheng, Y. J., Earnest, C. P., Barlow, C. E., Gibbons, L. W., Priest, E. L., & Blair, S. N. (2004). Exercise Capacity and Body Composition as Predictors of Mortality Among Men With Diabetes. *Diabetes Care*, 27(1), 83–88. <https://doi.org/10.2337/diacare.27.1.83>
- Colberg, S. R., Sigal, R. J., Fernhall, B., Regensteiner, J. G., Blissmer, B. J., Rubin, R. R., Chasan-Taber, L., Albright, A. L., & Braun, B. (2010). Exercise and Type 2 Diabetes: The American College of Sports Medicine and the American Diabetes Association: joint position statement executive summary. *Diabetes Care*, 33(12), 2692–2696. <https://doi.org/10.2337/dc10-1548>
- Cordain, L., Gotshall, R., Eaton, S., & Eaton, S. (1998). Physical Activity, Energy Expenditure and Fitness: An Evolutionary Perspective. *International Journal of Sports Medicine*, 19(05), 328–335. <https://doi.org/10.1055/s-2007-971926>
- DeFronzo, R. A., Tripathy, D., Schwenke, D. C., Banerji, M., Bray, G. A., Buchanan, T. A., Clement, S. C., Henry, R. R., Hodis, H. N., Kitabchi, A. E., Mack, W. J., Mudaliar, S., Ratner, R. E., Williams, K., Stentz, F. B., Musi, N., & Reaven, P. D. (2011). Pioglitazone for Diabetes Prevention in Impaired Glucose Tolerance. *New England Journal of Medicine*, 364(12), 1104–1115. <https://doi.org/10.1056/NEJMoa1010949>
- Dyson, P. A., Kelly, T., Deakin, T., Duncan, A., Frost, G., Harrison, Z., Khatri, D., Kunka, D., McArdle, P., Mellor, D., Oliver, L., & Worth, J. (2011). Diabetes UK evidence-based nutrition guidelines for the prevention and management of diabetes. *Diabetic Medicine*, 28(11),

1282–1288. <https://doi.org/10.1111/j.1464-5491.2011.03371.x>

Effect of Nateglinide on the Incidence of Diabetes and Cardiovascular Events. (2010). *New England Journal of Medicine*, 362(16), 1463–1476. <https://doi.org/10.1056/NEJMoa1001122>

Effect of Valsartan on the Incidence of Diabetes. (2010). *New England Journal of Medicine*, 363(8), 792–793. <https://doi.org/10.1056/NEJMc1005899>

Frank W. Booth. (2000). Waging war on modern chronic diseases: primary prevention through exercise biology. *Journal of Applied Physiology*, 88(2), 774–787. <http://jap.physiology.org/content/88/2/774>

Gillies, C. L., Abrams, K. R., Lambert, P. C., Cooper, N. J., Sutton, A. J., Hsu, R. T., & Khunti, K. (2007). Pharmacological and lifestyle interventions to prevent or delay type 2 diabetes in people with impaired glucose tolerance: systematic review and meta-analysis. *BMJ*, 334(7588), 299–299. <https://doi.org/10.1136/bmj.39063.689375.55>

Gray, L. J., Yates, T., Davies, M. J., Brady, E., Webb, D. R., Sattar, N., & Khunti, K. (2011). Defining Obesity Cut-Off Points for Migrant South Asians. *PLoS ONE*, 6(10). <https://doi.org/10.1371/journal.pone.0026464>

Greaves, C. J., Sheppard, K. E., Abraham, C., Hardeman, W., Roden, M., Evans, P. H., & Schwarz, P. (2011). Systematic review of reviews of intervention components associated with increased effectiveness in dietary and physical activity interventions. *BMC Public Health*, 11(1). <https://doi.org/10.1186/1471-2458-11-119>

Hamman, R. F., Wing, R. R., Edelstein, S. L., Lachin, J. M., Bray, G. A., Delahanty, L., Hoskin, M., Kriska, A. M., Mayer-Davis, E. J., Pi-Sunyer, X., Regensteiner, J., Venditti, B., & Wylie-Rosett, J. (2006). Effect of Weight Loss With Lifestyle Intervention on Risk of Diabetes. *Diabetes Care*, 29(9), 2102–2107. <https://doi.org/10.2337/dc06-0560>

Laaksonen, D. E., Lindstrom, J., Lakka, T. A., Eriksson, J. G., Niskanen, L., Wikstrom, K., Aunola, S., Keinanen-Kiukaanniemi, S., Laakso, M., Valle, T. T., Ilanne-Parikka, P., Louheranta, A., Hamalainen, H., Rastas, M., Salminen, V., Cepaitis, Z., Hakumaki, M., Kaikkonen, H., Harkonen, P., ... Uusitupa, M. (2005). Physical Activity in the Prevention of Type 2 Diabetes: The Finnish Diabetes Prevention Study. *Diabetes*, 54(1), 158–165. <https://doi.org/10.2337/diabetes.54.1.158>

Lindstrom, J., Louheranta, A., Mannelin, M., Rastas, M., Salminen, V., Eriksson, J., Uusitupa, M., & Tuomilehto, J. (2003). The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. *Diabetes Care*, 26(12), 3230–3236. <https://doi.org/10.2337/diacare.26.12.3230>

Norris, S. L., Zhang, X., Avenell, A., Gregg, E., Schmid, C. H., & Lau, J. (1996). Long-term non-pharmacological weight loss interventions for adults with prediabetes. In *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/14651858.CD005270>

Nutrition Recommendations and Interventions for Diabetes: A position statement of the American Diabetes Association. (2008). *Diabetes Care*, 31(Supplement 1), S61–S78.

<https://doi.org/10.2337/dc08-S061>

Pan, X.-R., Li, G.-W., Hu, Y.-H., Wang, J.-X., Yang, W.-Y., An, Z.-X., Hu, Z.-X., Xiao, J.-Z., Cao, H.-B., Liu, P.-A., Jiang, X.-G., Jiang, Y.-Y., Wang, J.-P., Zheng, H., Zhang, H., Bennett, P. H., & Howard, B. V. (1997). Effects of Diet and Exercise in Preventing NIDDM in People With Impaired Glucose Tolerance: The Da Qing IGT and Diabetes Study. *Diabetes Care*, 20(4), 537-544. <https://doi.org/10.2337/diacare.20.4.537>

Public Health England - Diabetes prevention programmes: evidence review. (2015). Public Health England.
<https://www.gov.uk/government/publications/diabetes-prevention-programmes-evidence-review>

Ramachandran, A., Snehalatha, C., Mary, S., Mukesh, B., Bhaskar, A. D., & Vijay, V. (2006). The Indian Diabetes Prevention Programme shows that lifestyle modification and metformin prevent type 2 diabetes in Asian Indian subjects with impaired glucose tolerance (IDPP-1). *Diabetologia*, 49(2), 289-297.
<https://doi.org/10.1007/s00125-005-0097-z>

Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. (2002). *New England Journal of Medicine*, 346(6), 393-403.
<https://doi.org/10.1056/NEJMoa012512>

Schwarz, P. E., Greaves, C. J., Lindström, J., Yates, T., & Davies, M. J. (2012). Nonpharmacological interventions for the prevention of type 2 diabetes mellitus. *Nature Reviews Endocrinology*. <https://doi.org/10.1038/nrendo.2011.232>

Schwarz, P. E. H. (2011). Public Health Implications: Translation into Diabetes Prevention Initiatives—Four-Level Public Health Concept. *Medical Clinics of North America*, 95(2), 397-407. <https://doi.org/10.1016/j.mcna.2010.11.008>

Schwarz, P. E. H., Gruhl, U., Bornstein, S. R., Landgraf, R., Hall, M., & Tuomilehto, J. (2007). Development and Implementation of A European Guideline and Training Standards for Diabetes Prevention-The IMAGE project. *Journal of Public Health*, 15(5), 353-360.
<https://doi.org/10.1007/s10389-007-0145-x>

Screening for type 2 diabetes: literature review and economic modelling. (2007). *Clinical Governance: An International Journal*, 12(4).
<https://doi.org/10.1108/cgij.2007.24812dae.003>

Steven N Blair. (2009). Physical inactivity: the biggest public health problem of the 21st century. *British Journal of Sports Medicine*, 43, 1-2. <http://bjsm.bmj.com/content/43/1/1.full>

TELFORD, RICHARD D. (n.d.). Low Physical Activity and Obesity: Causes of Chronic Disease or Simply Predictors? *Medicine & Science in Sports & Exercise*, 39(8).
<http://ezproxy.lib.le.ac.uk/login?url=http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00005768-200708000-00005&LSLINK=80&D=ovft>

The relative importance of modifiable potential risk factors of type 2 diabetes: a meta-analysis of two cohorts. (n.d.).

<http://link.springer.com/article/10.1007/s10654-009-9405-0/fulltext.html>

Tuomilehto, J., Lindstrom, J., Eriksson, J. G., Valle, T. T., Hamalainen, H., Ilanne-Parikka, P., Keinanen-Kiukaanniemi, S., Laakso, M., Louheranta, A., Rastas, M., Salminen, V., Aunola, S., Cepaitis, Z., Moltchanov, V., Hakumaki, M., Mannelin, M., Martikkala, V., Sundvall, J., & Uusitupa, M. (2001). Prevention of Type 2 Diabetes Mellitus by Changes in Lifestyle among Subjects with Impaired Glucose Tolerance. *New England Journal of Medicine*, 344(18), 1343–1350. <https://doi.org/10.1056/NEJM200105033441801>

Umpierre, D. (2011). Physical Activity Advice Only or Structured Exercise Training and Association With HbA_{1c} Levels in Type 2 Diabetes. *JAMA*, 305(17). <https://doi.org/10.1001/jama.2011.576>

Yates, T., Davies, M., Gorely, T., Bull, F., & Khunti, K. (2009). Effectiveness of a Pragmatic Education Program Designed to Promote Walking Activity in Individuals With Impaired Glucose Tolerance: A randomized controlled trial. *Diabetes Care*, 32(8), 1404–1410. <https://doi.org/10.2337/dc09-0130>

Yates, T., Khunti, K., Troughton, J., & Davies, M. (2009). The role of physical activity in the management of type 2 diabetes mellitus. *Postgraduate Medical Journal*, 85(1001), 129–133. <https://doi.org/10.1136/pgmj.2008.067900>

Yates, T., Wilmot, E. G., Khunti, K., Biddle, S., Gorely, T., & Davies, M. J. (2011). Stand up for your health: Is it time to rethink the physical activity paradigm? *Diabetes Research and Clinical Practice*, 93(2), 292–294. <https://doi.org/10.1016/j.diabres.2011.03.023>