

MD7002 - Prevention, Screening & Early Detection in Diabetes

[View Online](#)

Prevention, Screening & Early Detection in Diabetes

Absetz, P., and others, 'Type 2 Diabetes Prevention in the Real World: Three-Year Results of the GOAL Lifestyle Implementation Trial', *Diabetes Care*, 32.8 (2009), pp. 1418-20, doi:10.2337/dc09-0039

Ackermann, Ronald T., and others, 'Translating the Diabetes Prevention Program into the Community', *American Journal of Preventive Medicine*, 35.4 (2008), pp. 357-63, doi:10.1016/j.amepre.2008.06.035

Carter, Patrice, Kamlesh Khunti, and Melanie J. Davies, 'Dietary Recommendations for the Prevention of Type 2 Diabetes: What Are They Based On?', *Journal of Nutrition and Metabolism*, 2012 (2012), pp. 1-6, doi:10.1155/2012/847202

Chiasson, Jean-Louis, and others, 'Acarbose for Prevention of Type 2 Diabetes Mellitus: The STOP-NIDDM Randomised Trial', *The Lancet*, 359.9323 (2002), pp. 2072-77, doi:10.1016/S0140-6736(02)08905-5

Church, T. S., and others, 'Exercise Capacity and Body Composition as Predictors of Mortality Among Men With Diabetes', *Diabetes Care*, 27.1 (2004), pp. 83-88, doi:10.2337/diacare.27.1.83

Colberg, S. R., and others, 'Exercise and Type 2 Diabetes: The American College of Sports Medicine and the American Diabetes Association: Joint Position Statement Executive Summary', *Diabetes Care*, 33.12 (2010), pp. 2692-96, doi:10.2337/dc10-1548

Cordain, L., and others, 'Physical Activity, Energy Expenditure and Fitness: An Evolutionary Perspective', *International Journal of Sports Medicine*, 19.05 (1998), pp. 328-35, doi:10.1055/s-2007-971926

DeFronzo, Ralph A., and others, 'Pioglitazone for Diabetes Prevention in Impaired Glucose Tolerance', *New England Journal of Medicine*, 364.12 (2011), pp. 1104-15, doi:10.1056/NEJMoa1010949

Dyson, P. A., and others, 'Diabetes UK Evidence-Based Nutrition Guidelines for the Prevention and Management of Diabetes', *Diabetic Medicine*, 28.11 (2011), pp. 1282-88, doi:10.1111/j.1464-5491.2011.03371.x

'Effect of Nateglinide on the Incidence of Diabetes and Cardiovascular Events', *New England Journal of Medicine*, 362.16 (2010), pp. 1463-76, doi:10.1056/NEJMoa1001122

'Effect of Valsartan on the Incidence of Diabetes', *New England Journal of Medicine*, 363.8

(2010), pp. 792–93, doi:10.1056/NEJMc1005899

Frank W. Booth, 'Waging War on Modern Chronic Diseases: Primary Prevention through Exercise Biology', *Journal of Applied Physiology*, 88.2 (2000), pp. 774–87
<<http://jap.physiology.org/content/88/2/774>>

Gillies, C. L., and others, 'Pharmacological and Lifestyle Interventions to Prevent or Delay Type 2 Diabetes in People with Impaired Glucose Tolerance: Systematic Review and Meta-Analysis', *BMJ*, 334.7588 (2007), pp. 299–299, doi:10.1136/bmj.39063.689375.55

Gray, Laura J., and others, 'Defining Obesity Cut-Off Points for Migrant South Asians', *PLoS ONE*, 6.10 (2011), doi:10.1371/journal.pone.0026464

Greaves, Colin J., and others, 'Systematic Review of Reviews of Intervention Components Associated with Increased Effectiveness in Dietary and Physical Activity Interventions', *BMC Public Health*, 11.1 (2011), doi:10.1186/1471-2458-11-119

Hamman, R. F., and others, 'Effect of Weight Loss With Lifestyle Intervention on Risk of Diabetes', *Diabetes Care*, 29.9 (2006), pp. 2102–07, doi:10.2337/dc06-0560

Laaksonen, D. E., and others, 'Physical Activity in the Prevention of Type 2 Diabetes: The Finnish Diabetes Prevention Study', *Diabetes*, 54.1 (2005), pp. 158–65, doi:10.2337/diabetes.54.1.158

Lindstrom, J., and others, 'The Finnish Diabetes Prevention Study (DPS): Lifestyle Intervention and 3-Year Results on Diet and Physical Activity', *Diabetes Care*, 26.12 (2003), pp. 3230–36, doi:10.2337/diacare.26.12.3230

Norris, Susan L., and others, 'Long-Term Non-Pharmacological Weight Loss Interventions for Adults with Prediabetes', in *Cochrane Database of Systematic Reviews* (John Wiley & Sons, Ltd, 1996), doi:10.1002/14651858.CD005270

'Nutrition Recommendations and Interventions for Diabetes: A Position Statement of the American Diabetes Association', *Diabetes Care*, 31.Supplement 1 (2008), pp. S61–78, doi:10.2337/dc08-S061

Pan, X. R., and others, 'Effects of Diet and Exercise in Preventing NIDDM in People With Impaired Glucose Tolerance: The Da Qing IGT and Diabetes Study', *Diabetes Care*, 20.4 (1997), pp. 537–44, doi:10.2337/diacare.20.4.537

Public Health England - Diabetes Prevention Programmes: Evidence Review, Public Health England, 2015
<<https://www.gov.uk/government/publications/diabetes-prevention-programmes-evidence-review>>

Ramachandran, A., and others, 'The Indian Diabetes Prevention Programme Shows That Lifestyle Modification and Metformin Prevent Type 2 Diabetes in Asian Indian Subjects with Impaired Glucose Tolerance (IDPP-1)', *Diabetologia*, 49.2 (2006), pp. 289–97, doi:10.1007/s00125-005-0097-z

'Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin',

New England Journal of Medicine, 346.6 (2002), pp. 393–403, doi:10.1056/NEJMoa012512

Schwarz, Peter E., and others, 'Nonpharmacological Interventions for the Prevention of Type 2 Diabetes Mellitus', *Nature Reviews Endocrinology*, published online 17 January 2012, doi:10.1038/nrendo.2011.232

Schwarz, Peter E. H., and others, 'Development and Implementation of A European Guideline and Training Standards for Diabetes Prevention-The IMAGE Project', *Journal of Public Health*, 15.5 (2007), pp. 353–60, doi:10.1007/s10389-007-0145-x

Schwarz, Peter E. H., 'Public Health Implications: Translation into Diabetes Prevention Initiatives' Four-Level Public Health Concept *Medical Clinics of North America*, 95.2 (2011), pp. 397–407, doi:10.1016/j.mcna.2010.11.008

'Screening for Type 2 Diabetes: Literature Review and Economic Modelling', *Clinical Governance: An International Journal*, 12.4 (2007), doi:10.1108/cgij.2007.24812dae.003

Steven N Blair, 'Physical Inactivity: The Biggest Public Health Problem of the 21st Century', *British Journal of Sports Medicine*, 43 (2009), pp. 1–2
<<http://bjsm.bmj.com/content/43/1/1.full>>

TELFORD, RICHARD D., 'Low Physical Activity and Obesity: Causes of Chronic Disease or Simply Predictors?', *Medicine & Science in Sports & Exercise*, 39.8 (n.d.)
<<http://ezproxy.lib.le.ac.uk/login?url=http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00005768-200708000-00005&LSLINK=80&D=ovft>>

'The Relative Importance of Modifiable Potential Risk Factors of Type 2 Diabetes: A Meta-Analysis of Two Cohorts', n.d.
<<http://link.springer.com/article/10.1007/s10654-009-9405-0/fulltext.html>>

Tuomilehto, Jaakko, and others, 'Prevention of Type 2 Diabetes Mellitus by Changes in Lifestyle among Subjects with Impaired Glucose Tolerance', *New England Journal of Medicine*, 344.18 (2001), pp. 1343–50, doi:10.1056/NEJM200105033441801

Umpierre, Daniel, 'Physical Activity Advice Only or Structured Exercise Training and Association With HbA_{1c} Levels in Type 2 Diabetes', *JAMA*, 305.17 (2011), doi:10.1001/jama.2011.576

Yates, T., and others, 'Effectiveness of a Pragmatic Education Program Designed to Promote Walking Activity in Individuals With Impaired Glucose Tolerance: A Randomized Controlled Trial', *Diabetes Care*, 32.8 (2009), pp. 1404–10, doi:10.2337/dc09-0130

Yates, T., and others, 'The Role of Physical Activity in the Management of Type 2 Diabetes Mellitus', *Postgraduate Medical Journal*, 85.1001 (2009), pp. 129–33, doi:10.1136/pgmj.2008.067900

Yates, Thomas, and others, 'Stand up for Your Health: Is It Time to Rethink the Physical Activity Paradigm?', *Diabetes Research and Clinical Practice*, 93.2 (2011), pp. 292–94, doi:10.1016/j.diabres.2011.03.023