

MD7002 - Prevention, Screening & Early Detection in Diabetes

Prevention, Screening & Early Detection in Diabetes

View Online



1.
Public Health England - Diabetes prevention programmes: evidence review [Internet]. Public Health England; 2015. Available from: <https://www.gov.uk/government/publications/diabetes-prevention-programmes-evidence-review>
2.
Nutrition Recommendations and Interventions for Diabetes: A position statement of the American Diabetes Association. *Diabetes Care*. 2008 Jan 1;31(Supplement 1):S61-S78.
3.
Carter P, Khunti K, Davies MJ. Dietary Recommendations for the Prevention of Type 2 diabetes: What Are They Based on? *Journal of Nutrition and Metabolism*. 2012;2012:1-6.
4.
Colberg SR, Sigal RJ, Fernhall B, Regensteiner JG, Blissmer BJ, Rubin RR, Chasan-Taber L, Albright AL, Braun B. Exercise and Type 2 Diabetes: The American College of Sports Medicine and the American Diabetes Association: joint position statement executive summary. *Diabetes Care*. 2010 Dec 1;33(12):2692-2696.
5.
Dyson PA, Kelly T, Deakin T, Duncan A, Frost G, Harrison Z, Khatri D, Kunka D, McArdle P, Mellor D, Oliver L, Worth J. Diabetes UK evidence-based nutrition guidelines for the prevention and management of diabetes. *Diabetic Medicine*. 2011 Nov;28(11):1282-1288.

6.

Gillies CL, Abrams KR, Lambert PC, Cooper NJ, Sutton AJ, Hsu RT, Khunti K. Pharmacological and lifestyle interventions to prevent or delay type 2 diabetes in people with impaired glucose tolerance: systematic review and meta-analysis. *BMJ*. 2007 Jan 19;334(7588):299-299.

7.

Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin. *New England Journal of Medicine*. 2002 Feb 7;346(6):393-403.

8.

The relative importance of modifiable potential risk factors of type 2 diabetes: a meta-analysis of two cohorts [Internet]. Available from:
<http://link.springer.com/article/10.1007/s10654-009-9405-0/fulltext.html>

9.

Lindstrom J, Louheranta A, Mannelin M, Rastas M, Salminen V, Eriksson J, Uusitupa M, Tuomilehto J. The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. *Diabetes Care*. 2003 Dec 1;26(12):3230-3236.

10.

Pan XR, Li GW, Hu YH, Wang JX, Yang WY, An ZX, Hu ZX, Xiao JZ, Cao HB, Liu PA, Jiang XG, Jiang YY, Wang JP, Zheng H, Zhang H, Bennett PH, Howard BV. Effects of Diet and Exercise in Preventing NIDDM in People With Impaired Glucose Tolerance: The Da Qing IGT and Diabetes Study. *Diabetes Care*. 1997 Apr 1;20(4):537-544.

11.

Ramachandran A, Snehalatha C, Mary S, Mukesh B, Bhaskar AD, Vijay V. The Indian Diabetes Prevention Programme shows that lifestyle modification and metformin prevent type 2 diabetes in Asian Indian subjects with impaired glucose tolerance (IDPP-1). *Diabetologia*. 2006 Feb;49(2):289-297.

12.

Schwarz PE, Greaves CJ, Lindström J, Yates T, Davies MJ. Nonpharmacological interventions for the prevention of type 2 diabetes mellitus. *Nature Reviews Endocrinology*. 2012 Jan 17;

13.

Schwarz PEH. Public Health Implications: Translation into Diabetes Prevention Initiatives—Four-Level Public Health Concept. *Medical Clinics of North America*. 2011 Mar;95(2):397–407.

14.

Tuomilehto J, Lindstrom J, Eriksson JG, Valle TT, Hamalainen H, Ilanne-Parikka P, Keinanen-Kiukaanniemi S, Laakso M, Louheranta A, Rastas M, Salminen V, Aunola S, Cepaitis Z, Moltchanov V, Hakumaki M, Mannelin M, Martikkala V, Sundvall J, Uusitupa M. Prevention of Type 2 Diabetes Mellitus by Changes in Lifestyle among Subjects with Impaired Glucose Tolerance. *New England Journal of Medicine*. 2001 May 3;344(18):1343–1350.

15.

Screening for type 2 diabetes: literature review and economic modelling. *Clinical Governance: An International Journal*. 2007 Oct 23;12(4).

16.

Absetz P, Oldenburg B, Hankonen N, Valve R, Heinonen H, Nissinen A, Fogelholm M, Talja M, Uutela A. Type 2 Diabetes Prevention in the Real World: Three-year results of the GOAL Lifestyle Implementation Trial. *Diabetes Care*. 2009 Aug 1;32(8):1418–1420.

17.

Ackermann RT, Finch EA, Brizendine E, Zhou H, Marrero DG. Translating the Diabetes Prevention Program into the Community. *American Journal of Preventive Medicine*. 2008 Oct;35(4):357–363.

18.

Chiasson JL, Josse RG, Gomis R, Hanefeld M, Karasik A, Laakso M. Acarbose for prevention of type 2 diabetes mellitus: the STOP-NIDDM randomised trial. *The Lancet*. 2002 Jun;359(9323):2072-2077.

19.

DeFronzo RA, Tripathy D, Schwenke DC, Banerji M, Bray GA, Buchanan TA, Clement SC, Henry RR, Hodis HN, Kitabchi AE, Mack WJ, Mudaliar S, Ratner RE, Williams K, Stentz FB, Musi N, Reaven PD. Pioglitazone for Diabetes Prevention in Impaired Glucose Tolerance. *New England Journal of Medicine*. 2011 Mar 24;364(12):1104-1115.

20.

Gray LJ, Yates T, Davies MJ, Brady E, Webb DR, Sattar N, Khunti K. Defining Obesity Cut-Off Points for Migrant South Asians. *PLoS ONE*. 2011 Oct 19;6(10).

21.

Greaves CJ, Sheppard KE, Abraham C, Hardeman W, Roden M, Evans PH, Schwarz P. Systematic review of reviews of intervention components associated with increased effectiveness in dietary and physical activity interventions. *BMC Public Health*. 2011;11(1).

22.

Effect of Valsartan on the Incidence of Diabetes. *New England Journal of Medicine*. 2010 Aug 19;363(8):792-793.

23.

Schwarz PEH, Gruhl U, Bornstein SR, Landgraf R, Hall M, Tuomilehto J. Development and Implementation of A European Guideline and Training Standards for Diabetes Prevention-The IMAGE project. *Journal of Public Health*. 2007 Sep 21;15(5):353-360.

24.

Effect of Nateglinide on the Incidence of Diabetes and Cardiovascular Events. *New England*

Journal of Medicine. 2010 Apr 22;362(16):1463-1476.

25.

Yates T, Davies M, Gorely T, Bull F, Khunti K. Effectiveness of a Pragmatic Education Program Designed to Promote Walking Activity in Individuals With Impaired Glucose Tolerance: A randomized controlled trial. *Diabetes Care*. 2009 Aug 1;32(8):1404-1410.

26.

Yates T, Wilmot EG, Khunti K, Biddle S, Gorely T, Davies MJ. Stand up for your health: Is it time to rethink the physical activity paradigm? *Diabetes Research and Clinical Practice*. 2011 Aug;93(2):292-294.

27.

Steven N Blair. Physical inactivity: the biggest public health problem of the 21st century. *British Journal of Sports Medicine* [Internet]. 2009 Jan 1;43:1-2. Available from: <http://bjsm.bmj.com/content/43/1/1.full>

28.

Frank W. Booth. Waging war on modern chronic diseases: primary prevention through exercise biology. *Journal of Applied Physiology* [Internet]. American Physiological Society; 2000;88(2):774-787. Available from: <http://jap.physiology.org/content/88/2/774>

29.

Church TS, Cheng YJ, Earnest CP, Barlow CE, Gibbons LW, Priest EL, Blair SN. Exercise Capacity and Body Composition as Predictors of Mortality Among Men With Diabetes. *Diabetes Care*. 2004 Jan 1;27(1):83-88.

30.

Cordain L, Gotshall R, Eaton S, Eaton S. Physical Activity, Energy Expenditure and Fitness: An Evolutionary Perspective. *International Journal of Sports Medicine*. 1998 Jul;19(05):328-335.

31.

Hamman RF, Wing RR, Edelstein SL, Lachin JM, Bray GA, Delahanty L, Hoskin M, Kriska AM, Mayer-Davis EJ, Pi-Sunyer X, Regensteiner J, Venditti B, Wylie-Rosett J. Effect of Weight Loss With Lifestyle Intervention on Risk of Diabetes. *Diabetes Care*. 2006 Sep 1;29(9):2102-2107.

32.

Laaksonen DE, Lindstrom J, Lakka TA, Eriksson JG, Niskanen L, Wikstrom K, Aunola S, Keinanen-Kiukaanniemi S, Laakso M, Valle TT, Ilanne-Parikka P, Louheranta A, Hamalainen H, Rastas M, Salminen V, Cepaitis Z, Hakumaki M, Kaikkonen H, Harkonen P, Sundvall J, Tuomilehto J, Uusitupa M. Physical Activity in the Prevention of Type 2 Diabetes: The Finnish Diabetes Prevention Study. *Diabetes*. 2005 Jan 1;54(1):158-165.

33.

Norris SL, Zhang X, Avenell A, Gregg E, Schmid CH, Lau J. Long-term non-pharmacological weight loss interventions for adults with prediabetes. *Cochrane Database of Systematic Reviews* [Internet]. Chichester, UK: John Wiley & Sons, Ltd; 1996. Available from: <http://doi.wiley.com/10.1002/14651858.CD005270>

34.

TELFORD, RICHARD D. Low Physical Activity and Obesity: Causes of Chronic Disease or Simply Predictors? *Medicine & Science in Sports & Exercise* [Internet]. 39(8). Available from: <http://ezproxy.lib.le.ac.uk/login?url=http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00005768-200708000-00005&LSLINK=80&D=ovft>

35.

Umpierre D. Physical Activity Advice Only or Structured Exercise Training and Association With HbA_{1c} Levels in Type 2 Diabetes. *JAMA*. 2011 May 4;305(17).

36.

Yates T, Khunti K, Troughton J, Davies M. The role of physical activity in the management of type 2 diabetes mellitus. *Postgraduate Medical Journal*. 2009 Mar 1;85(1001):129-133.