

# MD7514 Self-Management and Lifestyle Behaviour Change

Self-Management in Diabetes Care

View Online



[1]

Abedtash, H. and Holden, R.J. 2017. Systematic review of the effectiveness of health-related behavioral interventions using portable activity sensing devices (PASDs). *Journal of the American Medical Informatics Association*. 24, 5 (Sep. 2017), 1002–1013. DOI:<https://doi.org/10.1093/jamia/ocx006>.

[2]

Anderson, R.J. et al. 2001. The Prevalence of Comorbid Depression in Adults With Diabetes: A meta-analysis. *Diabetes Care*. 24, 6 (Jun. 2001), 1069–1078. DOI:<https://doi.org/10.2337/diacare.24.6.1069>.

[3]

Anderson, R.M. et al. 1995. Patient Empowerment: Results of a randomized controlled trial. *Diabetes Care*. 18, 7 (Jul. 1995), 943–949. DOI:<https://doi.org/10.2337/diacare.18.7.943>.

[4]

Anderson, R.M. and Funnell, M.M. 2005. Patient empowerment: reflections on the challenge of fostering the adoption of a new paradigm. *Patient Education and Counseling*. 57, 2 (May 2005), 153–157. DOI:<https://doi.org/10.1016/j.pec.2004.05.008>.

[5]

Anderson, R.M. and Funnell, M.M. 2008. The Art and Science of Diabetes Education A Culture Out of Balance. *The Diabetes Educator*. 34, 1 (Jan. 2008), 109–117. DOI:<https://doi.org/10.1177/0145721707312398>.

[6]

Anderson, R.M. and Funnell, M.M. 1999. Theory is the Cart, Vision is the Horse: Reflections on Research in Diabetes Patient Education. *The Diabetes Educator*. 25, 6\_suppl (Nov. 1999), 43-51. DOI:<https://doi.org/10.1177/014572179902500622>.

[7]

Bailey, S. 2011. *Academic writing: a handbook for international students*. Routledge.

[8]

Beck, J. et al. 2017. 2017 National Standards for Diabetes Self-Management Education and Support. *Diabetes Care*. (Jul. 2017). DOI:<https://doi.org/10.2337/dci17-0025>.

[9]

Bodenheimer, T. 2002. Improving Primary Care for Patients With Chronic Illness. *JAMA*. 288, 14 (Oct. 2002). DOI:<https://doi.org/10.1001/jama.288.14.1775>.

[10]

Boon-How Chew 2014. Psychological aspects of diabetes care: Effecting behavioral change in patients. *World Journal of Diabetes*. 5, 6 (2014). DOI:<https://doi.org/doi:10.4239/wjd.v5.i6.796>.

[11]

Brooks, R.B. and Goldstein, S. 2004. *The power of resilience: achieving balance, confidence, and personal strength in your life*. McGraw-Hill.

[12]

Brown, S.A. 1990. Studies of educational interventions and outcomes in diabetic adults: A meta-analysis revisited. *Patient Education and Counseling*. 16, 3 (Dec. 1990), 189-215. DOI:[https://doi.org/10.1016/0738-3991\(90\)90070-2](https://doi.org/10.1016/0738-3991(90)90070-2).

[13]

Byrne, J.L. et al. 2017. Deficiencies in postgraduate training for healthcare professionals who provide diabetes education and support: results from the Diabetes Attitudes, Wishes and Needs (DAWN2) study. *Diabetic Medicine*. 34, 8 (Aug. 2017), 1074–1083.  
DOI:<https://doi.org/10.1111/dme.13334>.

[14]

Carey, M.E. et al. 2014. Increasing capacity to deliver diabetes self-management education: results of the DESMOND lay educator non-randomized controlled equivalence trial. *Diabetic Medicine*. 31, 11 (Nov. 2014), 1431–1438.  
DOI:<https://doi.org/10.1111/dme.12483>.

[15]

Catherine Hudon 2011. Measuring Patients' Perceptions of Patient-Centered Care: A Systematic Review of Tools for Family Medicine. *Annals of Family Medicine*. 9, 2 (2011).  
DOI:<https://doi.org/doi:10.1370/afm.1226>.

[16]

Coates, V.E. et al. 2017. Exploring why young people with Type 1 diabetes decline structured education with a view to overcoming barriers. *Diabetic Medicine*. 34, 8 (Aug. 2017), 1092–1099. DOI:<https://doi.org/10.1111/dme.13368>.

[17]

Constructs of depression and distress in diabetes: time for an appraisal- ClinicalKey:  
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858715001357>.

[18]

Coulter, A. et al. 1996. Personalised care planning for adults with chronic or long-term health conditions. *Cochrane Database of Systematic Reviews*. (Sep. 1996).  
DOI:<https://doi.org/10.1002/14651858.CD010523.pub2>.

[19]

Creame, P. and Lea, M.R. 2008. Writing At University: A Guide For Students. McGraw-Hill Education.

[20]

Crow, S. et al. 2001. Binge eating and other psychopathology in patients with type II diabetes mellitus. *International Journal of Eating Disorders*. 30, 2 (Sep. 2001), 222-226. DOI:<https://doi.org/10.1002/eat.1077>.

[21]

Deakin, T. 2011. The diabetes pandemic: is structured education the solution or an unnecessary expense? *Practical Diabetes*. 28, 8 (Oct. 2011), 1-14. DOI:<https://doi.org/10.1002/pdi.1635>.

[22]

Deakin, T.A. et al. 2006. Structured patient education: the Diabetes X-PERT Programme makes a difference. *Diabetic Medicine*. 23, 9 (Sep. 2006), 944-954. DOI:<https://doi.org/10.1111/j.1464-5491.2006.01906.x>.

[23]

DESMOND - Diabetes Education and Self Management for Ongoing and Newly Diagnosed: <http://www.desmond-project.org.uk>.

[24]

Diabetes Prevalence 2016 (November 2016) - Diabetes UK:  
<https://www.diabetes.org.uk/Professionals/Position-statements-reports/Statistics/Diabetes-prevalence-2016/>.

[25]

Diabetes self-management education for adults with type 2 diabetes mellitus: A systematic review of the effect on glycemic control- ClinicalKey:  
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S07383991153>

01166.

[26]

E Loveman 2008. The clinical effectiveness of diabetes education models for Type 2 diabetes: a systematic review. (2008).

[27]

E Loveman 2008. The clinical effectiveness of diabetes education models for Type 2 diabetes: a systematic review. (2008).

[28]

Effectiveness of activity trackers with and without incentives to increase physical activity (TRIPPA): a randomised controlled trial- ClinicalKey:  
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858716302844>.

[29]

Ferrari, M. et al. 2017. Self-compassion is associated with optimum self-care behaviour, medical outcomes and psychological well-being in a cross-sectional sample of adults with diabetes. *Diabetic Medicine*. 34, 11 (Nov. 2017), 1546–1553.  
DOI:<https://doi.org/10.1111/dme.13451>.

[30]

Fisher, L. et al. 2017. A practical framework for encouraging and supporting positive behaviour change in diabetes. *Diabetic Medicine*. (Jun. 2017).  
DOI:<https://doi.org/10.1111/dme.13414>.

[31]

Fisher, L. et al. 2017. A practical framework for encouraging and supporting positive behaviour change in diabetes. *Diabetic Medicine*. 34, 12 (Dec. 2017), 1658–1666.  
DOI:<https://doi.org/10.1111/dme.13414>.

[32]

Fisher, L. et al. 2014. The confusing tale of depression and distress in patients with diabetes: a call for greater clarity and precision. *Diabetic Medicine*. 31, 7 (Jul. 2014), 764–772. DOI:<https://doi.org/10.1111/dme.12428>.

[33]

Funnell, M.M. and Anderson, R.M. 2004. Empowerment and Self-Management of Diabetes. *Clinical Diabetes*. 22, 3 (Jul. 2004), 123–127. DOI:<https://doi.org/10.2337/diaclin.22.3.123>.

[34]

Funnell, M.M. and Anderson, R.M. 2004. Empowerment and Self-Management of Diabetes. *Clinical Diabetes*. 22, 3 (Jul. 2004), 123–127. DOI:<https://doi.org/10.2337/diaclin.22.3.123>.

[35]

Graffy, J. et al. 2009. Personalized care planning for diabetes: policy lessons from systematic reviews of consultation and self-management interventions. *Primary Health Care Research & Development*. 10, 03 (Jul. 2009). DOI:<https://doi.org/10.1017/S1463423609001157>.

[36]

Hadfield, S. and Hasson, G. 2009. *Bounce: how to bounce back from just about anything*. Pearson Prentice Hall Life.

[37]

Harris, S.M. et al. 2017. Factors influencing attendance at structured education for Type 1 diabetes in south London. *Diabetic Medicine*. 34, 6 (Jun. 2017), 828–833. DOI:<https://doi.org/10.1111/dme.13333>.

[38]

Hessler, D.M. et al. 2017. Diabetes distress is linked with worsening diabetes management

over time in adults with Type 1 diabetes. *Diabetic Medicine*. (Jun. 2017).  
DOI:<https://doi.org/10.1111/dme.13381>.

[39]

Holmström, I. et al. 2004. Improving the diabetes-patient encounter by reflective tutoring for staff. *Patient Education and Counseling*. 53, 3 (Jun. 2004), 325–332.  
DOI:<https://doi.org/10.1016/j.pec.2003.12.013>.

[40]

Holt, R.I.G. et al. 2016. *Textbook of Diabetes*. John Wiley & Sons, Incorporated.

[41]

Holt, R.I.G. 2010. *Textbook of diabetes*. Wiley-Blackwell.

[42]

How to Prepare for a Diabetes Checkup: Diabetes Forecast®:  
<http://www.diabetesforecast.org/2014/Jan/how-to-prepare-for-a-diabetes.html?referrer=https://www.google.co.uk/>.

[43]

Interaction between diabetes specialist nurses and patients during group sessions about self-management in type 2 diabetes- ClinicalKey:  
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0738399113004515>.

[44]

Investing in emotional and psychological wellbeing for patients with long-term conditions. - NHS Confederation:  
<http://www.nhsconfed.org/resources/2012/04/investing-in-emotional-and-psychological-wellbeing-for-patients-with-long-term-conditions>.

[45]

Jansink, R. et al. 2013. Minimal improvement of nurses' motivational interviewing skills in routine diabetes care one year after training: a cluster randomized trial. *BMC Family Practice*. 14, 1 (Dec. 2013). DOI:<https://doi.org/10.1186/1471-2296-14-44>.

[46]

Joseph-Williams, N. et al. 2014. Knowledge is not power for patients: A systematic review and thematic synthesis of patient-reported barriers and facilitators to shared decision making. *Patient Education and Counseling*. 94, 3 (Mar. 2014), 291–309. DOI:<https://doi.org/10.1016/j.pec.2013.10.031>.

[47]

Kadu, M.K. and Stolee, P. 2015. Facilitators and barriers of implementing the chronic care model in primary care: a systematic review. *BMC Family Practice*. 16, 1 (Dec. 2015). DOI:<https://doi.org/10.1186/s12875-014-0219-0>.

[48]

Kate Hefferon, Ilona Boniwell 2011. *Positive Psychology: Theory, Research and Applications*. Open University Press.

[49]

Kennedy, A. et al. 2014. Implementing, embedding and integrating self-management support tools for people with long-term conditions in primary care nursing: A qualitative study. *International Journal of Nursing Studies*. 51, 8 (Aug. 2014), 1103–1113. DOI:<https://doi.org/10.1016/j.ijnurstu.2013.11.008>.

[50]

Khunti, K. et al. 2012. Effectiveness of a diabetes education and self management programme (DESMOND) for people with newly diagnosed type 2 diabetes mellitus: three year follow-up of a cluster randomised controlled trial in primary care. *BMJ*. 344, apr26 2 (Apr. 2012), e2333–e2333. DOI:<https://doi.org/10.1136/bmj.e2333>.

[51]



Khunti, K. et al. 2012. Effectiveness of a diabetes education and self management programme (DESMOND) for people with newly diagnosed type 2 diabetes mellitus: three year follow-up of a cluster randomised controlled trial in primary care. *BMJ*. 344, apr26 2 (Apr. 2012), e2333–e2333. DOI:<https://doi.org/10.1136/bmj.e2333>.

[52]

Knight, K.M. et al. 2006. The diabetes educator: trying hard, but must concentrate more on behaviour. *Diabetic Medicine*. 23, 5 (May 2006), 485–501. DOI:<https://doi.org/10.1111/j.1464-5491.2005.01802.x>.

[53]

van de Laar, F.A. et al. 2006. Eating behaviour and adherence to diet in patients with Type 2 diabetes mellitus. *Diabetic Medicine*. 23, 7 (Jul. 2006), 788–794. DOI:<https://doi.org/10.1111/j.1464-5491.2006.01885.x>.

[54]

Lloyd, C. et al. 2005. Stress and Diabetes: A Review of the Links. *Diabetes Spectrum*. 18, 2 (Apr. 2005), 121–127. DOI:<https://doi.org/10.2337/diaspect.18.2.121>.

[55]

Long-term conditions and mental health | The King's Fund:  
<https://www.kingsfund.org.uk/publications/long-term-conditions-and-mental-health>.

[56]

Macdonald, W. et al. 2008. Practice nurses and the facilitation of self-management in primary care. *Journal of Advanced Nursing*. 62, 2 (Apr. 2008), 191–199. DOI:<https://doi.org/10.1111/j.1365-2648.2007.04585.x>.

[57]

Martinez, L.S. et al. 2009. Patient–clinician information engagement increases treatment decision satisfaction among cancer patients through feeling of being informed. *Patient Education and Counseling*. 77, 3 (Dec. 2009), 384–390. DOI:<https://doi.org/10.1016/j.pec.2009.09.008>.

[58]

Mead, N. and Bower, P. 2000. Patient-centredness: a conceptual framework and review of the empirical literature. *Social Science & Medicine*. 51, 7 (Oct. 2000), 1087-1110. DOI:[https://doi.org/10.1016/S0277-9536\(00\)00098-8](https://doi.org/10.1016/S0277-9536(00)00098-8).

[59]

Michie, S. et al. 2013. The Behavior Change Technique Taxonomy (v1) of 93 Hierarchically Clustered Techniques: Building an International Consensus for the Reporting of Behavior Change Interventions. *Annals of Behavioral Medicine*. 46, 1 (Aug. 2013), 81-95. DOI:<https://doi.org/10.1007/s12160-013-9486-6>.

[60]

Mind Over Mood: <http://www.mindovermood.com/>.

[61]

Moore, G.F. et al. 2015. Process evaluation of complex interventions: Medical Research Council guidance. *BMJ*. 350, mar19 6 (Mar. 2015), h1258-h1258. DOI:<https://doi.org/10.1136/bmj.h1258>.

[62]

Mudge, S. et al. 2015. Who is in control? Clinicians' view on their role in self-management approaches: a qualitative metasynthesis. *BMJ Open*. 5, 5 (May 2015), e007413-e007413. DOI:<https://doi.org/10.1136/bmjopen-2014-007413>.

[63]

Nash, J. and Skinner, T. 2005. Eating disorders in type 1 diabetes. *Practical Diabetes International*. 22, 4 (May 2005), 139-145. DOI:<https://doi.org/10.1002/pdi.787>.

[64]

Newman, S. et al. 2009. Chronic physical illness: self-management and behavioural

interventions. McGraw-Hill/Open University Press.

[65]

Newman, Stanton □Mulligan, Kathleen □Steedley, Elizabeth 2008Self-Management in Chronic Physical Illness. Open University Press.

[66]

NHS England » Improving Access with group consultations for diabetes in Slough:  
<https://www.england.nhs.uk/gp/case-studies/diabetes-slough/>.

[67]

Odgers-Jewell, K. et al. 2017. Effectiveness of group-based self-management education for individuals with Type 2 diabetes: a systematic review with meta-analyses and meta-regression. *Diabetic Medicine*. 34, 8 (Aug. 2017), 1027–1039.  
DOI:<https://doi.org/10.1111/dme.13340>.

[68]

Parkin, T. et al. 2006. Does professional-centred training improve consultation outcomes? *Practical Diabetes International*. 23, 6 (Jul. 2006), 253–256.  
DOI:<https://doi.org/10.1002/pdi.968>.

[69]

Peter Craig 2008. Developing and evaluating complex interventions: the new Medical Research Council guidance. *The BMJ*. 337, (2008). DOI:<https://doi.org/doi:10.1136/bmj.a1655>.

[70]

Pill, R. Can nurses learn to let go? Issues arising from an intervention designed to improve patients' involvement in their own care. *Pill, R*. 29, 6, 1492–1499.

[71]

Polonsky, W.H. et al. 2005. Assessing Psychosocial Distress in Diabetes: Development of the Diabetes Distress Scale. *Diabetes Care*. 28, 3 (Mar. 2005), 626–631. DOI:<https://doi.org/10.2337/diacare.28.3.626>.

[72]

Powers, M.A. et al. 2015. Diabetes Self-management Education and Support in Type 2 Diabetes: A Joint Position Statement of the American Diabetes Association, the American Association of Diabetes Educators, and the Academy of Nutrition and Dietetics. *Diabetes Care*. 38, 7 (Jul. 2015), 1372–1382. DOI:<https://doi.org/10.2337/dc15-0730>.

[73]

Preparation for Care Planning — Diabetes in Berkshire West:  
<http://www.berkshirewestdiabetes.org.uk/professionals/care-planning/preparation-for-care-planning>.

[74]

Review of Developing Resilience: a Cognitive-Behavioural Approach, Michael Neenan | The Coaching and Mentoring Network:  
[https://new.coachingnetwork.org.uk/book\\_review/review-of-developing-resilience-a-cognitive-behavioural-approach-michael-neenan/](https://new.coachingnetwork.org.uk/book_review/review-of-developing-resilience-a-cognitive-behavioural-approach-michael-neenan/).

[75]

Search results: What is the evidence on effectiveness of empowerment to improve health site:  
[http://search.who.int/search?as\\_sitesearch=www.euro.who.int/en/data-and-evidence/evidence-informed-policy-making&q=What+is+the+evidence+on+effectiveness+of+empowerment+to+improve+health&site=euro&client=euro&proxystylesheet=euro&output=xml\\_no\\_dtd&ie=UTF-8&ulang=en&ip=143.210.246.84&access=p&sort=date:D:L:d1&entqr=3&entqrm=0&entsp=a&lr=lang\\_en&wc=200&wc\\_mc=1&oe=UTF-8&ud=1](http://search.who.int/search?as_sitesearch=www.euro.who.int/en/data-and-evidence/evidence-informed-policy-making&q=What+is+the+evidence+on+effectiveness+of+empowerment+to+improve+health&site=euro&client=euro&proxystylesheet=euro&output=xml_no_dtd&ie=UTF-8&ulang=en&ip=143.210.246.84&access=p&sort=date:D:L:d1&entqr=3&entqrm=0&entsp=a&lr=lang_en&wc=200&wc_mc=1&oe=UTF-8&ud=1).

[76]

Self-management of diabetes in hospital (March 2012) - Diabetes UK:  
[https://www.diabetes.org.uk/About\\_us/What-we-say/Specialist-care-for-children-and-adults-and-complications/Self-management-of-diabetes-in-hospital/](https://www.diabetes.org.uk/About_us/What-we-say/Specialist-care-for-children-and-adults-and-complications/Self-management-of-diabetes-in-hospital/).

[77]

Shrivastava, S. et al. 2013. Role of self-care in management of diabetes mellitus. *Journal of Diabetes & Metabolic Disorders*. 12, 1 (2013).  
DOI:<https://doi.org/10.1186/2251-6581-12-14>.

[78]

Silverman, J. 2013. *Skills for communicating with patients*. CRC Press.

[79]

Skills and techniques to support people | Person-Centred Care Resource Centre:  
<http://personcentredcare.health.org.uk/person-centred-care/self-management-support/implimenting-self-management-support/practitioner/skills>.

[80]

Skinner, T.C. et al. 2006. Diabetes education and self-management for ongoing and newly diagnosed (DESMOND): Process modelling of pilot study. *Patient Education and Counseling*. 64, 1-3 (Dec. 2006), 369-377. DOI:<https://doi.org/10.1016/j.pec.2006.04.007>.

[81]

Skinner, T.C. et al. 2008. 'Educator talk' and patient change: some insights from the DESMOND (Diabetes Education and Self Management for Ongoing and Newly Diagnosed) randomized controlled trial. *Diabetic Medicine*. 25, 9 (Aug. 2008), 1117-1120.  
DOI:<https://doi.org/10.1111/j.1464-5491.2008.02492.x>.

[82]

Skinner, T.C. et al. 2003. Four Theories and a Philosophy: Self-Management Education for Individuals Newly Diagnosed With Type 2 Diabetes. *Diabetes Spectrum*. 16, 2 (Apr. 2003), 75-80. DOI:<https://doi.org/10.2337/diaspect.16.2.75>.

[83]

State of the Nation 2016: Time to take control of diabetes - Diabetes UK:  
<https://www.diabetes.org.uk/Professionals/Position-statements-reports/Statistics/State-of-t>

he-Nation-2016-Time-to-take-control-of-diabetes/.

[84]

Steinsbekk, A. et al. 2012. Group based diabetes self-management education compared to routine treatment for people with type 2 diabetes mellitus. A systematic review with meta-analysis. *BMC Health Services Research*. 12, 1 (Dec. 2012).  
DOI:<https://doi.org/10.1186/1472-6963-12-213>.

[85]

Stuckey, H.L. et al. 2015. "I Do My Best To Listen to Patients": Qualitative Insights Into DAWN2 (Diabetes Psychosocial Care From the Perspective of Health Care Professionals in the Second Diabetes Attitudes, Wishes and Needs Study). *Clinical Therapeutics*. 37, 9 (Sep. 2015), 1986-1998.e12. DOI:<https://doi.org/10.1016/j.clinthera.2015.06.010>.

[86]

Sturt, J.A. et al. 2008. Effects of the Diabetes Manual 1:1 structured education in primary care. *Diabetic Medicine*. 25, 6 (Jun. 2008), 722-731.  
DOI:<https://doi.org/10.1111/j.1464-5491.2008.02451.x>.

[87]

Supported self-management (Nov 2009) - Diabetes UK:  
<https://www.diabetes.org.uk/supported-self-management>.

[88]

Susan L. Norris, Joseph Lau, S. Jay Smith, Christopher H. Schmid, Michael M. Engelgau  
Self-management education for adults with type 2 diabetes: a meta-analysis of the effect on glycemic control. (Epidemiology/Health Services/Psychosocial Research). *Diabetes Care*.

[89]

SUSAN L. NORRIS, MICHAEL M. ENGELGAU, K. M. VENKAT NARAYAN Effectiveness of Self-Management Training in Type 2 Diabetes. *Diabetes Care*.

[90]

Teljeur, C. et al. 2017. Economic evaluation of chronic disease self-management for people with diabetes: a systematic review. *Diabetic Medicine*. 34, 8 (Aug. 2017), 1040–1049. DOI:<https://doi.org/10.1111/dme.13281>.

[91]

Trento, M. et al. 2001. Group Visits Improve Metabolic Control in Type 2 Diabetes: A 2-year follow-up. *Diabetes Care*. 24, 6 (Jun. 2001), 995–1000. DOI:<https://doi.org/10.2337/diacare.24.6.995>.

[92]

Trento, M. et al. 2010. Rethink Organization to iMprove Education and Outcomes (ROME0): A multicenter randomized trial of lifestyle intervention by group care to manage type 2 diabetes. *Diabetes Care*. 33, 4 (Apr. 2010), 745–747. DOI:<https://doi.org/10.2337/dc09-2024>.

[93]

Trento, M. et al. 2010. Rethink Organization to iMprove Education and Outcomes (ROME0): A multicenter randomized trial of lifestyle intervention by group care to manage type 2 diabetes. *Diabetes Care*. 33, 4 (Apr. 2010), 745–747. DOI:<https://doi.org/10.2337/dc09-2024>.

[94]

Ukoumunne, O.C. et al. 2017. A preconsultation web-based tool to generate an agenda for discussion in diabetes outpatient clinics to improve patient outcomes (DIAT): a feasibility study. *BMJ Open*. 7, 3 (Mar. 2017). DOI:<https://doi.org/10.1136/bmjopen-2016-013519>.

[95]

Depression in adults with a chronic physical health problem: recognition and management | Guidance and guidelines | NICE.

[96]

Group based training for self-management strategies in people with type 2 diabetes mellitus - Deakin - 2005 - The Cochrane Library - Wiley Online Library.

[97]

Investing in emotional and psychological wellbeing for patients with long-term conditions.

[98]

Original Article: Psychological Issues and EducationOriginal articleEffects of the Diabetes Manual 1:1 structured education in primary care.

[99]

The diabetes educator: trying hard, but must concentrate more on behaviour.

[100]

2002. Training in flexible, intensive insulin management to enable dietary freedom in people with type 1 diabetes: dose adjustment for normal eating (DAFNE) randomised controlled trial. *BMJ*. 325, 7367 (Oct. 2002), 746-746.  
DOI:<https://doi.org/10.1136/bmj.325.7367.746>.

[101]

2002. Training in flexible, intensive insulin management to enable dietary freedom in people with type 1 diabetes: dose adjustment for normal eating (DAFNE) randomised controlled trial. *BMJ*. 325, 7367 (Oct. 2002), 746-746.  
DOI:<https://doi.org/10.1136/bmj.325.7367.746>.

[102]

Type 2 diabetes in adults: management | Guidance and guidelines | NICE.