

MD7511 Injectable Therapies

Injectable Therapies

View Online



1.
Holt RIG, Cockram C, Flyvbjerg A, Goldstein BJ. Textbook of Diabetes. 5th ed. John Wiley & Sons, Incorporated; 2016.
<http://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4769056>

2.
Holt RIG. Textbook of Diabetes. 4th ed. Wiley-Blackwell; 2010.
<http://ezproxy.lib.le.ac.uk/login?url=http://www.myilibrary.com?id=269077>

3.
Craeto, W. Handbook of Insulin Therapies. Adis; 1st ed. 2016 edition; 2016.
<https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>

4.
Efficacy and Safety of Glucagon-like peptide-1 receptor agonists in type 2 diabetes
Systematic review and mixed-treatment comparison analysis.
<http://onlinelibrary.wiley.com.ezproxy3.lib.le.ac.uk/doi/10.1111/dom.12849/epdf>

5.
Holt RIG, Cockram C, Flyvbjerg A, Goldstein BJ. Textbook of Diabetes. 5th ed. John Wiley & Sons, Incorporated; 2016.
<http://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4769056>

- 6.

Holt RIG. Textbook of Diabetes. 4th ed. Wiley-Blackwell; 2010.
<http://ezproxy.lib.le.ac.uk/login?url=http://www.mylibrary.com?id=269077>

7.

Evans M, Schumm-Draeger PM, Vora J, King AB. A review of modern insulin analogue pharmacokinetic and pharmacodynamic profiles in type 2 diabetes: improvements and limitations. *Diabetes, Obesity and Metabolism*. 2011;13(8):677-684.
doi:10.1111/j.1463-1326.2011.01395.x

8.

Nauck M. Incretin therapies: highlighting common features and differences in the modes of action of glucagon-like peptide-1 receptor agonists and dipeptidyl peptidase-4 inhibitors. *Diabetes, Obesity and Metabolism*. 2016;18(3):203-216. doi:10.1111/dom.12591

9.

Ismail-Beigi F. Glycemic Management of Type 2 Diabetes Mellitus. *New England Journal of Medicine*. 2012;366(14):1319-1327. doi:10.1056/NEJMcp1013127

10.

Nathan DM, Buse JB, Davidson MB, et al. Management of Hyperglycemia in Type 2 Diabetes: A Consensus Algorithm for the Initiation and Adjustment of Therapy: A consensus statement from the American Diabetes Association and the European Association for the Study of Diabetes. *Diabetes Care*. 2006;29(8):1963-1972.
doi:10.2337/dc06-9912

11.

Srinivasan BT, Davies M. Glycaemic management of type 2 diabetes. *Medicine*. 2014;42(12):711-717. doi:10.1016/j.mpmed.2014.09.011

12.

Srinivasan BT, Jarvis J, Khunti K, Davies MJ. Recent advances in the management of type 2 diabetes mellitus: a review. *Postgraduate Medical Journal*. 2008;84(996):524-531.
doi:10.1136/pgmj.2008.067918

13.

Home PD. The pharmacokinetics and pharmacodynamics of rapid-acting insulin analogues and their clinical consequences. *Diabetes, Obesity and Metabolism*. 2012;14(9):780-788. doi:10.1111/j.1463-1326.2012.01580.x

14.

June James. Safety and insulin: implementation of national guidance at a local level. *Journal of Diabetes Nursing*.
http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=8&docId=GALE%7CA342482979&docType=Article&sort=RELEVANCE&contentSegment=&prodId=EAIM&contentSet=GALE%7CA342482979&searchId=R6&userGroupName=leicester&inPS=true

15.

Rorsman P, Renström E. Insulin granule dynamics in pancreatic beta cells. *Diabetologia*. 2003;46(8):1029-1045. doi:10.1007/s00125-003-1153-1

16.

L. Luzi. Effect of loss of first-phase insulin secretion on hepatic glucose production and tissue glucose disposal in humans. *American Journal of Physiology - Endocrinology and Metabolism*. 1989;257(2):E241-E246.
<http://ajpendo.physiology.org.ezproxy4.lib.le.ac.uk/content/257/2/E241>

17.

Luc JC van Loon. Plasma insulin responses after ingestion of different amino acid or protein mixtures with carbohydrate. *The American Journal of Clinical Nutrition*. 2000;72(1):96-105.
<http://ajcn.nutrition.org/content/72/1/96.full>

18.

Menting JG, Whittaker J, Margetts MB, et al. How insulin engages its primary binding site on the insulin receptor. *Nature*. 2013;493(7431):241-245. doi:10.1038/nature11781

19.

Wahren J, Kallas A. Loss of Pulsatile Insulin Secretion: A Factor in the Pathogenesis of Type 2 Diabetes? *Diabetes*. 2012;61(9):2228-2229. doi:10.2337/db12-0664

20.

Professor Kamlesh Khunti - Coding, Classification and Diagnosis of Diabetes. Published online 4AD. <https://www.youtube.com/watch?v=AhhWTmEFuag>

21.

Hermansen K, Davies M, Derezinski T, Martinez Ravn G, Clauson P, Home P. A 26-Week, Randomized, Parallel, Treat-to-Target Trial Comparing Insulin Detemir With NPH Insulin as Add-On Therapy to Oral Glucose-Lowering Drugs in Insulin-Naive People With Type 2 Diabetes. *Diabetes Care*. 2006;29(6):1269-1274. doi:10.2337/dc05-1365

22.

Richter B, Neises G. 'Human' insulin versus animal insulin in people with diabetes mellitus. In: *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd; 1996. doi:10.1002/14651858.CD003816.pub2

23.

Holman RR, Turner RC. A Practical Guide to Basal and Prandial Insulin Therapy. *Diabetic Medicine*. 1985;2(1):45-53. doi:10.1111/j.1464-5491.1985.tb00592.x

24.

Crasto, W. *Handbook of Insulin Therapies*. Adis; 1st ed. 2016 edition; 2016. <https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>

25.

Crasto W, Jarvis J, Hackett E, et al. Insulin U-500 in severe insulin resistance in type 2 diabetes mellitus. *Postgraduate Medical Journal*. 2009;85(1002):219-222. doi:10.1136/pgmj.2008.073379

26.

Swinnen SG, Simon AC, Holleman F, Hoekstra JB, DeVries JH. Insulin detemir versus insulin glargine for type 2 diabetes mellitus. In: Cochrane Database of Systematic Reviews. John Wiley & Sons, Ltd; 1996. doi:10.1002/14651858.CD006383.pub2

27.

Bretzel RG, Nuber U, Landgraf W, Owens DR, Bradley C, Linn T. Once-daily basal insulin glargine versus thrice-daily prandial insulin lispro in people with type 2 diabetes on oral hypoglycaemic agents (APOLLO): an open randomised controlled trial. *The Lancet*. 2008;371(9618):1073-1084. doi:10.1016/S0140-6736(08)60485-7

28.

Davies MJ, Donnelly R, Barnett AH, Jones S, Nicolay C, Kilcoyne A. Exenatide compared with long-acting insulin to achieve glycaemic control with minimal weight gain in patients with type 2 diabetes: results of the Helping Evaluate Exenatide in patients with diabetes compared with Long-Acting insulin (HEELA) study. *Diabetes, Obesity and Metabolism*. 2009;11(12):1153-1162. doi:10.1111/j.1463-1326.2009.01154.x

29.

Garber AJ, Ligthelm R, Christiansen JS, Liebl A. Premixed insulin treatment for type 2 diabetes: analogue or human? *Diabetes, Obesity and Metabolism*. 2007;9(5):630-639. doi:10.1111/j.1463-1326.2006.00654.x

30.

Holman RR, Thorne KI, Farmer AJ, et al. Addition of Biphasic, Prandial, or Basal Insulin to Oral Therapy in Type 2 Diabetes. *New England Journal of Medicine*. 2007;357(17):1716-1730. doi:10.1056/NEJMoa075392

31.

Horvath K, Jeitler K, Berghold A, et al. Long-acting insulin analogues versus NPH insulin (human isophane insulin) for type 2 diabetes mellitus. In: Cochrane Database of Systematic Reviews. John Wiley & Sons, Ltd; 1996. doi:10.1002/14651858.CD005613.pub3

32.

Insulin glargine or NPH combined with metformin in type 2 diabetes: the LANMET study. <http://link.springer.com.ezproxy4.lib.le.ac.uk/article/10.1007/s00125-005-0132-0/fulltext.html>

33.

Riddle MC, Aronson R, Home P, et al. Adding Once-Daily Lixisenatide for Type 2 Diabetes Inadequately Controlled by Established Basal Insulin: A 24-week, randomized, placebo-controlled comparison (GetGoal-L). *Diabetes Care*. 2013;36(9):2489-2496. doi:10.2337/dc12-2454

34.

Gough SCL, Bhargava A, Jain R, Mersebach H, Rasmussen S, Bergenstal RM. Low-Volume Insulin Degludec 200 Units/mL Once Daily Improves Glycemic Control Similarly to Insulin Glargine With a Low Risk of Hypoglycemia in Insulin-Naive Patients With Type 2 Diabetes: A 26-week, randomized, controlled, multinational, treat-to-target trial: The BEGIN LOW VOLUME trial. *Diabetes Care*. 2013;36(9):2536-2542. doi:10.2337/dc12-2329

35.

Hirsch IB, Buse JB, Leahy J, et al. Options for prandial glucose management in type 2 diabetes patients using basal insulin: addition of a short-acting GLP-1 analogue versus progression to basal-bolus therapy. *Diabetes, Obesity and Metabolism*. 2014;16(3):206-214. doi:10.1111/dom.12136

36.

Zinman B, Fulcher G, Rao PV, et al. Insulin degludec, an ultra-long-acting basal insulin, once a day or three times a week versus insulin glargine once a day in patients with type 2 diabetes: a 16-week, randomised, open-label, phase 2 trial. *The Lancet*. 2011;377(9769):924-931. doi:10.1016/S0140-6736(10)62305-7

37.

Young LA, Buse JB. GLP-1 receptor agonists and basal insulin in type 2 diabetes. *The Lancet*. 2014;384(9961):2180-2181. doi:10.1016/S0140-6736(14)61409-4

38.

Rosenstock J, Raccach D, Koranyi L, et al. Efficacy and Safety of Lixisenatide Once Daily Versus Exenatide Twice Daily in Type 2 Diabetes Inadequately Controlled on Metformin: A 24-week, randomized, open-label, active-controlled study (GetGoal-X). *Diabetes Care*. 2013;36(10):2945-2951. doi:10.2337/dc12-2709

39.

Diamant M, Van Gaal L, Stranks S, et al. Once weekly exenatide compared with insulin glargine titrated to target in patients with type 2 diabetes (DURATION-3): an open-label randomised trial. *The Lancet*. 2010;375(9733):2234-2243. doi:10.1016/S0140-6736(10)60406-0

40.

New IDegLira data show rapid and predictable glycaemic improvements in people with type 2 diabetes.
<http://www.multivu.com/players/English/72762519-novo-nordisk-IDegLira-treatment/>

41.

Horvath K, Jeitler K, Berghold A, et al. Long-acting insulin analogues versus NPH insulin (human isophane insulin) for type 2 diabetes mellitus. In: *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd; 1996. doi:10.1002/14651858.CD005613.pub3

42.

Buse JB, Bergenstal RM, Glass LC, et al. Use of Twice-Daily Exenatide in Basal Insulin-Treated Patients With Type 2 Diabetes. *Annals of Internal Medicine*. 2011;154(2). doi:10.7326/0003-4819-154-2-201101180-00300

43.

Rosenstock J, Jelaska A, Frappin G, et al. Improved Glucose Control With Weight Loss, Lower Insulin Doses, and No Increased Hypoglycemia With Empagliflozin Added to Titrated Multiple Daily Injections of Insulin in Obese Inadequately Controlled Type 2 Diabetes. *Diabetes Care*. 2014;37(7):1815-1823. doi:10.2337/dc13-3055

44.

Frandsen CSS, Madsbad S. Efficacy and safety of dipeptidyl peptidase-4 inhibitors as an add-on to insulin treatment in patients with Type 2 diabetes: a review. *Diabetic Medicine*. 2014;31(11):1293-1300. doi:10.1111/dme.12561

45.

Hirsch IB, Franek E, Mersebach H, Bardtrum L, Hermansen K. Safety and efficacy of insulin degludec/insulin aspart with bolus mealtime insulin aspart compared with standard basal-bolus treatment in people with Type 1 diabetes: 1-year results from a randomized clinical trial (BOOST T1). *Diabetic Medicine*. 2017;34(2):167-173. doi:10.1111/dme.13068

46.

Rodbard HW, Bode BW, Harris SB, et al. Safety and efficacy of insulin degludec/liraglutide (IDegLira) added to sulphonylurea alone or to sulphonylurea and metformin in insulin-naïve people with Type 2 diabetes: the DUAL IV trial. *Diabetic Medicine*. 2017;34(2):189-196. doi:10.1111/dme.13256

47.

Davies MJ, Leiter LA, Guerci B, et al. Impact of baseline HbA1c, diabetes duration and BMI on clinical outcomes in the LixiLan-O trial testing iGlarLixi (insulin glargine/lixisenatide titratable fixed-ratio combination) versus insulin glargine and lixisenatide monocomponents. *Diabetes, Obesity and Metabolism*. Published online April 2017. doi:10.1111/dom.12980

48.

Raccah D, Huet D, Dib A, et al. Review of basal-plus insulin regimen options for simpler insulin intensification in people with Type 2 diabetes mellitus. *Diabetic Medicine*. Published online 2 June 2017. doi:10.1111/dme.13390

49.

Daly H, Davies M, Barnett J, et al. Development of a self-management education module for those with type 2 diabetes on injectable therapies. *Practical Diabetes*. 2015;32(8):305-310a. doi:10.1002/pdi.1979

50.

Crasto, W. Handbook of Insulin Therapies. Adis; 1st ed. 2016 edition; 2016.
<https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>

51.

A randomised, 52-week, treat-to-target trial comparing insulin detemir with insulin glargine when administered as add-on to glucose-lowering drugs in insulin-naive people with type 2 diabetes.

<http://link.springer.com.ezproxy4.lib.le.ac.uk/article/10.1007/s00125-007-0911-x/fulltext.html>

52.

Hannele Yki-Jarvinen, Leena Juurinen, Michael Alvarsson, Tord Bystedt, Ian Caldwell, Melanie Davies. Initiate insulin by aggressive titration and education (Initiate): randomized study to compare initiation of insulin combination therapy in type 2 diabetic patients individually and in groups. *Diabetes Care*.

http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?sort=DA-SORT&docType=Clinical+report&tabID=T002&prodId=EAIM&searchId=R1&resultListType=RESULT_LIST&searchType=AdvancedSearchForm&contentSegment=¤tPosition=5&searchResultsType=SingleTab&inPS=true&userGroupName=leicester&docId=GALE%7CA165017903&contentSet=GALE%7CA165017903

53.

Philip Raskin, Elsie Allen, Priscilla Hollander, Andrew Lewin, Robert A. Gabbay, Peter Hu. Initiating insulin therapy in type 2 diabetes: a comparison of biphasic and basal insulin analogs. *Diabetes Care*.

http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?sort=DA-SORT&docType=Article&tabID=T002&prodId=EAIM&searchId=R5&resultListType=RESULT_LIST&searchType=AdvancedSearchForm&contentSegment=¤tPosition=5&searchResultsType=SingleTab&inPS=true&userGroupName=leicester&docId=GALE%7CA128867472&contentSet=GALE%7CA128867472

54.

Holman RR, Paul SK, Bethel MA, Matthews DR, Neil HAW. 10-Year Follow-up of Intensive Glucose Control in Type 2 Diabetes. *New England Journal of Medicine*. 2008;359(15):1577-1589. doi:10.1056/NEJMoa0806470

55.

Basal Insulin and Cardiovascular and Other Outcomes in Dysglycemia. *New England Journal of Medicine*. 2012;367(4):319-328. doi:10.1056/NEJMoa1203858

56.

Goudswaard AN, Furlong NJ, Valk GD, Stolk RP, Rutten GE. Insulin monotherapy versus combinations of insulin with oral hypoglycaemic agents in patients with type 2 diabetes mellitus. In: *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd; 1996. doi:10.1002/14651858.CD003418.pub2

57.

Kramer CK, Zinman B, Retnakaran R. Short-term intensive insulin therapy in type 2 diabetes mellitus: a systematic review and meta-analysis. *The Lancet Diabetes & Endocrinology*. 2013;1(1):28-34. doi:10.1016/S2213-8587(13)70006-8

58.

Holman RR, Farmer AJ, Davies MJ, et al. Three-Year Efficacy of Complex Insulin Regimens in Type 2 Diabetes. *New England Journal of Medicine*. 2009;361(18):1736-1747. doi:10.1056/NEJMoa0905479

59.

Yki-Jarvinen H, Juurinen L, Alvarsson M, et al. Initiate Insulin by Aggressive Titration and Education (INITIATE): A randomized study to compare initiation of insulin combination therapy in type 2 diabetic patients individually and in groups. *Diabetes Care*. 2007;30(6):1364-1369. doi:10.2337/dc06-1357

60.

Davies M, Storms F, Shutler S, Bianchi-Biscay M, Gomis R. Improvement of Glycemic Control in Subjects With Poorly Controlled Type 2 Diabetes: Comparison of two treatment algorithms using insulin glargine. *Diabetes Care*. 2005;28(6):1282-1288. doi:10.2337/diacare.28.6.1282

61.

Eng C, Kramer CK, Zinman B, Retnakaran R. Glucagon-like peptide-1 receptor agonist and basal insulin combination treatment for the management of type 2 diabetes: a systematic review and meta-analysis. *The Lancet*. 2014;384(9961):2228-2234. doi:10.1016/S0140-6736(14)61335-0

62.

Yki-Jarvinen H, Kotronen A. Is There Evidence to Support Use of Premixed or Prandial Insulin Regimens in Insulin-Naive or Previously Insulin-Treated Type 2 Diabetic Patients? *Diabetes Care*. 2013;36(Supplement_2):S205-S211. doi:10.2337/dcS13-2026

63.

Lasserson DS, Glasziou P, Perera R, Holman RR, Farmer AJ. Optimal insulin regimens in type 2 diabetes mellitus: systematic review and meta-analyses. *Diabetologia*. 2009;52(10):1990-2000. doi:10.1007/s00125-009-1468-7

64.

Wang C, Mamza J, Idris I. Biphasic vs basal bolus insulin regimen in Type 2 diabetes: a systematic review and meta-analysis of randomized controlled trials. *Diabetic Medicine*. 2015;32(5):585-594. doi:10.1111/dme.12694

65.

Davies MJ, Chatterjee S. Trial watch: Insulin initiation for type 2 diabetes mellitus in primary care. *Nature Reviews Endocrinology*. 2017;13(6):317-318. doi:10.1038/nrendo.2017.41

66.

Clinical effectiveness and cost-effectiveness of continuous subcutaneous insulin infusion for diabetes: systematic review and economic evaluation. <http://www.journalslibrary.nihr.ac.uk/hta/volume-14/issue-11>

67.

Crasto, W. *Handbook of Insulin Therapies*. Adis; 1st ed. 2016 edition; 2016.

<https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>

68.

Heller S, Buse J, Fisher M, et al. Insulin degludec, an ultra-longacting basal insulin, versus insulin glargine in basal-bolus treatment with mealtime insulin aspart in type 1 diabetes (BEGIN Basal-Bolus Type 1): a phase 3, randomised, open-label, treat-to-target non-inferiority trial. *The Lancet*. 2012;379(9825):1489-1497. doi:10.1016/S0140-6736(12)60204-9

69.

Davies MJ, Gross JL, Ono Y, et al. Efficacy and safety of insulin degludec given as part of basal-bolus treatment with mealtime insulin aspart in type 1 diabetes: a 26-week randomized, open-label, treat-to-target non-inferiority trial. *Diabetes, Obesity and Metabolism*. 2014;16(10):922-930. doi:10.1111/dom.12298

70.

Ashwell SG, Amiel SA, Bilous RW, et al. Improved glycaemic control with insulin glargine plus insulin lispro: a multicentre, randomized, cross-over trial in people with Type 1 diabetes. *Diabetic Medicine*. 2006;23(3):285-292. doi:10.1111/j.1464-5491.2005.01781.x

71.

The Effect of Intensive Treatment of Diabetes on the Development and Progression of Long-Term Complications in Insulin-Dependent Diabetes Mellitus. *New England Journal of Medicine*. 1993;329(14):977-986. doi:10.1056/NEJM199309303291401

72.

Nathan DM. The Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Study at 30 Years: Overview. *Diabetes Care*. 2014;37(1):9-16. doi:10.2337/dc13-2112

73.

Bergenstal RM, Tamborlane WV, Ahmann A, et al. Effectiveness of Sensor-Augmented Insulin-Pump Therapy in Type 1 Diabetes. *New England Journal of Medicine*.

2010;363(4):311-320. doi:10.1056/NEJMoa1002853

74.

Kahler P, Grevstad B, Almdal T, et al. Targeting intensive versus conventional glycaemic control for type 1 diabetes mellitus: a systematic review with meta-analyses and trial sequential analyses of randomised clinical trials. *BMJ Open*. 2014;4(8):e004806-e004806. doi:10.1136/bmjopen-2014-004806

75.

Fullerton B, Jeitler K, Seitz M, Horvath K, Berghold A, Siebenhofer A. Intensive glucose control versus conventional glucose control for type 1 diabetes mellitus. In: *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd; 1996. doi:10.1002/14651858.CD009122.pub2

76.

Benkhadra K, Alahdab F, Tamhane S, et al. Real Time Continuous Glucose Monitoring in type 1 diabetes: A Systematic review and Individual Patient Data Meta-Analysis. *Clinical Endocrinology*. Published online December 2016. doi:10.1111/cen.13290

77.

McCrimmon RJ. Old habits are hard to break: lessons from the study of hypoglycaemia. *Diabetic Medicine*. 2017;34(2):148-155. doi:10.1111/dme.13277

78.

Heller SR, Colagiuri S, Vaaler S, et al. Hypoglycaemia with insulin aspart: a double-blind, randomised, crossover trial in subjects with Type 1 diabetes. *Diabetic Medicine*. 2004;21(7):769-775. doi:10.1111/j.1464-5491.2004.01244.x

79.

Pickup JC, Reznik Y, Sutton AJ. Glycemic Control During Continuous Subcutaneous Insulin Infusion Versus Multiple Daily Insulin Injections in Type 2 Diabetes: Individual Patient Data Meta-analysis and Meta-regression of Randomized Controlled Trials. *Diabetes Care*. 2017;40(5):715-722. doi:10.2337/dc16-2201

80.

Wang W, Liu H, Xiao S, Liu S, Li X, Yu P. Effects of Insulin Plus Glucagon-Like Peptide-1 Receptor Agonists (GLP-1RAs) in Treating Type 1 Diabetes Mellitus: A Systematic Review and Meta-Analysis. *Diabetes Therapy*. Published online 14 June 2017. doi:10.1007/s13300-017-0282-3

81.

Villani M, de Courten B, Zoungas S. Emergency treatment of hypoglycaemia: a guideline and evidence review. *Diabetic Medicine*. 2017;34(9):1205-1211. doi:10.1111/dme.13379

82.

Walker RA, Rodgers J, Diabetes UK. *Diabetes: A Practical Guide to Managing Your Health*. Fully revised and updated. Dorling Kindersley; 2010.

83.

Holman RR, Farmer AJ, Davies MJ, et al. Three-Year Efficacy of Complex Insulin Regimens in Type 2 Diabetes. *New England Journal of Medicine*. 2009;361(18):1736-1747. doi:10.1056/NEJMoa0905479

84.

Hermansen K, Davies M. Does insulin detemir have a role in reducing risk of insulin-associated weight gain? *Diabetes, Obesity and Metabolism*. 2007;9(3):209-217. doi:10.1111/j.1463-1326.2006.00665.x

85.

Anderson JW, Kendall CWC, Jenkins DJA. Importance of Weight Management in Type 2 Diabetes: Review with Meta-analysis of Clinical Studies. *Journal of the American College of Nutrition*. 2003;22(5):331-339. doi:10.1080/07315724.2003.10719316

86.

Russell-Jones D, Khan R. Insulin-associated weight gain in diabetes – causes, effects and coping strategies. *Diabetes, Obesity and Metabolism*. 2007;9(6):799-812.
doi:10.1111/j.1463-1326.2006.00686.x

87.

Training in flexible, intensive insulin management to enable dietary freedom in people with type 1 diabetes: dose adjustment for normal eating (DAFNE) randomised controlled trial. *BMJ*. 2002;325(7367):746-746. doi:10.1136/bmj.325.7367.746

88.

Anderson B, Funnell M, American Diabetes Association. *The Art of Empowerment: Stories and Strategies for Diabetes Educators*. 2nd ed. American Diabetes Association; 2005.

89.

Insulin treatment and the problem of weight gain in type 2 diabetes. - PubMed - NCBI.
<http://www.ncbi.nlm.nih.gov/pubmed/17102158>

90.

Tikkanen-Dolenc H, Wadén J, Forsblom C, et al. Frequent and intensive physical activity reduces risk of cardiovascular events in type 1 diabetes. *Diabetologia*. Published online 24 December 2016. doi:10.1007/s00125-016-4189-8

91.

Peter Mansell. The dose adjustment for normal eating (DAFNE) education programme. *Journal of Diabetes Nursing*.
http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=1&docId=GALE%7CA314268073&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA314268073&searchId=R1&userGroupName=leicester&inPS=true

92. :

Summary of Revisions. *Diabetes Care*. 2016;39(Supplement 1):S4-S5.
doi:10.2337/dc16-S003

93.

Effects of Intensive Glucose Lowering in Type 2 Diabetes. *New England Journal of Medicine*. 2008;358(24):2545-2559. doi:10.1056/NEJMoa0802743

94.

Garber AJ, Wahlen J, Wahl T, et al. Attainment of glycaemic goals in type 2 diabetes with once-, twice-, or thrice-daily dosing with biphasic insulin aspart 70/30 (The 1-2-3 study). *Diabetes, Obesity and Metabolism*. 2006;8(1):58-66. doi:10.1111/j.1463-1326.2005.00563.x

95.

Owens DR. Stepwise intensification of insulin therapy in Type 2 diabetes management-exploring the concept of the basal-plus approach in clinical practice. *Diabetic Medicine*. 2013;30(3):276-288. doi:10.1111/dme.12019

96.

Davies M, Storms F, Shutler S, Bianchi-Biscay M, Gomis R. Improvement of Glycemic Control in Subjects With Poorly Controlled Type 2 Diabetes: Comparison of two treatment algorithms using insulin glargine. *Diabetes Care*. 2005;28(6):1282-1288. doi:10.2337/diacare.28.6.1282

97.

Park SW, Bebakar WMW, Hernandez PG, Macura S, Hersløv ML, de la Rosa R. Insulin degludec/insulin aspart once daily in Type 2 diabetes: a comparison of simple or stepwise titration algorithms (BOOST : SIMPLE USE). *Diabetic Medicine*. 2017;34(2):174-179. doi:10.1111/dme.13069

98.

Matthew C. Riddle, Julio Rosenstock, John Gerich. The treat-to-target trial: randomized addition of glargine or human NPH insulin to oral therapy of type 2 diabetic patients. *Diabetes Care*.
http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=9&docId=GALE%7CA110470954&docType=Article&

amp;sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA110470954&searchId=R3&userGroupName=leicester&inPS=true

99.

Fineman MS, Cirincione BB, Maggs D, Diamant M. GLP-1 based therapies: differential effects on fasting and postprandial glucose. *Diabetes, Obesity and Metabolism*. 2012;14(8):675-688. doi:10.1111/j.1463-1326.2012.01560.x

100.

Frandsen CSS, Madsbad S. Efficacy and safety of dipeptidyl peptidase-4 inhibitors as an add-on to insulin treatment in patients with Type 2 diabetes: a review. *Diabetic Medicine*. 2014;31(11):1293-1300. doi:10.1111/dme.12561

101.

Holman RR, Farmer AJ, Davies MJ, et al. Three-Year Efficacy of Complex Insulin Regimens in Type 2 Diabetes. *New England Journal of Medicine*. 2009;361(18):1736-1747. doi:10.1056/NEJMoa0905479

102.

Rosenstock J, Jelaska A, Frappin G, et al. Improved Glucose Control With Weight Loss, Lower Insulin Doses, and No Increased Hypoglycemia With Empagliflozin Added to Titrated Multiple Daily Injections of Insulin in Obese Inadequately Controlled Type 2 Diabetes. *Diabetes Care*. 2014;37(7):1815-1823. doi:10.2337/dc13-3055

103.

Bergenstal RM, Johnson M, Powers MA, et al. Adjust to Target in Type 2 Diabetes: Comparison of a simple algorithm with carbohydrate counting for adjustment of mealtime insulin glulisine. *Diabetes Care*. 2008;31(7):1305-1310. doi:10.2337/dc07-2137

104.

Owens DR, Luzio SD, Sert-Langeron C, Riddle MC. Effects of initiation and titration of a single pre-prandial dose of insulin glulisine while continuing titrated insulin glargine in type 2 diabetes: a 6-month 'proof-of-concept' study. *Diabetes, Obesity and Metabolism*. 2011;13(11):1020-1027. doi:10.1111/j.1463-1326.2011.01459.x

105.

Hannele Yki-Järvinen. Is There Evidence to Support Use of Premixed or Prandial Insulin Regimens in Insulin-Naive or Previously Insulin-Treated Type 2 Diabetic Patients? *Diabetes Care*. 2013;36(Suppl 2). doi:doi: 10.2337/dcS13-2026

106.

Lankisch MR, Ferlinz KC, Leahy JL, Scherbaum WA. Introducing a simplified approach to insulin therapy in type 2 diabetes: a comparison of two single-dose regimens of insulin glulisine plus insulin glargine and oral antidiabetic drugs. *Diabetes, Obesity and Metabolism*. Published online September 2008. doi:10.1111/j.1463-1326.2008.00967.x

107.

Lasserson DS, Glasziou P, Perera R, Holman RR, Farmer AJ. Optimal insulin regimens in type 2 diabetes mellitus: systematic review and meta-analyses. *Diabetologia*. 2009;52(10):1990-2000. doi:10.1007/s00125-009-1468-7

108.

Giugliano D, Maiorino MI, Bellastella G, Chiodini P, Ceriello A, Esposito K. Efficacy of Insulin Analogs in Achieving the Hemoglobin A1c Target of <7% in Type 2 Diabetes: Meta-analysis of randomized controlled trials. *Diabetes Care*. 2011;34(2):510-517. doi:10.2337/dc10-1710

109.

Raccah D, Huet D, Dib A, et al. Review of basal-plus insulin regimen options for simpler insulin intensification in people with Type 2 diabetes mellitus. *Diabetic Medicine*. Published online 2 June 2017. doi:10.1111/dme.13390

110.

Raccah D, Huet D, Dib A, et al. Review of basal-plus insulin regimen options for simpler insulin intensification in people with Type 2 diabetes mellitus. *Diabetic Medicine*. 2017;34(9):1193-1204. doi:10.1111/dme.13390

111.

Martha M. Funnell. Overcoming barriers to the initiation of insulin therapy. *Clinical Diabetes*.

http://go.galegroup.com.ezproxy3.lib.le.ac.uk/ps/retrieve.do?sort=DA-SORT&docType=Article&tabID=T002&prodId=EAIM&searchId=R1&resultListType=RESULT_LIST&searchType=AdvancedSearchForm&contentSegment=¤tPosition=8&searchResultsType=SingleTab&inPS=true&userGroupName=leicester&docId=GALE%7CA159389875&contentSet=GALE%7CA159389875

112.

McBain H, Begum S, Rahman S, Mulligan K. Barriers to and enablers of insulin self-titration in adults with Type 2 diabetes: a qualitative study. *Diabetic Medicine*. 2017;34(2):253-261. doi:10.1111/dme.13196

113.

Manju Chandran, Steven V. Edelman. Have insulin, will fly: diabetes management during air travel and time zone adjustment strategies. (Practical Pointers). *Clinical Diabetes*.

http://go.galegroup.com.ezproxy3.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=3&docId=GALE%7CA100730300&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA100730300&searchId=R2&userGroupName=leicester&inPS=true

114.

Burnett JCD. Long- and Short-Haul Travel by Air: Issues for People With Diabetes on Insulin. *Journal of Travel Medicine*. 2006;13(5):255-260. doi:10.1111/j.1708-8305.2006.00057.x

115.

Suggested insulin regimens for patients with type 1 diabetes mellitus who wish to fast during the month of Ramadan - *ClinicalKey*.

<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0149291808002737>

116.

Hui E, Bravis V, Salih S, Hassanein M, Devendra D. Comparison of Humalog Mix 50 with

human insulin Mix 30 in type 2 diabetes patients during Ramadan. *International Journal of Clinical Practice*. 2010;64(8):1095-1099. doi:10.1111/j.1742-1241.2010.02347.x

117.

Ali S, Davies MJ, Brady EM, et al. Guidelines for managing diabetes in Ramadan. *Diabetic Medicine*. 2016;33(10):1315-1329. doi:10.1111/dme.13080

118.

Bakiner O, Ertorer ME, Bozkirli E, Tutuncu NB, Demirag NG. Repaglinide plus single-dose insulin glargine: a safe regimen for low-risk type 2 diabetic patients who insist on fasting in Ramadan. *Acta Diabetologica*. 2009;46(1):63-65. doi:10.1007/s00592-008-0062-7

119.

Gregory T, Mucha, Stacia Merkel, William Thomas, John P. Bantle. Fasting and insulin glargine in individuals with type 1 diabetes. *Diabetes Care*.

http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=17&docId=GALE%7CA116666633&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA116666633&searchId=R8&userGroupName=leicester&inPS=true

120.

Diabetes & Metabolism - Présentation - EM consulte.

<http://www.em-consulte.com/article/80031/alertePM#N1010C>

121.

Mollema ED, Snoek FJ, Heine RJ, Van Der Ploeg HM. Phobia of self-injecting and self-testing in insulin-treated diabetes patients: opportunities for screening. *Diabetic Medicine*.

2001;18(8):671-674. doi:10.1046/j.1464-5491.2001.00547.x

122.

Jenkins K. II. Needle phobia: a psychological perspective. *British Journal of Anaesthesia*.

2014;113(1):4-6. doi:10.1093/bja/aeu013

123.

Zambanini A, Newson RB, Maisey M, Feher MD. Injection related anxiety in insulin-treated diabetes. *Diabetes Research and Clinical Practice*. 1999;46(3):239-246. doi:10.1016/S0168-8227(99)00099-6

124.

Mattoo V, Milicevic Z, Malone JK, et al. A comparison of insulin lispro Mix25™ and human insulin 30/70 in the treatment of type 2 diabetes during Ramadan. *Diabetes Research and Clinical Practice*. 2003;59(2):137-143. doi:10.1016/S0168-8227(02)00202-4

125.

Akram J, De Verga V, Group the RS. Insulin lispro (Lys(B28), Pro(B29)) in the treatment of diabetes during the fasting month of Ramadan. *Diabetic Medicine*. 1999;16(10):867-874. doi:10.1046/j.1464-5491.1999.00164.x

126.

Hui E, Bravis V, Salih S, Hassanein M, Devendra D. Comparison of Humalog Mix 50 with human insulin Mix 30 in type 2 diabetes patients during Ramadan. *International Journal of Clinical Practice*. 2010;64(8):1095-1099. doi:10.1111/j.1742-1241.2010.02347.x

127.

Simmons JH, McFann KK, Brown AC, et al. Reliability of the Diabetes Fear of Injecting and Self-Testing Questionnaire in Pediatric Patients With Type 1 Diabetes. *Diabetes Care*. 2007;30(4):987-988. doi:10.2337/dc06-1553

128.

Crasto, W. *Handbook of Insulin Therapies*. Adis; 1st ed. 2016 edition; 2016. <https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>

129.

Lambert K, Holt RIG. The use of insulin analogues in pregnancy. *Diabetes, Obesity and*

Metabolism. 2013;15(10):888-900. doi:10.1111/dom.12098

130.

Hyperglycemia and Adverse Pregnancy Outcomes. New England Journal of Medicine. 2008;358(19):1991-2002. doi:10.1056/NEJMoa0707943

131.

Gurwitz JH. Glucocorticoids and the Risk for Initiation of Hypoglycemic Therapy. Archives of Internal Medicine. 1994;154(1). doi:10.1001/archinte.1994.00420010131015

132.

Randomized controlled trial of insulin detemir versus NPH for the treatment of pregnant women with diabetes - ClinicalKey.
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0002937815005931>

133.

Simmons LR, Molyneaux L, Yue DK, Chua EL. Steroid-Induced Diabetes: Is It Just Unmasking of Type 2 Diabetes? ISRN Endocrinology. 2012;2012:1-5.
doi:10.5402/2012/910905

134.

Riddle MC, Rosenstock J, Vlaisnik A, Gao L. Randomized, 1-year comparison of three ways to initiate and advance insulin for type 2 diabetes: twice-daily premixed insulin versus basal insulin with either basal-plus one prandial insulin or basal-bolus up to three prandial injections. Diabetes, Obesity and Metabolism. 2014;16(5):396-402.
doi:10.1111/dom.12225

135.

June James. End-of-life care: Anything but a pathway.
http://www.diabetesandprimarycare.co.uk/media/content/_master/3572/files/pdf/dpc15-6-292-7.pdf

136.

Frisch A, Chandra P, Smiley D, et al. Prevalence and Clinical Outcome of Hyperglycemia in the Perioperative Period in Noncardiac Surgery. *Diabetes Care*. 2010;33(8):1783-1788. doi:10.2337/dc10-0304

137.

Home P, Riddle M, Cefalu WT, et al. Insulin Therapy in People With Type 2 Diabetes: Opportunities and Challenges? *Diabetes Care*. 2014;37(6):1499-1508. doi:10.2337/dc13-2743

138.

Jackson MJ, Patvardhan C, Wallace F, et al. Perioperative management of diabetes in elective patients: a region-wide audit. *British Journal of Anaesthesia*. 2016;116(4):501-506. doi:10.1093/bja/aev554

139.

Rowles S, Kilvert A, Sinclair A. ABCD position statement on diabetes and end of life care. *Practical Diabetes International*. 2011;28(1):26-27. doi:10.1002/pdi.1547

140.

P. Schneiter. Kinetics of dexamethasone-induced alterations of glucose metabolism in healthy humans. *American Journal of Physiology - Endocrinology and Metabolism*. 1998;275(5):E806-E813. <http://ajpendo.physiology.org/content/275/5/E806>

141.

Liu D, Ahmet A, Ward L, et al. A practical guide to the monitoring and management of the complications of systemic corticosteroid therapy. *Allergy, Asthma & Clinical Immunology*. 2013;9(1). doi:10.1186/1710-1492-9-30

142.

Holman RR, Thorne KI, Farmer AJ, et al. Addition of Biphasic, Prandial, or Basal Insulin to Oral Therapy in Type 2 Diabetes. *New England Journal of Medicine*. 2007;357(17):1716-1730. doi:10.1056/NEJMoa075392

143.

Kutz A, Struja T, Hausfater P, et al. The association of admission hyperglycaemia and adverse clinical outcome in medical emergencies: the multinational, prospective, observational TRIAGE study. *Diabetic Medicine*. Published online February 2017. doi:10.1111/dme.13325

144.

Rowles S, Kilvert A, Sinclair A. ABCD position statement on diabetes and end of life care. *Practical Diabetes International*. 2011;28(1):26-27. doi:10.1002/pdi.1547

145.

Tapley M, Needham E. Improving end of life care for people with diabetes. *Practical Diabetes*. 2012;29(8):306-307a. doi:10.1002/pdi.1711

146.

Intensity of peri-operative glycemic control and postoperative outcomes in patients with diabetes: a meta-analysis - ClinicalKey.
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0168822713001873>

147.

F Game. *Annals of The Royal College of Surgeons of England*. 2012;94(5). doi:doi:10.1308/003588412X13171221591655

148.

Hommel I, van Gurp PJ, Tack CJ, et al. Perioperative diabetes care: room for improving the person centredness. *Diabetic Medicine*. 2015;32(4):561-568. doi:10.1111/dme.12600

149.

Aldam P, Levy N, Hall GM. Perioperative management of diabetic patients: new controversies. *British Journal of Anaesthesia*. 2014;113(6):906-909.

doi:10.1093/bja/aeu259

150.

Barker P, Creasey PE, Dhatariya K, et al. Peri-operative management of the surgical patient with diabetes 2015. *Anaesthesia*. 2015;70(12):1427-1440. doi:10.1111/anae.13233

151.

Levy N, Penfold N, Mythen M. Perioperative management of diabetes and the emerging role of anaesthetists as perioperative physicians. *British Journal of Anaesthesia*. 2016;116(4):443-447. doi:10.1093/bja/aew049

152.

Bajwa S, Baruah M, Kalra S, Kapoor M. Interdisciplinary position statement on management of hyperglycemia in peri-operative and intensive care. *Journal of Anaesthesiology Clinical Pharmacology*. 2015;31(2). doi:10.4103/0970-9185.155141

153.

Hwang JL, Weiss RE. Steroid-induced diabetes: a clinical and molecular approach to understanding and treatment. *Diabetes/Metabolism Research and Reviews*. 2014;30(2):96-102. doi:10.1002/dmrr.2486

154.

Gururaj Setty S, Crasto W, Jarvis J, Khunti K, Davies MJ. New insulins and newer insulin regimens: a review of their role in improving glycaemic control in patients with diabetes. *Postgraduate Medical Journal*. 2016;92(1085):152-164. doi:10.1136/postgradmedj-2015-133716

155.

Crasto, W. *Handbook of Insulin Therapies*. Adis; 1st ed. 2016 edition; 2016. <https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>

156.

Bergenstal RM, Rosenstock J, Arakaki RF, et al. A Randomized, Controlled Study of Once-Daily LY2605541, a Novel Long-Acting Basal Insulin, Versus Insulin Glargine in Basal Insulin-Treated Patients With Type 2 Diabetes. *Diabetes Care*. 2012;35(11):2140-2147. doi:10.2337/dc12-0060

157.

Rosenstock J, Bergenstal RM, Blevins TC, et al. Better Glycemic Control and Weight Loss With the Novel Long-Acting Basal Insulin LY2605541 Compared With Insulin Glargine in Type 1 Diabetes: A randomized, crossover study. *Diabetes Care*. 2013;36(3):522-528. doi:10.2337/dc12-0067

158.

Riddle MC, Bolli GB, Ziemien M, Muehlen-Bartmer I, Bizet F, Home PD. New Insulin Glargine 300 Units/mL Versus Glargine 100 Units/mL in People With Type 2 Diabetes Using Basal and Mealtime Insulin: Glucose Control and Hypoglycemia in a 6-Month Randomized Controlled Trial (EDITION 1). *Diabetes Care*. 2014;37(10):2755-2762. doi:10.2337/dc14-0991

159.

Home PD, Bergenstal RM, Bolli GB, et al. New Insulin Glargine 300 Units/mL Versus Glargine 100 Units/mL in People With Type 1 Diabetes: A Randomized, Phase 3a, Open-Label Clinical Trial (EDITION 4). *Diabetes Care*. 2015;38(12):2217-2225. doi:10.2337/dc15-0249

160.

New Insulin Glargine 300 U/mL: Glycemic Control and Hypoglycemia in a Meta-Analysis of Phase 3a EDITION Clinical Trials in People with T2DM - ClinicalKey.
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S1499267114003086>

161.

Efficacy and safety of a fixed-ratio combination of insulin degludec and liraglutide (IDegLira) compared with its components given alone: results of a phase 3, open-label, randomised, 26-week, treat-to-target trial in insulin-naive patients with type 2 diabetes - ClinicalKey.
<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858714701743>

162.

Buse JB, Vilsbøll T, Thurman J, et al. Contribution of Liraglutide in the Fixed-Ratio Combination of Insulin Degludec and Liraglutide (IDegLira). *Diabetes Care*. 2014;37(11):2926-2933. doi:10.2337/dc14-0785

163.

EASD Virtual Meeting.

<http://www.easdvirtualmeeting.org/resources/systematic-review-and-meta-analysis-of-the-efficacy-and-safety-of-sgl2-inhibitors-in-patients-with-type-2-diabetes-mellitus>

164.

Prandial inhaled insulin plus basal insulin glargine versus twice daily biaspart insulin for type 2 diabetes: a multicentre randomised trial - ClinicalKey.

<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0140673610606320>

165.

Shosuke Satake, Mary Courtney Moore, Kayano Igawa, Margaret Converse, Benjamin Farmer, Doss W. Neal. Direct and indirect effects of insulin on glucose uptake and storage by the liver. (Original Articles). *Diabetes*.

http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=2&docId=GALE%7CA87347789&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA87347789&searchId=R8&userGroupName=leicester&inPS=true

166.

Khedkar A, Iyer H, Anand A, et al. A dose range finding study of novel oral insulin (IN-105) under fed conditions in type 2 diabetes mellitus subjects. *Diabetes, Obesity and Metabolism*. 2010;12(8):659-664. doi:10.1111/j.1463-1326.2010.01213.x

167.

Luzio SD, Dunseath G, Lockett A, Broke-Smith TP, New RR, Owens DR. The glucose lowering effect of an oral insulin (Capsulin) during an isoglycaemic clamp study in persons

with type 2 diabetes. *Diabetes, Obesity and Metabolism*. 2010;12(1):82-87. doi:10.1111/j.1463-1326.2009.01146.x

168.

W. Blair Geho. A Single-blind, Placebo-controlled, Dose-ranging Trial of Oral Hepatic-directed Vesicle Insulin Add-on to Oral Antidiabetic Treatment in Patients With Type 2 Diabetes Mellitus. *Journal of Diabetes Science and Technology*. 2014;8(3). doi:doi:10.1177/1932296814524871

169.

Morçöl T, Nagappan P, Nerenbaum L, Mitchell A, Bell SJD. Calcium phosphate-PEG-insulin-casein (CAPIC) particles as oral delivery systems for insulin. *International Journal of Pharmaceutics*. 2004;277(1-2):91-97. doi:10.1016/j.ijpharm.2003.07.015

170.

Pozzilli P, Manfrini S, Costanza F, et al. Biokinetics of buccal spray insulin in patients with type 1 diabetes. *Metabolism*. 2005;54(7):930-934. doi:10.1016/j.metabol.2005.02.008

171.

Guevara-Aguirre J, Guevara M, Saavedra J, Mihic M, Modi P. Beneficial Effects of Addition of Oral Spray Insulin (Oralin) on Insulin Secretion and Metabolic Control in Subjects with Type 2 Diabetes Mellitus Suboptimally Controlled on Oral Hypoglycemic Agents. *Diabetes Technology & Therapeutics*. 2004;6(1):1-8. doi:10.1089/152091504322783341

172.

Kuhlmann M, Marre M. Lessons learned from biosimilar epoetins and insulins. *The British Journal of Diabetes & Vascular Disease*. 2010;10(2):90-97. doi:10.1177/1474651409355454

173.

Racah D, Huet D, Dib A, et al. Review of basal-plus insulin regimen options for simpler insulin intensification in people with Type 2 diabetes mellitus. *Diabetic Medicine*. 2017;34(9):1193-1204. doi:10.1111/dme.13390

174.

Lea, Mary R. □Creme, PhyllisWriting At University. 3rd ed. McGraw-Hill Education; 2008.
<http://ebookcentral.proquest.com.ezproxy3.lib.le.ac.uk/lib/leicester/detail.action?docID=345134>

175.

Bailey S. Academic Writing: A Handbook for International Students. 3rd ed. Routledge; 2011. <http://ezproxy.lib.le.ac.uk/login?url=http://www.mylibrary.com?id=310467>