

MD7511 Injectable Therapies

Injectable Therapies

View Online



: 'Summary of Revisions'. *Diabetes Care* 39.Supplement 1 (2016): S4–S5. Web.

'A Randomised, 52-Week, Treat-to-Target Trial Comparing Insulin Detemir with Insulin Glargine When Administered as Add-on to Glucose-Lowering Drugs in Insulin-Naive People with Type 2 Diabetes'. N.p., n.d. Web.
<<http://link.springer.com.ezproxy4.lib.le.ac.uk/article/10.1007/s00125-007-0911-x/fulltext.html>>.

Akram, J., V. De Verga, and the Ramadan Study Group. 'Insulin Lispro (Lys(B28), Pro(B29)) in the Treatment of Diabetes during the Fasting Month of Ramadan'. *Diabetic Medicine* 16.10 (1999): 867–874. Web.

Aldam, P., N. Levy, and G. M. Hall. 'Perioperative Management of Diabetic Patients: New Controversies'. *British Journal of Anaesthesia* 113.6 (2014): 906–909. Web.

Ali, S. et al. 'Guidelines for Managing Diabetes in Ramadan'. *Diabetic Medicine* 33.10 (2016): 1315–1329. Web.

Anderson, Bob, Martha Funnell, and American Diabetes Association. *The Art of Empowerment: Stories and Strategies for Diabetes Educators*. 2nd ed. Alexandria, Va: American Diabetes Association, 2005. Print.

Anderson, James W., Cyril W.C. Kendall, and David J.A. Jenkins. 'Importance of Weight Management in Type 2 Diabetes: Review with Meta-Analysis of Clinical Studies'. *Journal of the American College of Nutrition* 22.5 (2003): 331–339. Web.

Ashwell, S. G. et al. 'Improved Glycaemic Control with Insulin Glargine plus Insulin Lispro: A Multicentre, Randomized, Cross-over Trial in People with Type 1 Diabetes'. *Diabetic Medicine* 23.3 (2006): 285–292. Web.

Bailey, Stephen. *Academic Writing: A Handbook for International Students*. 3rd ed. London: Routledge, 2011. Web.
<<http://ezproxy.lib.le.ac.uk/login?url=http://www.myilibrary.com?id=310467>>.

Bajwa, SukhminderjitSingh et al. 'Interdisciplinary Position Statement on Management of Hyperglycemia in Peri-Operative and Intensive Care'. *Journal of Anaesthesiology Clinical Pharmacology* 31.2 (2015): n. pag. Web.

Bakiner, Okan et al. 'Repaglinide plus Single-Dose Insulin Glargine: A Safe Regimen for Low-Risk Type 2 Diabetic Patients Who Insist on Fasting in Ramadan'. *Acta Diabetologica* 46.1 (2009): 63–65. Web.

Barker, P. et al. 'Peri-Operative Management of the Surgical Patient with Diabetes 2015'. *Anaesthesia* 70.12 (2015): 1427–1440. Web.

'Basal Insulin and Cardiovascular and Other Outcomes in Dysglycemia'. *New England Journal of Medicine* 367.4 (2012): 319–328. Web.

Benkhadra, Khalid et al. 'Real Time Continuous Glucose Monitoring in Type 1 Diabetes: A Systematic Review and Individual Patient Data Meta-Analysis'. *Clinical Endocrinology* (2016): n. pag. Web.

Bergenstal, R. M., J. Rosenstock, et al. 'A Randomized, Controlled Study of Once-Daily LY2605541, a Novel Long-Acting Basal Insulin, Versus Insulin Glargine in Basal Insulin-Treated Patients With Type 2 Diabetes'. *Diabetes Care* 35.11 (2012): 2140–2147. Web.

Bergenstal, R. M., M. Johnson, et al. 'Adjust to Target in Type 2 Diabetes: Comparison of a Simple Algorithm with Carbohydrate Counting for Adjustment of Mealtime Insulin Glulisine'. *Diabetes Care* 31.7 (2008): 1305–1310. Web.

Bergenstal, Richard M. et al. 'Effectiveness of Sensor-Augmented Insulin-Pump Therapy in Type 1 Diabetes'. *New England Journal of Medicine* 363.4 (2010): 311–320. Web.

Bretzel, Reinhard G et al. 'Once-Daily Basal Insulin Glargine versus Thrice-Daily Prandial Insulin Lispro in People with Type 2 Diabetes on Oral Hypoglycaemic Agents (APOLLO): An Open Randomised Controlled Trial'. *The Lancet* 371.9618 (2008): 1073–1084. Web.

Burnett, Joan C.D. 'Long- and Short-Haul Travel by Air: Issues for People With Diabetes on Insulin'. *Journal of Travel Medicine* 13.5 (2006): 255–260. Web.

Buse, John B., Tina Vilsbøll, et al. 'Contribution of Liraglutide in the Fixed-Ratio Combination of Insulin Degludec and Liraglutide (IDegLira)'. *Diabetes Care* 37.11 (2014): 2926–2933. Web.

Buse, John B., Richard M. Bergenstal, et al. 'Use of Twice-Daily Exenatide in Basal Insulin-Treated Patients With Type 2 Diabetes'. *Annals of Internal Medicine* 154.2 (2011): n. pag. Web.

'Clinical Effectiveness and Cost-Effectiveness of Continuous Subcutaneous Insulin Infusion for Diabetes: Systematic Review and Economic Evaluation'. n. pag. Web.
<<http://www.journalslibrary.nihr.ac.uk/hta/volume-14/issue-11>>.

Crasto, W. *Handbook of Insulin Therapies*. Adis; 1st ed. 2016 edition, 2016. Web.
<<https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>>.

---. *Handbook of Insulin Therapies*. Adis; 1st ed. 2016 edition, 2016. Web.
<<https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>>.

---. *Handbook of Insulin Therapies*. Adis; 1st ed. 2016 edition, 2016. Web.
<<https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>>.

---. *Handbook of Insulin Therapies*. Adis; 1st ed. 2016 edition, 2016. Web.
<<https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>>.

---. Handbook of Insulin Therapies. Adis; 1st ed. 2016 edition, 2016. Web.
<<https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>>.

---. Handbook of Insulin Therapies. Adis; 1st ed. 2016 edition, 2016. Web.
<<https://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4676975>>.

Crasto, W et al. 'Insulin U-500 in Severe Insulin Resistance in Type 2 Diabetes Mellitus'. Postgraduate Medical Journal 85.1002 (2009): 219–222. Web.

Daly, H et al. 'Development of a Self-Management Education Module for Those with Type 2 Diabetes on Injectable Therapies'. Practical Diabetes 32.8 (2015): 305–310a. Web.

Davies, M., F. Storms, et al. 'Improvement of Glycemic Control in Subjects With Poorly Controlled Type 2 Diabetes: Comparison of Two Treatment Algorithms Using Insulin Glargine'. Diabetes Care 28.6 (2005): 1282–1288. Web.

---. 'Improvement of Glycemic Control in Subjects With Poorly Controlled Type 2 Diabetes: Comparison of Two Treatment Algorithms Using Insulin Glargine'. Diabetes Care 28.6 (2005): 1282–1288. Web.

Davies, M. J., J. L. Gross, et al. 'Efficacy and Safety of Insulin Degludec given as Part of Basal-Bolus Treatment with Mealtime Insulin Aspart in Type 1 Diabetes: A 26-Week Randomized, Open-Label, Treat-to-Target Non-Inferiority Trial'. Diabetes, Obesity and Metabolism 16.10 (2014): 922–930. Web.

Davies, M. J., R. Donnelly, et al. 'Exenatide Compared with Long-Acting Insulin to Achieve Glycaemic Control with Minimal Weight Gain in Patients with Type 2 Diabetes: Results of the Helping Evaluate Exenatide in Patients with Diabetes Compared with Long-Acting Insulin (HEELA) Study'. Diabetes, Obesity and Metabolism 11.12 (2009): 1153–1162. Web.

Davies, M. J., L. A. Leiter, et al. 'Impact of Baseline HbA1c, Diabetes Duration and BMI on Clinical Outcomes in the LixiLan-O Trial Testing iGlarLixi (Insulin Glargine/Lixisenatide Titratable Fixed-Ratio Combination) versus Insulin Glargine and Lixisenatide Monocomponents'. Diabetes, Obesity and Metabolism (2017): n. pag. Web.

Davies, Melanie J., and Sudesna Chatterjee. 'Trial Watch: Insulin Initiation for Type 2 Diabetes Mellitus in Primary Care'. Nature Reviews Endocrinology 13.6 (2017): 317–318. Web.

'Diabetes & Metabolism - Présentation - EM Consulte'. N.p., n.d. Web.
<<http://www.em-consulte.com/article/80031/alertePM#N1010C>>.

Diamant, Michaela et al. 'Once Weekly Exenatide Compared with Insulin Glargine Titrated to Target in Patients with Type 2 Diabetes (DURATION-3): An Open-Label Randomised Trial'. The Lancet 375.9733 (2010): 2234–2243. Web.

'EASD Virtual Meeting'. N.p., n.d. Web.
<<http://www.easdvirtualmeeting.org/resources/systematic-review-and-meta-analysis-of-the-efficacy-and-safety-of-sglt2-inhibitors-in-patients-with-type-2-diabetes-mellitus>>.

'Effects of Intensive Glucose Lowering in Type 2 Diabetes'. New England Journal of

Medicine 358.24 (2008): 2545–2559. Web.

'Efficacy and Safety of a Fixed-Ratio Combination of Insulin Degludec and Liraglutide (IDegLira) Compared with Its Components given Alone: Results of a Phase 3, Open-Label, Randomised, 26-Week, Treat-to-Target Trial in Insulin-Naive Patients with Type 2 Diabetes - ClinicalKey'. N.p., n.d. Web.

<<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858714701743>>.

'Efficacy and Safety of Glucagon-like Peptide-1 Receptor Agonists in Type 2 Diabetes Systematic Review and Mixed-Treatment Comparison Analysis'. n. pag. Web.

<<http://onlinelibrary.wiley.com.ezproxy3.lib.le.ac.uk/doi/10.1111/dom.12849/epdf>>.

Eng, Conrad et al. 'Glucagon-like Peptide-1 Receptor Agonist and Basal Insulin Combination Treatment for the Management of Type 2 Diabetes: A Systematic Review and Meta-Analysis'. *The Lancet* 384.9961 (2014): 2228–2234. Web.

Evans, M. et al. 'A Review of Modern Insulin Analogue Pharmacokinetic and Pharmacodynamic Profiles in Type 2 Diabetes: Improvements and Limitations'. *Diabetes, Obesity and Metabolism* 13.8 (2011): 677–684. Web.

F Game. 'Annals of The Royal College of Surgeons of England'. 94.5 (2012): n. pag. Web. <<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3954366/?report=classic>>.

Fineman, M.S. et al. 'GLP-1 Based Therapies: Differential Effects on Fasting and Postprandial Glucose'. *Diabetes, Obesity and Metabolism* 14.8 (2012): 675–688. Web.

Frandsen, C. S. S., and S. Madsbad. 'Efficacy and Safety of Dipeptidyl Peptidase-4 Inhibitors as an Add-on to Insulin Treatment in Patients with Type 2 Diabetes: A Review'. *Diabetic Medicine* 31.11 (2014): 1293–1300. Web.

---. 'Efficacy and Safety of Dipeptidyl Peptidase-4 Inhibitors as an Add-on to Insulin Treatment in Patients with Type 2 Diabetes: A Review'. *Diabetic Medicine* 31.11 (2014): 1293–1300. Web.

Frisch, A. et al. 'Prevalence and Clinical Outcome of Hyperglycemia in the Perioperative Period in Noncardiac Surgery'. *Diabetes Care* 33.8 (2010): 1783–1788. Web.

Fullerton, Birgit et al. 'Intensive Glucose Control versus Conventional Glucose Control for Type 1 Diabetes Mellitus'. *Cochrane Database of Systematic Reviews*. Chichester, UK: John Wiley & Sons, Ltd, 1996. Web. <<http://doi.wiley.com/10.1002/14651858.CD009122.pub2>>.

Garber, A. J. et al. 'Attainment of Glycaemic Goals in Type 2 Diabetes with Once-, Twice-, or Thrice-Daily Dosing with Biphasic Insulin Aspart 70/30 (The 1-2-3 Study)'. *Diabetes, Obesity and Metabolism* 8.1 (2006): 58–66. Web.

Garber, Alan J. et al. 'Premixed Insulin Treatment for Type 2 Diabetes: Analogue or Human?' *Diabetes, Obesity and Metabolism* 9.5 (2007): 630–639. Web.

Giugliano, D. et al. 'Efficacy of Insulin Analogs in Achieving the Hemoglobin A1c Target of <7% in Type 2 Diabetes: Meta-Analysis of Randomized Controlled Trials'. *Diabetes Care*

34.2 (2011): 510–517. Web.

Goudswaard, Alex N et al. 'Insulin Monotherapy versus Combinations of Insulin with Oral Hypoglycaemic Agents in Patients with Type 2 Diabetes Mellitus'. Cochrane Database of Systematic Reviews. Chichester, UK: John Wiley & Sons, Ltd, 1996. Web. <<http://doi.wiley.com/10.1002/14651858.CD003418.pub2>>.

Gough, S. C. L. et al. 'Low-Volume Insulin Degludec 200 Units/mL Once Daily Improves Glycemic Control Similarly to Insulin Glargine With a Low Risk of Hypoglycemia in Insulin-Naive Patients With Type 2 Diabetes: A 26-Week, Randomized, Controlled, Multinational, Treat-to-Target Trial: The BEGIN LOW VOLUME Trial'. Diabetes Care 36.9 (2013): 2536–2542. Web.

Gregory T. Mucha, Stacia Merkel, William Thomas, John P. Bantle. 'Fasting and Insulin Glargine in Individuals with Type 1 Diabetes'. Diabetes Care n. pag. Web. <http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=17&docId=GALE%7CA116666633&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA116666633&searchId=R8&userGroupName=leicester&inPS=true>.

Guevara-Aguirre, Jaime et al. 'Beneficial Effects of Addition of Oral Spray Insulin (Oralin) on Insulin Secretion and Metabolic Control in Subjects with Type 2 Diabetes Mellitus Suboptimally Controlled on Oral Hypoglycemic Agents'. Diabetes Technology & Therapeutics 6.1 (2004): 1–8. Web.

Gururaj Setty, S et al. 'New Insulins and Newer Insulin Regimens: A Review of Their Role in Improving Glycaemic Control in Patients with Diabetes'. Postgraduate Medical Journal 92.1085 (2016): 152–164. Web.

Gurwitz, Jerry H. 'Glucocorticoids and the Risk for Initiation of Hypoglycemic Therapy'. Archives of Internal Medicine 154.1 (1994): n. pag. Web.

Hannele Yki-Järvinen. 'Is There Evidence to Support Use of Premixed or Prandial Insulin Regimens in Insulin-Naive or Previously Insulin-Treated Type 2 Diabetic Patients?' Diabetes Care 36.Suppl 2 (2013): n. pag. Web. <<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3920773/>>.

Hannele Yki-Jarvinen, Leena Juurinen, Michael Alvarsson, Tord Bystedt, Ian Caldwell, Melanie Davies. 'Initiate Insulin by Aggressive Titration and Education (Initiate): Randomized Study to Compare Initiation of Insulin Combination Therapy in Type 2 Diabetic Patients Individually and in Groups'. Diabetes Care n. pag. Web. <http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?sort=DA-SORT&docType=Clinical+report&tabID=T002&prodId=EAIM&searchId=R1&resultListType=RESULT_LIST&searchType=AdvancedSearchForm&contentSegment=¤tPosition=5&searchResultsType=SingleTab&inPS=true&userGroupName=leicester&docId=GALE%7CA165017903&contentSet=GALE%7CA165017903>.

Heller, S. R. et al. 'Hypoglycaemia with Insulin Aspart: A Double-Blind, Randomised, Crossover Trial in Subjects with Type 1 Diabetes'. Diabetic Medicine 21.7 (2004): 769–775.

Web.

Heller, Simon et al. 'Insulin Degludec, an Ultra-Longacting Basal Insulin, versus Insulin Glargine in Basal-Bolus Treatment with Mealtime Insulin Aspart in Type 1 Diabetes (BEGIN Basal-Bolus Type 1): A Phase 3, Randomised, Open-Label, Treat-to-Target Non-Inferiority Trial'. *The Lancet* 379.9825 (2012): 1489–1497. Web.

Hermansen, K. et al. 'A 26-Week, Randomized, Parallel, Treat-to-Target Trial Comparing Insulin Detemir With NPH Insulin as Add-On Therapy to Oral Glucose-Lowering Drugs in Insulin-Naive People With Type 2 Diabetes'. *Diabetes Care* 29.6 (2006): 1269–1274. Web.

Hermansen, K., and M. Davies. 'Does Insulin Detemir Have a Role in Reducing Risk of Insulin-Associated Weight Gain?' *Diabetes, Obesity and Metabolism* 9.3 (2007): 209–217. Web.

Hirsch, I. B., J. B. Buse, et al. 'Options for Prandial Glucose Management in Type 2 Diabetes Patients Using Basal Insulin: Addition of a Short-Acting GLP-1 Analogue versus Progression to Basal-Bolus Therapy'. *Diabetes, Obesity and Metabolism* 16.3 (2014): 206–214. Web.

Hirsch, I. B., E. Franek, et al. 'Safety and Efficacy of Insulin Degludec/Insulin Aspart with Bolus Mealtime Insulin Aspart Compared with Standard Basal-Bolus Treatment in People with Type 1 Diabetes: 1-Year Results from a Randomized Clinical Trial (BOOST T1)'. *Diabetic Medicine* 34.2 (2017): 167–173. Web.

Holman, R. R., and R. C. Turner. 'A Practical Guide to Basal and Prandial Insulin Therapy'. *Diabetic Medicine* 2.1 (1985): 45–53. Web.

Holman, Rury R., Sanjoy K. Paul, et al. '10-Year Follow-up of Intensive Glucose Control in Type 2 Diabetes'. *New England Journal of Medicine* 359.15 (2008): 1577–1589. Web.

Holman, Rury R., Kerensa I. Thorne, et al. 'Addition of Biphasic, Prandial, or Basal Insulin to Oral Therapy in Type 2 Diabetes'. *New England Journal of Medicine* 357.17 (2007): 1716–1730. Web.

---. 'Addition of Biphasic, Prandial, or Basal Insulin to Oral Therapy in Type 2 Diabetes'. *New England Journal of Medicine* 357.17 (2007): 1716–1730. Web.

Holman, Rury R., Andrew J. Farmer, et al. 'Three-Year Efficacy of Complex Insulin Regimens in Type 2 Diabetes'. *New England Journal of Medicine* 361.18 (2009): 1736–1747. Web.

---. 'Three-Year Efficacy of Complex Insulin Regimens in Type 2 Diabetes'. *New England Journal of Medicine* 361.18 (2009): 1736–1747. Web.

---. 'Three-Year Efficacy of Complex Insulin Regimens in Type 2 Diabetes'. *New England Journal of Medicine* 361.18 (2009): 1736–1747. Web.

Holt, Richard I. G. et al. *Textbook of Diabetes*. 5th ed. Somerset: John Wiley & Sons, Incorporated, 2016. Web.
<<http://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4769056>>.

---. *Textbook of Diabetes*. 4th ed. Chichester: Wiley-Blackwell, 2010. Web.

<<http://ezproxy.lib.le.ac.uk/login?url=http://www.myilibrary.com?id=269077>>.

---. Textbook of Diabetes. 5th ed. Somerset: John Wiley & Sons, Incorporated, 2016. Web. <<http://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4769056>>.

---. Textbook of Diabetes. 4th ed. Chichester: Wiley-Blackwell, 2010. Web. <<http://ezproxy.lib.le.ac.uk/login?url=http://www.myilibrary.com?id=269077>>.

Home, P. D. 'The Pharmacokinetics and Pharmacodynamics of Rapid-Acting Insulin Analogues and Their Clinical Consequences'. *Diabetes, Obesity and Metabolism* 14.9 (2012): 780–788. Web.

Home, Philip et al. 'Insulin Therapy in People With Type 2 Diabetes: Opportunities and Challenges?' *Diabetes Care* 37.6 (2014): 1499–1508. Web.

Home, Philip D. et al. 'New Insulin Glargine 300 Units/mL Versus Glargine 100 Units/mL in People With Type 1 Diabetes: A Randomized, Phase 3a, Open-Label Clinical Trial (EDITION 4)'. *Diabetes Care* 38.12 (2015): 2217–2225. Web.

Hommel, I. et al. 'Perioperative Diabetes Care: Room for Improving the Person Centredness'. *Diabetic Medicine* 32.4 (2015): 561–568. Web.

Horvath, Karl et al. 'Long-Acting Insulin Analogues versus NPH Insulin (Human Isophane Insulin) for Type 2 Diabetes Mellitus'. *Cochrane Database of Systematic Reviews*. Chichester, UK: John Wiley & Sons, Ltd, 1996. Web. <<http://doi.wiley.com/10.1002/14651858.CD005613.pub3>>.

---. 'Long-Acting Insulin Analogues versus NPH Insulin (Human Isophane Insulin) for Type 2 Diabetes Mellitus'. *Cochrane Database of Systematic Reviews*. Chichester, UK: John Wiley & Sons, Ltd, 1996. Web. <<http://doi.wiley.com/10.1002/14651858.CD005613.pub3>>.

Hui, E. et al. 'Comparison of Humalog Mix 50 with Human Insulin Mix 30 in Type 2 Diabetes Patients during Ramadan'. *International Journal of Clinical Practice* 64.8 (2010): 1095–1099. Web.

---. 'Comparison of Humalog Mix 50 with Human Insulin Mix 30 in Type 2 Diabetes Patients during Ramadan'. *International Journal of Clinical Practice* 64.8 (2010): 1095–1099. Web.

Hwang, Jessica L., and Roy E. Weiss. 'Steroid-Induced Diabetes: A Clinical and Molecular Approach to Understanding and Treatment'. *Diabetes/Metabolism Research and Reviews* 30.2 (2014): 96–102. Web.

'Hyperglycemia and Adverse Pregnancy Outcomes'. *New England Journal of Medicine* 358.19 (2008): 1991–2002. Web.

'Insulin Glargine or NPH Combined with Metformin in Type 2 Diabetes: The LANMET Study'. N.p., n.d. Web. <<http://link.springer.com.ezproxy4.lib.le.ac.uk/article/10.1007/s00125-005-0132-0/fulltext.html>>.

'Insulin Treatment and the Problem of Weight Gain in Type 2 Diabetes. - PubMed - NCBI'. N.p., n.d. Web. <<http://www.ncbi.nlm.nih.gov/pubmed/17102158>>.

'Intensity of Peri-Operative Glycemic Control and Postoperative Outcomes in Patients with Diabetes: A Meta-Analysis - ClinicalKey'. N.p., n.d. Web.
<<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0168822713001873>>.

Ismail-Beigi, Faramarz. 'Glycemic Management of Type 2 Diabetes Mellitus'. *New England Journal of Medicine* 366.14 (2012): 1319-1327. Web.

Jackson, M. J. et al. 'Perioperative Management of Diabetes in Elective Patients: A Region-Wide Audit'. *British Journal of Anaesthesia* 116.4 (2016): 501-506. Web.

Jenkins, K. 'II. Needle Phobia: A Psychological Perspective'. *British Journal of Anaesthesia* 113.1 (2014): 4-6. Web.

June James. 'End-of-Life Care: Anything but a Pathway'. n. pag. Web.
<http://www.diabetesandprimarycare.co.uk/media/content/_master/3572/files/pdf/dpc15-6-292-7.pdf>.

---. 'Safety and Insulin: Implementation of National Guidance at a Local Level'. *Journal of Diabetes Nursing* n. pag. Web.
<http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=8&docId=GALE%7CA342482979&docType=Article&sort=RELEVANCE&contentSegment=&prodId=EAIM&contentSet=GALE%7CA342482979&searchId=R6&userGroupName=leicester&inPS=true>.

Kahler, P. et al. 'Targeting Intensive versus Conventional Glycaemic Control for Type 1 Diabetes Mellitus: A Systematic Review with Meta-Analyses and Trial Sequential Analyses of Randomised Clinical Trials'. *BMJ Open* 4.8 (2014): e004806-e004806. Web.

Khedkar, A. et al. 'A Dose Range Finding Study of Novel Oral Insulin (IN-105) under Fed Conditions in Type 2 Diabetes Mellitus Subjects'. *Diabetes, Obesity and Metabolism* 12.8 (2010): 659-664. Web.

Kramer, Caroline Kaercher, Bernard Zinman, and Ravi Retnakaran. 'Short-Term Intensive Insulin Therapy in Type 2 Diabetes Mellitus: A Systematic Review and Meta-Analysis'. *The Lancet Diabetes & Endocrinology* 1.1 (2013): 28-34. Web.

Kuhlmann, M., and M. Marre. 'Lessons Learned from Biosimilar Epoetins and Insulins'. *The British Journal of Diabetes & Vascular Disease* 10.2 (2010): 90-97. Web.

Kutz, A. et al. 'The Association of Admission Hyperglycaemia and Adverse Clinical Outcome in Medical Emergencies: The Multinational, Prospective, Observational TRIAGE Study'. *Diabetic Medicine* (2017): n. pag. Web.

L. Luzi. 'Effect of Loss of First-Phase Insulin Secretion on Hepatic Glucose Production and Tissue Glucose Disposal in Humans'. *American Journal of Physiology - Endocrinology and Metabolism* 257.2 (1989): E241-E246. Web.
<<http://ajpendo.physiology.org.ezproxy4.lib.le.ac.uk/content/257/2/E241>>.

Lambert, K., and R. I. G. Holt. 'The Use of Insulin Analogues in Pregnancy'. *Diabetes*,

Obesity and Metabolism 15.10 (2013): 888–900. Web.

Lankisch, M. R. et al. 'Introducing a Simplified Approach to Insulin Therapy in Type 2 Diabetes: A Comparison of Two Single-Dose Regimens of Insulin Glulisine plus Insulin Glargine and Oral Antidiabetic Drugs'. *Diabetes, Obesity and Metabolism* (2008): n. pag. Web.

Lasserson, D. S. et al. 'Optimal Insulin Regimens in Type 2 Diabetes Mellitus: Systematic Review and Meta-Analyses'. *Diabetologia* 52.10 (2009): 1990–2000. Web.

---. 'Optimal Insulin Regimens in Type 2 Diabetes Mellitus: Systematic Review and Meta-Analyses'. *Diabetologia* 52.10 (2009): 1990–2000. Web.

Lea, Mary R. □Creme, Phyllis Writing At University. 3rd ed. McGraw-Hill Education, 2008. Web.
<<http://ebookcentral.proquest.com.ezproxy3.lib.le.ac.uk/lib/leicester/detail.action?docID=345134>>.

Levy, N., N. Penfold, and M. Mythen. 'Perioperative Management of Diabetes and the Emerging Role of Anaesthetists as Perioperative Physicians'. *British Journal of Anaesthesia* 116.4 (2016): 443–447. Web.

Liu, Dora et al. 'A Practical Guide to the Monitoring and Management of the Complications of Systemic Corticosteroid Therapy'. *Allergy, Asthma & Clinical Immunology* 9.1 (2013): n. pag. Web.

Luc JC van Loon. 'Plasma Insulin Responses after Ingestion of Different Amino Acid or Protein Mixtures with Carbohydrate'. *The American Journal of Clinical Nutrition* 72.1 (2000): 96–105. Web. <<http://ajcn.nutrition.org/content/72/1/96.full>>.

Luzio, S. D. et al. 'The Glucose Lowering Effect of an Oral Insulin (Capsulin) during an Isoglycaemic Clamp Study in Persons with Type 2 Diabetes'. *Diabetes, Obesity and Metabolism* 12.1 (2010): 82–87. Web.

Manju Chandran, Steven V. Edelman. 'Have Insulin, Will Fly: Diabetes Management during Air Travel and Time Zone Adjustment Strategies. (Practical Pointers)'. *Clinical Diabetes* n. pag. Web.
<http://go.galegroup.com.ezproxy3.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=3&docId=GALE%7CA100730300&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA100730300&searchId=R2&userGroupName=leicester&inPS=true>.

Martha M. Funnell. 'Overcoming Barriers to the Initiation of Insulin Therapy'. *Clinical Diabetes* n. pag. Web.
<http://go.galegroup.com.ezproxy3.lib.le.ac.uk/ps/retrieve.do?sort=DA-SORT&docType=Article&tabID=T002&prodId=EAIM&searchId=R1&resultListType=RESULT_LIST&searchType=AdvancedSearchForm&contentSegment=¤tPosition=8&searchResultsType=SingleTab&inPS=true&userGroupName=leicester&docId=GALE%7CA159389875&contentSet=GALE%7CA159389875>.

- Matthew C. Riddle, Julio Rosenstock, John Gerich. 'The Treat-to-Target Trial: Randomized Addition of Glargine or Human NPH Insulin to Oral Therapy of Type 2 Diabetic Patients'. *Diabetes Care* n. pag. Web.
<http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=9&docId=GALE%7CA110470954&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA110470954&searchId=R3&userGroupName=leicester&inPS=true>.
- Mattoo, V. et al. 'A Comparison of Insulin Lispro Mix25TM and Human Insulin 30/70 in the Treatment of Type 2 Diabetes during Ramadan'. *Diabetes Research and Clinical Practice* 59.2 (2003): 137-143. Web.
- McBain, H. et al. 'Barriers to and Enablers of Insulin Self-Titration in Adults with Type 2 Diabetes: A Qualitative Study'. *Diabetic Medicine* 34.2 (2017): 253-261. Web.
- McCrimmon, R. J. 'Old Habits Are Hard to Break: Lessons from the Study of Hypoglycaemia'. *Diabetic Medicine* 34.2 (2017): 148-155. Web.
- Menting, John G. et al. 'How Insulin Engages Its Primary Binding Site on the Insulin Receptor'. *Nature* 493.7431 (2013): 241-245. Web.
- Mollema, E. D. et al. 'Phobia of Self-Injecting and Self-Testing in Insulin-Treated Diabetes Patients: Opportunities for Screening'. *Diabetic Medicine* 18.8 (2001): 671-674. Web.
- Morçöl, T et al. 'Calcium Phosphate-PEG-Insulin-Casein (CAPIC) Particles as Oral Delivery Systems for Insulin'. *International Journal of Pharmaceutics* 277.1-2 (2004): 91-97. Web.
- Nathan, D. M. et al. 'Management of Hyperglycemia in Type 2 Diabetes: A Consensus Algorithm for the Initiation and Adjustment of Therapy: A Consensus Statement from the American Diabetes Association and the European Association for the Study of Diabetes'. *Diabetes Care* 29.8 (2006): 1963-1972. Web.
- Nathan, David M. 'The Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Study at 30 Years: Overview'. *Diabetes Care* 37.1 (2014): 9-16. Web.
- Nauck, M. 'Incretin Therapies: Highlighting Common Features and Differences in the Modes of Action of Glucagon-like Peptide-1 Receptor Agonists and Dipeptidyl Peptidase-4 Inhibitors'. *Diabetes, Obesity and Metabolism* 18.3 (2016): 203-216. Web.
- 'New IDegLira Data Show Rapid and Predictable Glycaemic Improvements in People with Type 2 Diabetes'. N.p., n.d. Web.
<<http://www.multivu.com/players/English/72762519-novo-nordisk-IDegLira-treatment/>>.
- 'New Insulin Glargine 300 U/mL: Glycemic Control and Hypoglycemia in a Meta-Analysis of Phase 3a EDITION Clinical Trials in People with T2DM - ClinicalKey'. N.p., n.d. Web.
<<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S1499267114003086>>.
- Owens, D. R. et al. 'Effects of Initiation and Titration of a Single Pre-Prandial Dose of Insulin

Glulisine While Continuing Titrated Insulin Glargine in Type 2 Diabetes: A 6-Month 'proof-of-Concept' Study'. *Diabetes, Obesity and Metabolism* 13.11 (2011): 1020-1027. Web.

---. 'Stepwise Intensification of Insulin Therapy in Type 2 Diabetes Management-Exploring the Concept of the Basal-plus Approach in Clinical Practice'. *Diabetic Medicine* 30.3 (2013): 276-288. Web.

P. Schneiter. 'Kinetics of Dexamethasone-Induced Alterations of Glucose Metabolism in Healthy Humans'. *American Journal of Physiology - Endocrinology and Metabolism* 275.5 (1998): E806-E813. Web. <<http://ajpendo.physiology.org/content/275/5/E806>>.

Park, S. W. et al. 'Insulin Degludec/Insulin Aspart Once Daily in Type 2 Diabetes: A Comparison of Simple or Stepwise Titration Algorithms (BOOST : SIMPLE USE)'. *Diabetic Medicine* 34.2 (2017): 174-179. Web.

Peter Mansell. 'The Dose Adjustment for Normal Eating (DAFNE) Education Programme'. *Journal of Diabetes Nursing* n. pag. Web. <http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=1&docId=GALE%7CA314268073&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GALE%7CA314268073&searchId=R1&userGroupName=leicester&inPS=true>.

Philip Raskin, Elsie Allen, Priscilla Hollander, Andrew Lewin, Robert A. Gabbay, Peter Hu. 'Initiating Insulin Therapy in Type 2 Diabetes: A Comparison of Biphasic and Basal Insulin Analogs'. *Diabetes Care* n. pag. Web. <http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?sort=DA-SORT&docType=Article&tabID=T002&prodId=EAIM&searchId=R5&resultListType=RESULT_LIST&searchType=AdvancedSearchForm&contentSegment=¤tPosition=5&searchResultsType=SingleTab&inPS=true&userGroupName=leicester&docId=GALE%7CA128867472&contentSet=GALE%7CA128867472>.

Pickup, John C., Yves Reznik, and Alex J. Sutton. 'Glycemic Control During Continuous Subcutaneous Insulin Infusion Versus Multiple Daily Insulin Injections in Type 2 Diabetes: Individual Patient Data Meta-Analysis and Meta-Regression of Randomized Controlled Trials'. *Diabetes Care* 40.5 (2017): 715-722. Web.

Pozzilli, Paolo et al. 'Biokinetics of Buccal Spray Insulin in Patients with Type 1 Diabetes'. *Metabolism* 54.7 (2005): 930-934. Web.

'Prandial Inhaled Insulin plus Basal Insulin Glargine versus Twice Daily Baspart Insulin for Type 2 Diabetes: A Multicentre Randomised Trial - ClinicalKey'. N.p., n.d. Web. <<https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0140673610606320>>.

'Professor Kamlesh Khunti - Coding, Classification and Diagnosis of Diabetes'. 4AD. Web. <<https://www.youtube.com/watch?v=AhhWTmEFuag>>.

Raccach, D., D. Huet, A Dib, et al. 'Review of Basal-plus Insulin Regimen Options for Simpler Insulin Intensification in People with Type 2 Diabetes Mellitus'. *Diabetic Medicine* (2017): n.

pag. Web.

---. 'Review of Basal-plus Insulin Regimen Options for Simpler Insulin Intensification in People with Type 2 Diabetes Mellitus'. *Diabetic Medicine* (2017): n. pag. Web.

Raccach, D., D. Huet, A. Dib, et al. 'Review of Basal-plus Insulin Regimen Options for Simpler Insulin Intensification in People with Type 2 Diabetes Mellitus'. *Diabetic Medicine* 34.9 (2017): 1193-1204. Web.

---. 'Review of Basal-plus Insulin Regimen Options for Simpler Insulin Intensification in People with Type 2 Diabetes Mellitus'. *Diabetic Medicine* 34.9 (2017): 1193-1204. Web.

'Randomized Controlled Trial of Insulin Detemir versus NPH for the Treatment of Pregnant Women with Diabetes - ClinicalKey'. N.p., n.d. Web.
<<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0002937815005931>>.

Richter, Bernd, and Gudrun Neises. "'Human" Insulin versus Animal Insulin in People with Diabetes Mellitus'. *Cochrane Database of Systematic Reviews*. Chichester, UK: John Wiley & Sons, Ltd, 1996. Web. <<http://doi.wiley.com/10.1002/14651858.CD003816.pub2>>.

Riddle, M. C., R. Aronson, et al. 'Adding Once-Daily Lixisenatide for Type 2 Diabetes Inadequately Controlled by Established Basal Insulin: A 24-Week, Randomized, Placebo-Controlled Comparison (GetGoal-L)'. *Diabetes Care* 36.9 (2013): 2489-2496. Web.

Riddle, M. C., J. Rosenstock, et al. 'Randomized, 1-Year Comparison of Three Ways to Initiate and Advance Insulin for Type 2 Diabetes: Twice-Daily Premixed Insulin versus Basal Insulin with Either Basal-plus One Prandial Insulin or Basal-Bolus up to Three Prandial Injections'. *Diabetes, Obesity and Metabolism* 16.5 (2014): 396-402. Web.

Riddle, Matthew C. et al. 'New Insulin Glargine 300 Units/mL Versus Glargine 100 Units/mL in People With Type 2 Diabetes Using Basal and Mealtime Insulin: Glucose Control and Hypoglycemia in a 6-Month Randomized Controlled Trial (EDITION 1)'. *Diabetes Care* 37.10 (2014): 2755-2762. Web.

Rodbard, H. W. et al. 'Safety and Efficacy of Insulin Degludec/Liraglutide (IDegLira) Added to Sulphonylurea Alone or to Sulphonylurea and Metformin in Insulin-Naïve People with Type 2 Diabetes: The DUAL IV Trial'. *Diabetic Medicine* 34.2 (2017): 189-196. Web.

Rorsman, P., and E. Renström. 'Insulin Granule Dynamics in Pancreatic Beta Cells'. *Diabetologia* 46.8 (2003): 1029-1045. Web.

Rosenstock, J. et al. 'Better Glycemic Control and Weight Loss With the Novel Long-Acting Basal Insulin LY2605541 Compared With Insulin Glargine in Type 1 Diabetes: A Randomized, Crossover Study'. *Diabetes Care* 36.3 (2013): 522-528. Web.

---. 'Efficacy and Safety of Lixisenatide Once Daily Versus Exenatide Twice Daily in Type 2 Diabetes Inadequately Controlled on Metformin: A 24-Week, Randomized, Open-Label, Active-Controlled Study (GetGoal-X)'. *Diabetes Care* 36.10 (2013): 2945-2951. Web.

Rosenstock, Julio et al. 'Improved Glucose Control With Weight Loss, Lower Insulin Doses,

- and No Increased Hypoglycemia With Empagliflozin Added to Titrated Multiple Daily Injections of Insulin in Obese Inadequately Controlled Type 2 Diabetes'. *Diabetes Care* 37.7 (2014): 1815–1823. Web.
- . 'Improved Glucose Control With Weight Loss, Lower Insulin Doses, and No Increased Hypoglycemia With Empagliflozin Added to Titrated Multiple Daily Injections of Insulin in Obese Inadequately Controlled Type 2 Diabetes'. *Diabetes Care* 37.7 (2014): 1815–1823. Web.
- Rowles, S, A Kilvert, and A Sinclair. 'ABCD Position Statement on Diabetes and End of Life Care'. *Practical Diabetes International* 28.1 (2011): 26–27. Web.
- . 'ABCD Position Statement on Diabetes and End of Life Care'. *Practical Diabetes International* 28.1 (2011): 26–27. Web.
- Russell-Jones, David, and Rehman Khan. 'Insulin-Associated Weight Gain in Diabetes – Causes, Effects and Coping Strategies'. *Diabetes, Obesity and Metabolism* 9.6 (2007): 799–812. Web.
- Shosuke Satake, Mary Courtney Moore, Kayano Igawa, Margaret Converse, Benjamin Farmer, Doss W. Neal. 'Direct and Indirect Effects of Insulin on Glucose Uptake and Storage by the Liver. (Original Articles)'. *Diabetes* n. pag. Web.
<http://go.galegroup.com.ezproxy4.lib.le.ac.uk/ps/retrieve.do?tabID=T002&resultListType=RESULT_LIST&searchResultsType=SingleTab&searchType=AdvancedSearchForm¤tPosition=2&docId=GALE%7CA87347789&docType=Article&sort=Relevance&contentSegment=&prodId=EAIM&contentSet=GAL E%7CA87347789&searchId=R8&userGroupName=leicester&inPS=true>.
- Simmons, J. H. et al. 'Reliability of the Diabetes Fear of Injecting and Self-Testing Questionnaire in Pediatric Patients With Type 1 Diabetes'. *Diabetes Care* 30.4 (2007): 987–988. Web.
- Simmons, Lisa R. et al. 'Steroid-Induced Diabetes: Is It Just Unmasking of Type 2 Diabetes?' *ISRN Endocrinology* 2012 (2012): 1–5. Web.
- Srinivasan, B T et al. 'Recent Advances in the Management of Type 2 Diabetes Mellitus: A Review'. *Postgraduate Medical Journal* 84.996 (2008): 524–531. Web.
- Srinivasan, Balasubramanian T., and Melanie Davies. 'Glycaemic Management of Type 2 Diabetes'. *Medicine* 42.12 (2014): 711–717. Web.
- 'Suggested Insulin Regimens for Patients with Type 1 Diabetes Mellitus Who Wish to Fast during the Month of Ramadan - ClinicalKey'. N.p., n.d. Web.
<<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0149291808002737>>.
- Swinnen, Sanne G et al. 'Insulin Detemir versus Insulin Glargine for Type 2 Diabetes Mellitus'. *Cochrane Database of Systematic Reviews*. Chichester, UK: John Wiley & Sons, Ltd, 1996. Web. <<http://doi.wiley.com/10.1002/14651858.CD006383.pub2>>.
- Tapley, Michael, and Elizabeth Needham. 'Improving End of Life Care for People with Diabetes'. *Practical Diabetes* 29.8 (2012): 306–307a. Web.

'The Effect of Intensive Treatment of Diabetes on the Development and Progression of Long-Term Complications in Insulin-Dependent Diabetes Mellitus'. *New England Journal of Medicine* 329.14 (1993): 977–986. Web.

Tikkanen-Dolenc, Heidi et al. 'Frequent and Intensive Physical Activity Reduces Risk of Cardiovascular Events in Type 1 Diabetes'. *Diabetologia* (2016): n. pag. Web.

'Training in Flexible, Intensive Insulin Management to Enable Dietary Freedom in People with Type 1 Diabetes: Dose Adjustment for Normal Eating (DAFNE) Randomised Controlled Trial'. *BMJ* 325.7367 (2002): 746–746. Web.

Villani, M., B. de Courten, and S. Zoungas. 'Emergency Treatment of Hypoglycaemia: A Guideline and Evidence Review'. *Diabetic Medicine* 34.9 (2017): 1205–1211. Web.

W. Blair Geho. 'A Single-Blind, Placebo-Controlled, Dose-Ranging Trial of Oral Hepatic-Directed Vesicle Insulin Add-on to Oral Antidiabetic Treatment in Patients With Type 2 Diabetes Mellitus'. *Journal of Diabetes Science and Technology* 8.3 (2014): n. pag. Web. <<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4455427/>>.

Wahren, J., and A. Kallas. 'Loss of Pulsatile Insulin Secretion: A Factor in the Pathogenesis of Type 2 Diabetes?' *Diabetes* 61.9 (2012): 2228–2229. Web.

Walker, Rosemary A., Jill Rodgers, and Diabetes UK. *Diabetes: A Practical Guide to Managing Your Health*. Fully revised and updated. London: Dorling Kindersley, 2010. Print.

Wang, C., J. Mamza, and I. Idris. 'Biphasic vs Basal Bolus Insulin Regimen in Type 2 Diabetes: A Systematic Review and Meta-Analysis of Randomized Controlled Trials'. *Diabetic Medicine* 32.5 (2015): 585–594. Web.

Wang, Weihao et al. 'Effects of Insulin Plus Glucagon-Like Peptide-1 Receptor Agonists (GLP-1RAs) in Treating Type 1 Diabetes Mellitus: A Systematic Review and Meta-Analysis'. *Diabetes Therapy* (2017): n. pag. Web.

Yki-Jarvinen, H. et al. 'Initiate Insulin by Aggressive Titration and Education (INITIATE): A Randomized Study to Compare Initiation of Insulin Combination Therapy in Type 2 Diabetic Patients Individually and in Groups'. *Diabetes Care* 30.6 (2007): 1364–1369. Web.

Yki-Jarvinen, H., and A. Kotronen. 'Is There Evidence to Support Use of Premixed or Prandial Insulin Regimens in Insulin-Naive or Previously Insulin-Treated Type 2 Diabetic Patients?' *Diabetes Care* 36.Supplement_2 (2013): S205–S211. Web.

Young, Laura A, and John B Buse. 'GLP-1 Receptor Agonists and Basal Insulin in Type 2 Diabetes'. *The Lancet* 384.9961 (2014): 2180–2181. Web.

Zambanini, Andrew et al. 'Injection Related Anxiety in Insulin-Treated Diabetes'. *Diabetes Research and Clinical Practice* 46.3 (1999): 239–246. Web.

Zinman, Bernard et al. 'Insulin Degludec, an Ultra-Long-Acting Basal Insulin, Once a Day or Three Times a Week versus Insulin Glargine Once a Day in Patients with Type 2 Diabetes: A 16-Week, Randomised, Open-Label, Phase 2 Trial'. *The Lancet* 377.9769 (2011): 924–931. Web.