

Copy of MD7512 Clinical Presentation & Management of Diabetes: Complications & Cardiovascular Disease

View Online



Clinical Presentation & Management of Diabetes:
Complications & Cardiovascular Disease

Abdul-Ghani, M. et al. (2017) 'Cardiovascular Disease and Type 2 Diabetes: Has the Dawn of a New Era Arrived?', *Diabetes Care*, 40(7), pp. 813–820. Available at: <https://doi.org/10.2337/dc16-2736>.

Adamsson Eryd, S. et al. (2017) 'Risk of future microvascular and macrovascular disease in people with Type 1 diabetes of very long duration: a national study with 10-year follow-up', *Diabetic Medicine*, 34(3), pp. 411–418. Available at: <https://doi.org/10.1111/dme.13266>.

Andersson, D.P. et al. (2017) 'Association between treatment for erectile dysfunction and death or cardiovascular outcomes after myocardial infarction', *Heart* [Preprint]. Available at: <https://doi.org/10.1136/heartjnl-2016-310746>.

'Assessing the relationship between admission glucose levels, subsequent length of hospital stay, readmission and mortality.' (no date) *Prime* [Preprint]. Available at: https://www.unboundmedicine.com/medline/citation/22586788/Assessing_the_relationship_between_admission_glucose_levels_subsequent_length_of_hospital_stay_readmission_and_mortality_.

Atkinson, M.A., Eisenbarth, G.S. and Michels, A.W. (2014) 'Type 1 diabetes', *The Lancet*, 383(9911), pp. 69–82. Available at: [https://doi.org/10.1016/S0140-6736\(13\)60591-7](https://doi.org/10.1016/S0140-6736(13)60591-7).

Azmi, S. et al. (2017) 'Small-fibre neuropathy in men with type 1 diabetes and erectile dysfunction: a cross-sectional study', *Diabetologia* [Preprint]. Available at: <https://doi.org/10.1007/s00125-017-4245-z>.

Bangalore, S. et al. (2011) 'Blood Pressure Targets in Subjects With Type 2 Diabetes Mellitus/Impaired Fasting Glucose: Observations From Traditional and Bayesian Random-Effects Meta-Analyses of Randomized Trials', *Circulation*, 123(24), pp. 2799–2810. Available at: <https://doi.org/10.1161/CIRCULATIONAHA.110.016337>.

Barzilay, J.I. et al. (2012) 'Long-Term Effects of Incident Diabetes Mellitus on Cardiovascular Outcomes in People Treated for Hypertension: The ALLHAT Diabetes Extension Study', *Circulation: Cardiovascular Quality and Outcomes*, 5(2), pp. 153–162. Available at: <https://doi.org/10.1161/CIRCOUTCOMES.111.962522>.

Bianchi, C., Miccoli, R. and Del Prato, S. (2013a) 'Hyperglycemia and Vascular Metabolic Memory: Truth or Fiction?', *Current Diabetes Reports*, 13(3), pp. 403–410. Available at: <https://doi.org/10.1007/s11892-013-0371-2>.

- Bianchi, C., Miccoli, R. and Del Prato, S. (2013b) 'Hyperglycemia and Vascular Metabolic Memory: Truth or Fiction?', *Current Diabetes Reports*, 13(3), pp. 403–410. Available at: <https://doi.org/10.1007/s11892-013-0371-2>.
- Black, J.A. et al. (2014) 'Change in cardiovascular risk factors following early diagnosis of type 2 diabetes: a cohort analysis of a cluster-randomised trial', *British Journal of General Practice*, 64(621), pp. e208–e216. Available at: <https://doi.org/10.3399/bjgp14X677833>.
- Boulton, A.J. et al. (2009) 'International collaborative research on Charcot's disease - 2009', *The Lancet*, 373(9658), pp. 105–106. Available at: [https://doi.org/10.1016/S0140-6736\(09\)60019-2](https://doi.org/10.1016/S0140-6736(09)60019-2).
- Boussageon, R. et al. (2011) 'Effect of intensive glucose lowering treatment on all cause mortality, cardiovascular death, and microvascular events in type 2 diabetes: meta-analysis of randomised controlled trials', *BMJ*, 343(jul26 1), pp. d4169–d4169. Available at: <https://doi.org/10.1136/bmj.d4169>.
- Braffett, B.H., Wessells, H. and Sarma, A.V. (2016) 'Urogenital Autonomic Dysfunction in Diabetes', *Current Diabetes Reports*, 16(12). Available at: <https://doi.org/10.1007/s11892-016-0824-5>.
- Çakici, N. et al. (2016a) 'Systematic review of treatments for diabetic peripheral neuropathy', *Diabetic Medicine*, 33(11), pp. 1466–1476. Available at: <https://doi.org/10.1111/dme.13083>.
- Çakici, N. et al. (2016b) 'Systematic review of treatments for diabetic peripheral neuropathy', *Diabetic Medicine*, 33(11), pp. 1466–1476. Available at: <https://doi.org/10.1111/dme.13083>.
- Cardiovascular outcome trials of glucose-lowering drugs or strategies in type 2 diabetes - ClinicalKey (no date). Available at: <https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0140673614607947>.
- Cefalu, W.T. et al. (2016) 'Getting to the "Heart" of the Matter on Diabetic Cardiovascular Disease: "Thanks for the Memory"', *Diabetes Care*, 39(5), pp. 664–667. Available at: <https://doi.org/10.2337/dc16-0405>.
- Chatterjee, S., Khunti, K. and Davies, M.J. (2017) 'Type 2 diabetes', *The Lancet* [Preprint]. Available at: [https://doi.org/10.1016/S0140-6736\(17\)30058-2](https://doi.org/10.1016/S0140-6736(17)30058-2).
- Cheung, N., Mitchell, P. and Wong, T.Y. (2010) 'Diabetic retinopathy', *The Lancet*, 376(9735), pp. 124–136. Available at: [https://doi.org/10.1016/S0140-6736\(09\)62124-3](https://doi.org/10.1016/S0140-6736(09)62124-3).
- Chloe L. Edridge (2015) 'Prevalence and Incidence of Hypoglycaemia in 532,542 People with Type 2 Diabetes on Oral Therapies and Insulin: A Systematic Review and Meta-Analysis of Population Based Studies', *PLoS ONE*, 10(6). Available at: <https://doi.org/doi:10.1371/journal.pone.0126427>.
- Clokie, M. et al. (2017) 'New horizons in the understanding of the causes and management of diabetic foot disease: report from the 2017 Diabetes UK Annual Professional Conference

Symposium', *Diabetic Medicine*, 34(3), pp. 305–315. Available at:
<https://doi.org/10.1111/dme.13313>.

Dahlöf, B. et al. (2005) 'Prevention of cardiovascular events with an antihypertensive regimen of amlodipine adding perindopril as required versus atenolol adding bendroflumethiazide as required, in the Anglo-Scandinavian Cardiac Outcomes Trial-Blood Pressure Lowering Arm (ASCOT-BPLA): a multicentre randomised controlled trial', *The Lancet*, 366(9489), pp. 895–906. Available at:
[https://doi.org/10.1016/S0140-6736\(05\)67185-1](https://doi.org/10.1016/S0140-6736(05)67185-1).

Dana Dabelea (no date) 'Association of Type 1 Diabetes vs Type 2 Diabetes Diagnosed During Childhood and Adolescence With Complications During Teenage Years and Young Adulthood', *JAMA*, 317(8), pp. 825–835. Available at:
<https://doi.org/10.1001/jama.2017.0686>.

Denig, P. et al. (2014) 'Effects of a patient oriented decision aid for prioritising treatment goals in diabetes: pragmatic randomised controlled trial', *BMJ*, 349(sep25 6), pp. g5651–g5651. Available at: <https://doi.org/10.1136/bmj.g5651>.

Dhatariya, K. et al. (2012) 'NHS Diabetes guideline for the perioperative management of the adult patient with diabetes', *Diabetic Medicine*, 29(4), pp. 420–433. Available at:
<https://doi.org/10.1111/j.1464-5491.2012.03582.x>.

Dhatariya, K.K. and Vellanki, P. (2017) 'Treatment of Diabetic Ketoacidosis (DKA)/Hyperglycemic Hyperosmolar State (HHS): Novel Advances in the Management of Hyperglycemic Crises (UK Versus USA)', *Current Diabetes Reports*, 17(5). Available at:
<https://doi.org/10.1007/s11892-017-0857-4>.

'Diabetes mellitus, fasting blood glucose concentration, and risk of vascular disease: a collaborative meta-analysis of 102 prospective studies' (2010) *The Lancet*, 375(9733), pp. 2215–2222. Available at: [https://doi.org/10.1016/S0140-6736\(10\)60484-9](https://doi.org/10.1016/S0140-6736(10)60484-9).

'Diabetes Mellitus, Fasting Glucose, and Risk of Cause-Specific Death' (2011) *New England Journal of Medicine*, 364(9), pp. 829–841. Available at:
<https://doi.org/10.1056/NEJMoa1008862>.

Diabetes Mellitus Type 2: A Driving Force for Urological Complications - ClinicalKey (no date a). Available at:
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S1043276016000321>.

Diabetes Mellitus Type 2: A Driving Force for Urological Complications - ClinicalKey (no date b). Available at:
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S1043276016000321>.

'Diabetic foot problems: prevention and management | Guidance and guidelines | NICE' (no date). Available at: <https://www.nice.org.uk/guidance/ng19>.

Duckworth, W. et al. (2009) 'Glucose Control and Vascular Complications in Veterans with Type 2 Diabetes', *New England Journal of Medicine*, 360(2), pp. 129–139. Available at:

<https://doi.org/10.1056/NEJMoa0808431>.

Dwamena, F. et al. (1996) 'Interventions for providers to promote a patient-centred approach in clinical consultations', in Cochrane Database of Systematic Reviews. Chichester, UK: John Wiley & Sons, Ltd. Available at: <https://doi.org/10.1002/14651858.CD003267.pub2>.

'Effect of intensive blood-glucose control with metformin on complications in overweight patients with type 2 diabetes (UKPDS 34)' (1998) *The Lancet*, 352(9131), pp. 854–865. Available at: [https://doi.org/10.1016/S0140-6736\(98\)07037-8](https://doi.org/10.1016/S0140-6736(98)07037-8).

'Effects of Combination Lipid Therapy in Type 2 Diabetes Mellitus' (2010) *New England Journal of Medicine*, 362(17), pp. 1563–1574. Available at: <https://doi.org/10.1056/NEJMoa1001282>.

'Effects of Different Blood Pressure-Lowering Regimens on Major Cardiovascular Events in Individuals With and Without Diabetes Mellitus' (2005) *Archives of Internal Medicine*, 165(12). Available at: <https://doi.org/10.1001/archinte.165.12.1410>.

'Effects of Intensive Blood-Pressure Control in Type 2 Diabetes Mellitus' (2010a) *New England Journal of Medicine*, 362(17), pp. 1575–1585. Available at: <https://doi.org/10.1056/NEJMoa1001286>.

'Effects of Intensive Blood-Pressure Control in Type 2 Diabetes Mellitus' (2010b) *New England Journal of Medicine*, 362(17), pp. 1575–1585. Available at: <https://doi.org/10.1056/NEJMoa1001286>.

'Effects of Intensive Glucose Lowering in Type 2 Diabetes' (2008) *New England Journal of Medicine*, 358(24), pp. 2545–2559. Available at: <https://doi.org/10.1056/NEJMoa0802743>.
'Effects of reducing blood pressure on renal outcomes in patients with type 2 diabetes: Focus on SGLT2 inhibitors and EMPA-REG OUTCOME - ClinicalKey' (no date). Available at: <https://www.clinicalkey.com/#!/content/journal/1-s2.0-S1262363617300022>.

Ele Ferrannini (2015) 'Impact of glucose-lowering drugs on cardiovascular disease in type 2 diabetes', *European Heart Journal*, 36(34), pp. 2288–2296. Available at: <http://eurheartj.oxfordjournals.org/content/36/34/2288>.

Elliott, W.J. and Meyer, P.M. (2007) 'Incident diabetes in clinical trials of antihypertensive drugs: a network meta-analysis', *The Lancet*, 369(9557), pp. 201–207. Available at: [https://doi.org/10.1016/S0140-6736\(07\)60108-1](https://doi.org/10.1016/S0140-6736(07)60108-1).

Ferrannini, E. and Cushman, W.C. (2012) 'Diabetes and hypertension: the bad companions', *The Lancet*, 380(9841), pp. 601–610. Available at: [https://doi.org/10.1016/S0140-6736\(12\)60987-8](https://doi.org/10.1016/S0140-6736(12)60987-8).

Filippatos, T. et al. (2017) 'Pathophysiology of diabetic dyslipidaemia', *Current Vascular Pharmacology*, 15(999), pp. 1–1.

Fisher, L., Gonzalez, J.S. and Polonsky, W.H. (2014) 'The confusing tale of depression and distress in patients with diabetes: a call for greater clarity and precision', *Diabetic Medicine*, 31(7), pp. 764–772. Available at: <https://doi.org/10.1111/dme.12428>.

Foresta, C. et al. (2017) 'The great opportunity of the andrological patient: cardiovascular and metabolic risk assessment and prevention', *Andrology* [Preprint]. Available at: <https://doi.org/10.1111/andr.12342>.

Fox, C.S. et al. (2015) 'Update on Prevention of Cardiovascular Disease in Adults With Type 2 Diabetes Mellitus in Light of Recent Evidence: A Scientific Statement From the American Heart Association and the American Diabetes Association', *Diabetes Care*, 38(9), pp. 1777–1803. Available at: <https://doi.org/10.2337/dci15-0012>.

'Frequency of Evidence-Based Screening for Retinopathy in Type 1 Diabetes' (2017) *New England Journal of Medicine*, 376(16), pp. 1507–1516. Available at: <https://doi.org/10.1056/NEJMoa1612836>.

Gæde, P. et al. (2008) 'Effect of a Multifactorial Intervention on Mortality in Type 2 Diabetes', *New England Journal of Medicine*, 358(6), pp. 580–591. Available at: <https://doi.org/10.1056/NEJMoa0706245>.

Gæde, P. et al. (2016) 'Years of life gained by multifactorial intervention in patients with type 2 diabetes mellitus and microalbuminuria: 21 years follow-up on the Steno-2 randomised trial', *Diabetologia*, 59(11), pp. 2298–2307. Available at: <https://doi.org/10.1007/s00125-016-4065-6>.

Game, F. (2016) 'Classification of diabetic foot ulcers', *Diabetes/Metabolism Research and Reviews*, 32, pp. 186–194. Available at: <https://doi.org/10.1002/dmrr.2746>.

Giorgino, F., Home, P.D. and Tuomilehto, J. (2016) 'Glucose Control and Vascular Outcomes in Type 2 Diabetes: Is the Picture Clear?', *Diabetes Care*, 39(Supplement 2), pp. S187–S195. Available at: <https://doi.org/10.2337/dcS15-3023>.

Giovanni Corona (2016) 'Sexual Dysfunction in Type 2 Diabetes at Diagnosis: Progression over Time and Drug and Non-Drug Correlated Factors', *PLoS ONE*, 11(10). Available at: <https://doi.org/doi:10.1371/journal.pone.0157915>.

Hayward, R.A. et al. (2015a) 'Follow-up of Glycemic Control and Cardiovascular Outcomes in Type 2 Diabetes', *New England Journal of Medicine*, 372(23), pp. 2197–2206. Available at: <https://doi.org/10.1056/NEJMoa1414266>.

Hayward, R.A. et al. (2015b) 'Follow-up of Glycemic Control and Cardiovascular Outcomes in Type 2 Diabetes', *New England Journal of Medicine*, 372(23), pp. 2197–2206. Available at: <https://doi.org/10.1056/NEJMoa1414266>.

Holman, R.R. et al. (2008) '10-Year Follow-up of Intensive Glucose Control in Type 2 Diabetes', *New England Journal of Medicine*, 359(15), pp. 1577–1589. Available at: <https://doi.org/10.1056/NEJMoa0806470>.

Holman, R.R. et al. (2017) 'Effects of Once-Weekly Exenatide on Cardiovascular Outcomes in Type 2 Diabetes', *New England Journal of Medicine*, 377(13), pp. 1228–1239. Available at: <https://doi.org/10.1056/NEJMoa1612917>.

Holt, R.I.G. (2010) *Textbook of diabetes*. 4th ed. Chichester: Wiley-Blackwell. Available at: <http://ezproxy.lib.le.ac.uk/login?url=http://www.myilibrary.com?id=269077>.

Holt, R.I.G. et al. (2016) Textbook of Diabetes. 5th ed. Somerset: John Wiley & Sons, Incorporated. Available at:
<http://ebookcentral.proquest.com/lib/leicester/detail.action?docID=4769056>.

Holt, R.I.G. et al. (eds) (2017) Textbook of diabetes. Fifth edition. Chichester, West Sussex, UK: Wiley Blackwell. Available at:
<http://ezproxy.lib.le.ac.uk/login?url=http://ebookcentral.proquest.com.ezproxy3.lib.le.ac.uk/lib/leicester/detail.action?docID=4769056>.

Holt, R.I.G. (2017) 'Understanding of the causes and management of diabetic foot disease', Diabetic Medicine, 34(3), pp. 303–304. Available at: <https://doi.org/10.1111/dme.13319>.

Hotaling, J.M. et al. (2016a) 'Cardiovascular Autonomic Neuropathy, Sexual Dysfunction, and Urinary Incontinence in Women With Type 1 Diabetes', Diabetes Care, 39(9), pp. 1587–1593. Available at: <https://doi.org/10.2337/dc16-0059>.

Hotaling, J.M. et al. (2016b) 'Cardiovascular Autonomic Neuropathy, Sexual Dysfunction, and Urinary Incontinence in Women With Type 1 Diabetes', Diabetes Care, 39(9), pp. 1587–1593. Available at: <https://doi.org/10.2337/dc16-0059>.

Hypertension: Clinical Management of Primary Hypertension in Adults | NICE guideline 127. August 2011 (no date). Available at: <http://www.nice.org.uk/guidance/cg127>.

Ian Blumer, MD, FRCPC1, 2, Maureen Clement, MD, CCFP3, , (no date) 'Type 2 Diabetes, Hypoglycemia, and Basal Insulins: Ongoing Challenges', Type 2 Diabetes, Hypoglycemia, and Basal Insulins: Ongoing Challenges [Preprint]. Available at:
<http://www.sciencedirect.com.ezproxy4.lib.le.ac.uk/science/article/pii/S0149291816307792>

'Integration of recent evidence into management of patients with atherosclerotic cardiovascular disease and type 2 diabetes - ClinicalKey' (no date). Available at:
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858717300335>.

'Intensive Blood Glucose Control and Vascular Outcomes in Patients with Type 2 Diabetes' (2008) New England Journal of Medicine, 358(24), pp. 2560–2572. Available at:
<https://doi.org/10.1056/NEJMoa0802987>.

'Intensive Diabetes Treatment and Cardiovascular Disease in Patients with Type 1 Diabetes' (2005) New England Journal of Medicine, 353(25), pp. 2643–2653. Available at:
<https://doi.org/10.1056/NEJMoa052187>.

Intensive systolic blood pressure control and incident chronic kidney disease in people with and without diabetes mellitus: secondary analyses of two randomised controlled trials- ClinicalKey (no date). Available at:
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858718300998>.

International Textbook of Diabetes Mellitus. 4th edn (2015). John Wiley & Sons, Incorporated. Available at:
<http://ebookcentral.proquest.com.ezproxy3.lib.le.ac.uk/lib/leicester/detail.action?docID=18>

95437.

Jhamb, S., Vangaveti, V.N. and Malabu, U.H. (2016) 'Genetic and molecular basis of diabetic foot ulcers: Clinical review', *Journal of Tissue Viability*, 25(4), pp. 229–236. Available at: <https://doi.org/10.1016/j.jtv.2016.06.005>.

Jin, D. et al. (2010) 'Effect of transcutaneous electrical nerve stimulation on symptomatic diabetic peripheral neuropathy: A meta-analysis of randomized controlled trials', *Diabetes Research and Clinical Practice*, 89(1), pp. 10–15. Available at: <https://doi.org/10.1016/j.diabres.2010.03.021>.

Johal, S. et al. (2017) 'Pre-existing diabetes is a risk factor for increased rates of cellular rejection after kidney transplantation: an observational cohort study', *Diabetic Medicine* [Preprint]. Available at: <https://doi.org/10.1111/dme.13383>.

Kaul, S. (2017) 'Mitigating Cardiovascular Risk in Type 2 Diabetes With Antidiabetes Drugs: A Review of Principal Cardiovascular Outcome Results of EMPA-REG OUTCOME, LEADER, and SUSTAIN-6 Trials', *Diabetes Care*, 40(7), pp. 821–831. Available at: <https://doi.org/10.2337/dc17-0291>.

Khunti, K. et al. (2013) 'Clinical Inertia in People With Type 2 Diabetes: A retrospective cohort study of more than 80,000 people', *Diabetes Care*, 36(11), pp. 3411–3417. Available at: <https://doi.org/10.2337/dc13-0331>.

Khunti, K. et al. (2015a) 'Hypoglycemia and Risk of Cardiovascular Disease and All-Cause Mortality in Insulin-Treated People With Type 1 and Type 2 Diabetes: A Cohort Study', *Diabetes Care*, 38(2), pp. 316–322. Available at: <https://doi.org/10.2337/dc14-0920>.

Khunti, K. et al. (2015b) 'Hypoglycemia and Risk of Cardiovascular Disease and All-Cause Mortality in Insulin-Treated People With Type 1 and Type 2 Diabetes: A Cohort Study', *Diabetes Care*, 38(2), pp. 316–322. Available at: <https://doi.org/10.2337/dc14-0920>.

Koye, D.N. et al. (2017) 'Incidence of chronic kidney disease among people with diabetes: a systematic review of observational studies', *Diabetic Medicine* [Preprint]. Available at: <https://doi.org/10.1111/dme.13324>.

Kunutsor, S.K., Seidu, S. and Khunti, K. (2017) 'Aspirin for primary prevention of cardiovascular and all-cause mortality events in diabetes: updated meta-analysis of randomized controlled trials', *Diabetic Medicine*, 34(3), pp. 316–327. Available at: <https://doi.org/10.1111/dme.13133>.

Liew, G., Mitchell, P. and Wong, T.Y. (2009) 'Systemic management of diabetic retinopathy', *BMJ*, 338(feb12 1), pp. b441–b441. Available at: <https://doi.org/10.1136/bmj.b441>.

Lindholm, L.H. et al. (2002) 'Cardiovascular morbidity and mortality in patients with diabetes in the Losartan Intervention For Endpoint reduction in hypertension study (LIFE): a randomised trial against atenolol', *The Lancet*, 359(9311), pp. 1004–1010. Available at: [https://doi.org/10.1016/S0140-6736\(02\)08090-X](https://doi.org/10.1016/S0140-6736(02)08090-X).

Lipid-lowering efficacy of the PCSK9 inhibitor evolocumab (AMG 145) in patients with type

2 diabetes: a meta-analysis of individual patient data - ClinicalKey (no date). Available at: <https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858716000036>.

'Long-Term Effects of Intensive Glucose Lowering on Cardiovascular Outcomes' (2011) *New England Journal of Medicine*, 364(9), pp. 818–828. Available at: <https://doi.org/10.1056/NEJMoa1006524>.

Macrovascular disease and risk factors in youth with type 1 diabetes: time to be more attentive to treatment?- ClinicalKey (no date a). Available at: <https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858718300354>.

Macrovascular disease and risk factors in youth with type 1 diabetes: time to be more attentive to treatment?- ClinicalKey (no date b). Available at: <https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858718300354>.

Macrovascular disease and risk factors in youth with type 1 diabetes: time to be more attentive to treatment?- ClinicalKey (no date c). Available at: <https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858718300354>.

Malavige, L.S. et al. (2015) 'The association between physical activity and sexual dysfunction in patients with diabetes mellitus of European and South Asian origin: The Oxford Sexual Dysfunction Study', *European Journal of Medical Research*, 20(1). Available at: <https://doi.org/10.1186/s40001-015-0186-5>.

Marso, S.P. et al. (2016) 'Liraglutide and Cardiovascular Outcomes in Type 2 Diabetes', *New England Journal of Medicine*, 375(4), pp. 311–322. Available at: <https://doi.org/10.1056/NEJMoa1603827>.

Matheus, A.S. de M. et al. (2013) 'Impact of Diabetes on Cardiovascular Disease: An Update', *International Journal of Hypertension*, 2013, pp. 1–15. Available at: <https://doi.org/10.1155/2013/653789>.

Mayer-Davis, E.J. et al. (2017) 'Incidence Trends of Type 1 and Type 2 Diabetes among Youths, 2002–2012', *New England Journal of Medicine*, 376(15), pp. 1419–1429. Available at: <https://doi.org/10.1056/NEJMoa1610187>.

Melanie Davies (2016) 'The treatment of type 2 diabetes in the presence of renal impairment: what we should know about newer therapies', *Clinical Pharmacology : Advances and Applications*, 8. Available at: <https://doi.org/doi:10.2147/CPAA.S82008>.

Micha, R. et al. (2017) 'Association Between Dietary Factors and Mortality From Heart Disease, Stroke, and Type 2 Diabetes in the United States', *JAMA*, 317(9). Available at: <https://doi.org/10.1001/jama.2017.0947>.

'Microvascular Complications and Foot Care' (2017) *Diabetes Care*, 40(Supplement 1), pp. S88–S98. Available at: <https://doi.org/10.2337/dc17-S013>.

Miller, M.E. et al. (2010) 'The effects of baseline characteristics, glycaemia treatment approach, and glycated haemoglobin concentration on the risk of severe hypoglycaemia: post hoc epidemiological analysis of the ACCORD study', *BMJ*, 340(jan08 1), pp. b5444–b5444. Available at: <https://doi.org/10.1136/bmj.b5444>.

'Minimizing Hypoglycemia in Diabetes: Table 1' (2015) *Diabetes Care*, 38(8), pp. 1583–1591. Available at: <https://doi.org/10.2337/dc15-0279>.

Moreton, R.B.R. et al. (2017) 'Factors determining uptake of diabetic retinopathy screening in Oxfordshire', *Diabetic Medicine*, 34(7), pp. 993–999. Available at: <https://doi.org/10.1111/dme.13350>.

'Mortality and Cardiovascular Disease in Type 1 and Type 2 Diabetes' (2017) *New England Journal of Medicine*, 377(3), pp. 300–301. Available at: <https://doi.org/10.1056/NEJMc1706292>.

Navaneethan, S.D. et al. (2017) 'Diabetes Control and the Risks of ESRD and Mortality in Patients With CKD', *American Journal of Kidney Diseases* [Preprint]. Available at: <https://doi.org/10.1053/j.ajkd.2016.11.018>.

Nicolucci, A. and Standl, E. (2011) 'Antiplatelet Therapy for Every Diabetic Person?', *Diabetes Care*, 34(Supplement_2), pp. S150–S154. Available at: <https://doi.org/10.2337/dc11-s210>.

Older antidiabetic drugs | *The British Journal of Cardiology* (no date). Available at: <https://bjcardio.co.uk/2018/03/older-antidiabetic-drugs/>.

Omland, T. et al. (2016) 'Relation of Erectile Dysfunction to Subclinical Myocardial Injury', *The American Journal of Cardiology*, 118(12), pp. 1821–1825. Available at: <https://doi.org/10.1016/j.amjcard.2016.08.070>.

Orchard, T.J. et al. (2015) 'Association Between 7 Years of Intensive Treatment of Type 1 Diabetes and Long-term Mortality', *JAMA*, 313(1). Available at: <https://doi.org/10.1001/jama.2014.16107>.

P Naidoo (2015) 'Lower limb complications of diabetes mellitus: a comprehensive review with clinicopathological insights from a dedicated high-risk diabetic foot multidisciplinary team', *The British Journal of Radiology*, 88(1053). Available at: <https://doi.org/doi:10.1259/bjr.20150135>.

Paul, S.K. et al. (2015) 'Delay in treatment intensification increases the risks of cardiovascular events in patients with type 2 diabetes', *Cardiovascular Diabetology*, 14(1). Available at: <https://doi.org/10.1186/s12933-015-0260-x>.

Personalised blood pressure ranges in type 2 diabetes?- *ClinicalKey* (no date a). Available at: <https://www.clinicalkey.com/#!/content/journal/1-s2.0-S2213858718300020>.

Personalised blood pressure ranges in type 2 diabetes?- *ClinicalKey* (no date b). Available at: <https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858718300020>.

Personalised treatment targets in type 2 diabetes patients: The Dutch approach - ClinicalKey (no date). Available at:
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S1751991816300626>.

Pickering, R.J. et al. (2018) 'Recent novel approaches to limit oxidative stress and inflammation in diabetic complications', *Clinical & Translational Immunology*, 7(4). Available at: <https://doi.org/10.1002/cti2.1016>.

Piepoli, M.F. et al. (2016) '2016 European Guidelines on cardiovascular disease prevention in clinical practice', *Atherosclerosis*, 252, pp. 207–274. Available at:
<https://doi.org/10.1016/j.atherosclerosis.2016.05.037>.

Proceedings of the 5th International DAWN Summit 2014: Acting together to make person-centred diabetes care a reality - ClinicalKey (no date). Available at:
<https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S0168822715001862>.

Rawshani, Aidin et al. (2017a) 'Mortality and Cardiovascular Disease in Type 1 and Type 2 Diabetes', *New England Journal of Medicine*, 376(15), pp. 1407–1418. Available at:
<https://doi.org/10.1056/NEJMoa1608664>.

Rawshani, Aidin et al. (2017b) 'Mortality and Cardiovascular Disease in Type 1 and Type 2 Diabetes', *New England Journal of Medicine*, 376(15), pp. 1407–1418. Available at:
<https://doi.org/10.1056/NEJMoa1608664>.

Ray, K.K. et al. (2009) 'Effect of intensive control of glucose on cardiovascular outcomes and death in patients with diabetes mellitus: a meta-analysis of randomised controlled trials', *The Lancet*, 373(9677), pp. 1765–1772. Available at:
[https://doi.org/10.1016/S0140-6736\(09\)60697-8](https://doi.org/10.1016/S0140-6736(09)60697-8).

Richard W. Nesto (2008) 'LDL cholesterol lowering in type 2 diabetes: what is the optimum approach?', *Clinical Diabetes*, 26(1). Available at:
<http://go.galegroup.com/ps/i.do?id=GALE|A174972167&v=2.1&u=leicester&it=r&p=EAIM&sw=w&asid=07d8e79bb8f42665bb52cc5732948c88>.

Ritholz, M.D., MacNeil, T. and Weinger, K. (2017a) 'Difficult conversations: adults with diabetes and the discussion of microvascular complications', *Diabetic Medicine [Preprint]*. Available at: <https://doi.org/10.1111/dme.13419>.

Ritholz, M.D., MacNeil, T. and Weinger, K. (2017b) 'Difficult conversations: adults with diabetes and the discussion of microvascular complications', *Diabetic Medicine*, 34(10), pp. 1447–1455. Available at: <https://doi.org/10.1111/dme.13419>.

Romero-Aroca, P. et al. (2017a) 'Differences in incidence of diabetic retinopathy between type 1 and 2 diabetes mellitus: a nine-year follow-up study', *British Journal of Ophthalmology [Preprint]*. Available at: <https://doi.org/10.1136/bjophthalmol-2016-310063>.

Romero-Aroca, P. et al. (2017b) 'Differences in incidence of diabetic retinopathy between type 1 and 2 diabetes mellitus: a nine-year follow-up study', *British Journal of*

Ophthalmology [Preprint]. Available at: <https://doi.org/10.1136/bjophthalmol-2016-310063>.

Romero-Aroca, P. et al. (2017c) 'Differences in incidence of diabetic retinopathy between type 1 and 2 diabetes mellitus: a nine-year follow-up study', *British Journal of Ophthalmology* [Preprint]. Available at: <https://doi.org/10.1136/bjophthalmol-2016-310063>.

Rosenberg, J.B. and Tsui, I. (2017) 'Screening for Diabetic Retinopathy', *New England Journal of Medicine*, 376(16), pp. 1587–1588. Available at: <https://doi.org/10.1056/NEJMe1701820>.

Saha, S.A. and Arora, R.R. (2010) 'Fibrates in the prevention of cardiovascular disease in patients with type 2 diabetes mellitus – A pooled meta-analysis of randomized placebo-controlled clinical trials', *International Journal of Cardiology*, 141(2), pp. 157–166. Available at: <https://doi.org/10.1016/j.ijcard.2008.11.211>.

Santi, D. et al. (2016) 'Six months of daily treatment with vardenafil improves parameters of endothelial inflammation and of hypogonadism in male patients with type 2 diabetes and erectile dysfunction: a randomized, double-blind, prospective trial', *European Journal of Endocrinology*, 174(4), pp. 513–522. Available at: <https://doi.org/10.1530/EJE-15-1100>.
Schrier, R.W., Estacio, R.O. and Jeffers, B. (1996) 'Appropriate Blood Pressure Control in NIDDM (ABCD) Trial', *Diabetologia*, 39(12), pp. 1646–1654. Available at: <https://doi.org/10.1007/s001250050629>.

Scott, A.R. (2015) 'Management of hyperosmolar hyperglycaemic state in adults with diabetes', *Diabetic Medicine*, 32(6), pp. 714–724. Available at: <https://doi.org/10.1111/dme.12757>.

Seidu, S. et al. (2016) 'Effects of glucose-lowering and multifactorial interventions on cardiovascular and mortality outcomes: a meta-analysis of randomized control trials', *Diabetic Medicine*, 33(3), pp. 280–289. Available at: <https://doi.org/10.1111/dme.12885>.

Soliman, E.Z. et al. (2017) 'Electrocardiographic Abnormalities and Cardiovascular Disease Risk in Type 1 Diabetes: The Epidemiology of Diabetes Interventions and Complications (EDIC) Study', *Diabetes Care*, 40(6), pp. 793–799. Available at: <https://doi.org/10.2337/dc16-2050>.

Solomon, S.D. et al. (2017a) 'Diabetic Retinopathy: A Position Statement by the American Diabetes Association', *Diabetes Care*, 40(3), pp. 412–418. Available at: <https://doi.org/10.2337/dc16-2641>.

Solomon, S.D. et al. (2017b) 'Erratum. Diabetic Retinopathy: A Position Statement by the American Diabetes Association. *Diabetes Care* 2017;40:412–418', *Diabetes Care*, 40(6), p. 809.3-809. Available at: <https://doi.org/10.2337/dc17-er06e>.

Solomon, S.D. et al. (2017c) 'Erratum. Diabetic Retinopathy: A Position Statement by the American Diabetes Association. *Diabetes Care* 2017;40:412–418', *Diabetes Care* [Preprint]. Available at: <https://doi.org/10.2337/dc17-er06e>.

Solomon, S.D. et al. (2017d) 'Erratum. Diabetic Retinopathy: A Position Statement by the

American Diabetes Association. Diabetes Care 2017;40:412–418', Diabetes Care [Preprint]. Available at: <https://doi.org/10.2337/dc17-er06e>.

Sultan, A. et al. (2017a) 'Evolution of silent myocardial ischaemia prevalence and cardiovascular disease risk factor management in Type 2 diabetes over a 10-year period: an observational study', Diabetic Medicine [Preprint]. Available at: <https://doi.org/10.1111/dme.13364>.

Sultan, A. et al. (2017b) 'Evolution of silent myocardial ischaemia prevalence and cardiovascular disease risk factor management in Type 2 diabetes over a 10-year period: an observational study', Diabetic Medicine [Preprint]. Available at: <https://doi.org/10.1111/dme.13364>.

The changing face of diabetes complications - ClinicalKey (no date). Available at: <https://www-clinicalkey-com.ezproxy3.lib.le.ac.uk/#!/content/journal/1-s2.0-S2213858716300109>.

'The Effect of Intensive Treatment of Diabetes on the Development and Progression of Long-Term Complications in Insulin-Dependent Diabetes Mellitus' (1993) New England Journal of Medicine, 329(14), pp. 977–986. Available at: <https://doi.org/10.1056/NEJM199309303291401>.

The evolution of diabetic ketoacidosis: An update of its etiology, pathogenesis and management - ClinicalKey (no date). Available at: <https://www-clinicalkey-com.ezproxy4.lib.le.ac.uk/#!/content/journal/1-s2.0-S0026049515003728>.

The Handbook for Vascular Risk Assessment, Risk Reduction and Risk Management - NHS Health Check (no date). Available at: http://www.healthcheck.nhs.uk/news/the_handbook_for_vascular_risk_assessment_risk_reduction_and_risk_management/.

Turnbull, F.M. et al. (2009a) 'Intensive glucose control and macrovascular outcomes in type 2 diabetes', Diabetologia, 52(11), pp. 2288–2298. Available at: <https://doi.org/10.1007/s00125-009-1470-0>.

Turnbull, F.M. et al. (2009b) 'Intensive glucose control and macrovascular outcomes in type 2 diabetes', Diabetologia, 52(11), pp. 2288–2298. Available at: <https://doi.org/10.1007/s00125-009-1470-0>.

'Type 1 diabetes in adults: diagnosis and management | Guidance and guidelines | NICE' (no date). Available at: <https://www.nice.org.uk/guidance/ng17>.

'Type 2 diabetes in adults: management | Guidance and guidelines | NICE' (no date). Available at: <https://www.nice.org.uk/guidance/ng28>.

UK Prospective Diabetes Study Group (1998) 'Tight blood pressure control and risk of macrovascular and microvascular complications in type 2 diabetes: UKPDS 38', BMJ : British Medical Journal, 317(7160). Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC28659/>.

- Umpierrez, G. and Korytkowski, M. (2016a) 'Diabetic emergencies — ketoacidosis, hyperglycaemic hyperosmolar state and hypoglycaemia', *Nature Reviews Endocrinology*, 12(4), pp. 222–232. Available at: <https://doi.org/10.1038/nrendo.2016.15>.
- Umpierrez, G. and Korytkowski, M. (2016b) 'Diabetic emergencies — ketoacidosis, hyperglycaemic hyperosmolar state and hypoglycaemia', *Nature Reviews Endocrinology*, 12(4), pp. 222–232. Available at: <https://doi.org/10.1038/nrendo.2016.15>.
- Valencia, W.M. and Florez, H. (2017) 'How to prevent the microvascular complications of type 2 diabetes beyond glucose control', *BMJ [Preprint]*. Available at: <https://doi.org/10.1136/bmj.i6505>.
- Wannamethee, S.G. et al. (2011) 'Impact of Diabetes on Cardiovascular Disease Risk and All-Cause Mortality in Older Men: influence of age at onset, diabetes duration and established and novel risk factors', *Archives of Internal Medicine*, 171(5). Available at: <https://doi.org/10.1001/archinternmed.2011.2>.
- Webb, D.R. et al. (2016) 'Cardiovascular risk factors and incident albuminuria in screen-detected type 2 diabetes', *Diabetes/Metabolism Research and Reviews [Preprint]*. Available at: <https://doi.org/10.1002/dmrr.2877>.
- Weber, M.A. et al. (2010) 'Cardiovascular Events During Differing Hypertension Therapies in Patients With Diabetes', *Journal of the American College of Cardiology*, 56(1), pp. 77–85. Available at: <https://doi.org/10.1016/j.jacc.2010.02.046>.
- Whelton, P.K. (2005) 'Clinical Outcomes in Antihypertensive Treatment of Type 2 Diabetes, Impaired Fasting Glucose Concentration, and Normoglycemia', *Archives of Internal Medicine*, 165(12). Available at: <https://doi.org/10.1001/archinte.165.12.1401>.
- White, J. et al. (2016) 'Association of Lipid Fractions With Risks for Coronary Artery Disease and Diabetes', *JAMA Cardiology*, 1(6). Available at: <https://doi.org/10.1001/jamacardio.2016.1884>.
- Wong, M.G. et al. (2016a) 'Long-term Benefits of Intensive Glucose Control for Preventing End-Stage Kidney Disease: ADVANCE-ON', *Diabetes Care*, 39(5), pp. 694–700. Available at: <https://doi.org/10.2337/dc15-2322>.
- Wong, M.G. et al. (2016b) 'Long-term Benefits of Intensive Glucose Control for Preventing End-Stage Kidney Disease: ADVANCE-ON', *Diabetes Care*, 39(5), pp. 694–700. Available at: <https://doi.org/10.2337/dc15-2322>.
- Yavuz, M. et al. (2017) 'Plantar Shear Stress in Individuals With a History of Diabetic Foot Ulcer: An Emerging Predictive Marker for Foot Ulceration', *Diabetes Care*, 40(2), pp. e14–e15. Available at: <https://doi.org/10.2337/dc16-2204>.
- Yudkin, J.S., Richter, B. and Gale, E.A. (2011) 'Intensified glucose control in type 2 diabetes—whose agenda?', *The Lancet*, 377(9773), pp. 1220–1222. Available at: [https://doi.org/10.1016/S0140-6736\(10\)61112-9](https://doi.org/10.1016/S0140-6736(10)61112-9).
- Zaccardi, F., Webb, D.R., Davies, M.J., Dhalwani, N.N., Gray, L.J., et al. (2017) 'Predicting hospital stay, mortality and readmission in people admitted for hypoglycaemia: prognostic

models derivation and validation', *Diabetologia* [Preprint]. Available at: <https://doi.org/10.1007/s00125-017-4235-1>.

Zaccardi, F., Webb, D.R., Davies, M.J., Dhalwani, N.N., Housley, G., et al. (2017) 'Risk factors and outcome differences in hypoglycaemia-related hospital admissions: A case-control study in England', *Diabetes, Obesity and Metabolism* [Preprint]. Available at: <https://doi.org/10.1111/dom.12941>.

Zhang, C.-Y. et al. (2010) 'Effects of intensive glucose control on incidence of cardiovascular events in patients with type 2 diabetes: A meta-analysis', *Annals of Medicine*, 42(4), pp. 305–315. Available at: <https://doi.org/10.3109/07853891003796752>.
Zinman, B. et al. (2015) 'Empagliflozin, Cardiovascular Outcomes, and Mortality in Type 2 Diabetes', *New England Journal of Medicine*, 373(22), pp. 2117–2128. Available at: <https://doi.org/10.1056/NEJMoa1504720>.

Zoungas, S. et al. (2017) 'Effects of intensive glucose control on microvascular outcomes in patients with type 2 diabetes: a meta-analysis of individual participant data from randomised controlled trials', *The Lancet Diabetes & Endocrinology*, 5(6), pp. 431–437. Available at: [https://doi.org/10.1016/S2213-8587\(17\)30104-3](https://doi.org/10.1016/S2213-8587(17)30104-3).